Product Catalog

Wholesale Supplier Fiber Optics • Networking Equipment • Cables



The Place To Be For Cabling Products & Networking Needs

www.CablesPlusUSA.com

1-866-678-5852



Visit our website (www.CablesPlusUSA.com) for more information on our products and to order! We also have guides, FAQs, and a place to learn more about what charities we contribute to and a way for you to donate. If you'd like to place an order over the phone with one of our knowledgeable

> free: 1-866-678-5852



Tables Of Contents



Fiber Optic

Fiber Optic Cables	Pg 2-9
Fiber Optic Patch Panels	Pg 17-19
Fiber Optic Testers	Pg 9-16
Media Converters	Pg 19-21



Cables

Adapters & Gender Changers	Pg 30,31
Cat5e and Cat6 Patch Cables	Pg 22-26
Cisco Cables	Pg 27
High-End Audio/Video Cables	Pg 29,30
Serial Cables	Pg 26
Printer Cables	Pg 27
SCSI Cables	Pg 28
Mouse & Keyboard Cables	Pg 28
VGA & SVGA Cables	Pg 31



Bulk Cable

Bulk Cat 3 Cable	Pg 34
Bulk Cat 5e Cable	Pg 34
Bulk Cat 6 Cable	Pg 35
Bulk SM/MM Fiber Optic Cable	Pg 32,33
Bundled Cables	Pg 34
Coaxial Cables	Pg 34



Tools

Acme Wire Cable Tackers & Staples	Pg 47
Crimp Tools	Pg 40
Greenlee Tools	Pg 40-46
Punch Down Tools	Pg 40
Tool Kits	Pa 35-39



Testers

Butt Sets	Pg 51-52
Cat 5e/Cat 6 UTP Testers	Pg 47-49
Coax Testers	Pg 50
Fiber Optic Testers	Pg 9-16
Test Accessories	Pg 52-57
Test Kits	Pg 58-62
Tone Generators & Probes	Pg 49,50



Power Protection

Surge Protection	Pg 63
Uninterruptible Power Supply (UPS)	Pg 64,65



Camera Enclosures	Pg 70-72
Cameras	Pg 65,66
CCTV Camera Lenses	Pg 66,67
Fixed Camera Mounts	Pg 68-70
Pelco Spectra III	Pg 73-75
Power Supplies	Pg 72,73
Video/Audio Transmitters & Receivers	Pg 73



USB Storage Devices

ClipDrive Bio™ Flash Memory	Pg 75
ClipDrive Flash Memory	Pg 76
KTI Pen Drives	Pg 76,77



SOHO Home Automation

Audio Modules	Pg 80
Boxes	Pg 78
CATV Cable/Satellite Modules	Pg 79
Data Modules	Pg 79
Power Modules	Pg 80
Telephone Modules	Pg 79



Networking Infrastructure

Cabinets & Racks	Pg 84-99
Cat 5e and Cat 6 Patch Panels	Pg 80,81
Data Jacks & Faceplates	Pg 81,82
Fiber Optic Patch Panels	Pg 17-19
Innerduct	Pg 100-102
Surface Raceway	Pg 83,84



Networking Electronics

_	
GoldX™ Products	Pg 109-118
Media Converters	Pg 19-21
Network Interface Cards	Pg 103
PCMCIA Products	Pg 109
Print Servers	Pg 108
Switches	Pg 104-107
Transceivers	Pg 107
Wireless Products	Pa 108,109



Fiber Optic



Fiber Optic Cables

100% optical tested; guaranteed performance specifications. Insertion loss tested on every fiber optic connector. Back Reflection tested on every single-mode connector. Visual inspection of all physical features. Immediate delivery.



Fiber Patch Cables

Multimode and Singlemode 9/125, 50/125, 62.5/125, and MTRJ micron duplex fiber patch cables. Wholesale prices of a wide variety of fiber optic connectors and lengths.

Multimode Fiber Jumper

- 100% Optically inspected.
- Insertion loss testing performed on every assembly
- · All cables serialized and test results are recorded
- Over-molded boot for added strength.
- Thumb pad design feature on boot aligned with key for easy installation.
- Guaranteed performance specifications.
- One year warranty.
- Proven reliability of premium grade ferrules and fiber to ensure product excellence and consistency





Singlemode Fiber Jumper

- 100% Optically inspected.
- Insertion loss testing performed on every assembly
- All cables serialized and test results are recorded
- Over-molded boot for added strength.
- Thumb pad design feature on boot aligned with key for easy installation.
- Guaranteed performance specifications.
- One year warranty.
- Proven reliability of premium grade ferrules and fiber to ensure product excellence and consistency

Part Number

Part Number



Fiber Optic (cont.)



Multimode 62.5/125 Micron Duplex



31-31 Duplex Multimode 62.5/125	
1 Mater Dumley CT CT Multimed a luminos	

1 Meter Duplex ST-ST Multimode Jumper	791414241001
2 Meter Duplex ST-ST Multimode Jumper	791414241002
3 Meter Duplex ST-ST Multimode Jumper	791414241003
4 Meter Duplex ST-ST Multimode Jumper	791414241004
5 Meter Duplex ST-ST Multimode Jumper	791414241005
6 Meter Duplex ST-ST Multimode Jumper	791414241006
7 Meter Duplex ST-ST Multimode Jumper	791414241007
8 Meter Duplex ST-ST Multimode Jumper	791414241008
9 Meter Duplex ST-ST Multimode Jumper	791414241009
10 Meter Duplex ST-ST Multimode Jumper	791414241010N
15 Meter Duplex ST-ST Multimode Jumper	791414241015
20 Meter Duplex ST-ST Multimode Jumper	791414241020N



ST-SC Duplex Multimode 62.5/125

1 Meter Duplex ST-SC Multimode Jumper	791415241001M
2 Meter Duplex ST-SC Multimode Jumper	791415241002M
3 Meter Duplex ST-SC Multimode Jumper	791415241003M
4 Meter Duplex ST-SC Multimode Jumper	791415241004M
5 Meter Duplex ST-SC Multimode Jumper	791415241005M
6 Meter Duplex ST-SC Multimode Jumper	791415241006M
7 Meter Duplex ST-SC Multimode Jumper	791415241007M
8 Meter Duplex ST-SC Multimode Jumper	791415241008M
9 Meter Duplex ST-SC Multimode Jumper	791415241009M
10 Meter Duplex ST-SC Multimode Jumper	791415241010M
15 Meter Duplex ST-SC Multimode Jumper	791415241015M
20 Meter Duplex ST-SC Multimode Jumper	791415241020M



ST-MTRJ Duplex Multimode 62.5/125

	r art Number
1 Meter Duplex ST-MTRJ Multimode Jumper	791416241001M
2 Meter Duplex ST-MTRJ Multimode Jumper	791416241002M
3 Meter Duplex ST-MTRJ Multimode Jumper	791416241003M
4 Meter Duplex ST-MTRJ Multimode Jumper	791416241004M
5 Meter Duplex ST-MTRJ Multimode Jumper	791416241005M
6 Meter Duplex ST-MTRJ Multimode Jumper	791416241006M
7 Meter Duplex ST-MTRJ Multimode Jumper	791416241007M
8 Meter Duplex ST-MTRJ Multimode Jumper	791416241008M
9 Meter Duplex ST-MTRJ Multimode Jumper	791416241009M
10 Meter Duplex ST-MTRJ Multimode Jumper	791416241010M
15 Meter Duplex ST-MTRJ Multimode Jumper	791416241015M
20 Meter Duplex ST-MTRJ Multimode Jumper	791416241020M

*Additional and custom lengths are available. Call for pricing.





Fiber Optic (cont.)

Multimode 62.5/125 Micron Duplex (cont.)

SC-SC Duplex Multimode 62.5/125



1 Meter Duplex SC-SC Multimode Jumper	791515241001M
2 Meter Duplex SC-SC Multimode Jumper	791515241002M
3 Meter Duplex SC-SC Multimode Jumper	791515241003M
4 Meter Duplex SC-SC Multimode Jumper	791515241004M
5 Meter Duplex SC-SC Multimode Jumper	791515241005M
6 Meter Duplex SC-SC Multimode Jumper	791515241006M
7 Meter Duplex SC-SC Multimode Jumper	791515241007M
8 Meter Duplex SC-SC Multimode Jumper	791515241008M
9 Meter Duplex SC-SC Multimode Jumper	791515241009M
10 Meter Duplex SC-SC Multimode Jumper	791515241010M
15 Meter Duplex SC-SC Multimode Jumper	791515241015M
20 Meter Duplex SC-SC Multimode Jumper	791515241020M

SC-MTRJ Duplex Multimode 62.5/125



30-WITKS Duplex Multimode 02.3/123	Part Number
1 Meter Duplex SC-MTRJ Multimode Jumper	791516241001M
2 Meter Duplex SC-MTRJ Multimode Jumper	791516241002M
3 Meter Duplex SC-MTRJ Multimode Jumper	791516241003M
4 Meter Duplex SC-MTRJ Multimode Jumper	791516241004M
5 Meter Duplex SC-MTRJ Multimode Jumper	791516241005M
6 Meter Duplex SC-MTRJ Multimode Jumper	791516241006M
7 Meter Duplex SC-MTRJ Multimode Jumper	791516241007M
8 Meter Duplex SC-MTRJ Multimode Jumper	791516241008M
9 Meter Duplex SC-MTRJ Multimode Jumper	791516241009M
10 Meter Duplex SC-MTRJ Multimode Jumper	791516241010M
15 Meter Duplex SC-MTRJ Multimode Jumper	791516241015M
20 Meter Duplex SC-MTRJ Multimode Jumper	791516241020M

MTRJ-MTRJ Duplex Multimode 62.5/125



WTRJ-WTRJ Duplex Wultimode 62.5/125	Part Number
1 Meter Duplex MTRJ-MTRJ Multimode Jumper	791616241001M
2 Meter Duplex MTRJ-MTRJ Multimode Jumper	791616241002M
3 Meter Duplex MTRJ-MTRJ Multimode Jumper	791616241003M
4 Meter Duplex MTRJ-MTRJ Multimode Jumper	791616241004M
5 Meter Duplex MTRJ-MTRJ Multimode Jumper	791616241005M
6 Meter Duplex MTRJ-MTRJ Multimode Jumper	791616241006M
7 Meter Duplex MTRJ-MTRJ Multimode Jumper	791616241007M
8 Meter Duplex MTRJ-MTRJ Multimode Jumper	791616241008M
9 Meter Duplex MTRJ-MTRJ Multimode Jumper	791616241009M
10 Meter Duplex MTRJ-MTRJ Multimode Jumper	791616241010M
15 Meter Duplex MTRJ-MTRJ Multimode Jumper	791616241015M
20 Meter Duplex MTRJ-MTRJ Multimode Jumper	791616241020M

*Additional and custom lengths are available. Call for pricing.





Fiber Optic (cont.)

Multimode 62.5/125 Micron Duplex (cont.)

ST-LC Duplex Multimode 62.5/125



31-LC Duplex multimode 02.3/123	Part Number
1 Meter Duplex ST-LC Multimode Jumper	791418241001M
2 Meter Duplex ST-LC Multimode Jumper	791418241002M
3 Meter Duplex ST-LC Multimode Jumper	791418241003M
4 Meter Duplex ST-LC Multimode Jumper	791418241004M
5 Meter Duplex ST-LC Multimode Jumper	791418241005M
6 Meter Duplex ST-LC Multimode Jumper	791418241006M
7 Meter Duplex ST-LC Multimode Jumper	791418241007M
8 Meter Duplex ST-LC Multimode Jumper	791418241008M
9 Meter Duplex ST-LC Multimode Jumper	791418241009M
10 Meter Duplex ST-LC Multimode Jumper	791418241010M
15 Meter Duplex ST-LC Multimode Jumper	791418241015M
20 Meter Duplex ST-LC Multimode Jumper	791418241020M

SC-LC Duplex Multimode 62.5/125



	<u>Fait Number</u>
1 Meter Duplex SC-LC Multimode Jumper	791518241001M
2 Meter Duplex SC-LC Multimode Jumper	791518241002M
3 Meter Duplex SC-LC Multimode Jumper	791518241003M
4 Meter Duplex SC-LC Multimode Jumper	791518241004M
5 Meter Duplex SC-LC Multimode Jumper	791518241005M
6 Meter Duplex SC-LC Multimode Jumper	791518241006M
7 Meter Duplex SC-LC Multimode Jumper	791518241007M
8 Meter Duplex SC-LC Multimode Jumper	791518241008M
9 Meter Duplex SC-LC Multimode Jumper	791518241009M
10 Meter Duplex SC-LC Multimode Jumper	791518241010M
15 Meter Duplex SC-LC Multimode Jumper	791518241015M
20 Meter Duplex SC-LC Multimode Jumper	791518241020M

LC-LC Duplex Multimode 62.5/125



LC-LC Duplex Multimode 02.5/125	Part Number
1 Meter Duplex LC-LC Multimode Jumper	791818241001M
2 Meter Duplex LC-LC Multimode Jumper	791818241002M
3 Meter Duplex LC-LC Multimode Jumper	791818241003M
4 Meter Duplex LC-LC Multimode Jumper	791818241004M
5 Meter Duplex LC-LC Multimode Jumper	791818241005M
6 Meter Duplex LC-LC Multimode Jumper	791818241006M
7 Meter Duplex LC-LC Multimode Jumper	791818241007M
8 Meter Duplex LC-LC Multimode Jumper	791818241008M
9 Meter Duplex LC-LC Multimode Jumper	791818241009M
10 Meter Duplex LC-LC Multimode Jumper	791818241010M
15 Meter Duplex LC-LC Multimode Jumper	791818241015M
20 Meter Duplex LC-LC Multimode Jumper	791818241020M

*Additional and custom lengths are available. Call for pricing.

Part Number

Fiber Optic (cont.)



Singlemode 9/125 Micron Duplex



1 Meter Duplex ST-ST Singlemode Jumper 2 Meter Duplex ST-ST Singlemode Jumper 3 Meter Duplex ST-ST Singlemode Jumper 4 Meter Duplex ST-ST Singlemode Jumper 5 Meter Duplex ST-ST Singlemode Jumper 6 Meter Duplex ST-ST Singlemode Jumper 7 Meter Duplex ST-ST Singlemode Jumper 8 Meter Duplex ST-ST Singlemode Jumper 9 Meter Duplex ST-ST Singlemode Jumper

10 Meter Duplex ST-ST Singlemode Jumper

ST-ST Duplex Singlemode 9/125

791414831001M
791414831002M
791414831003M
791414831004M
791414831005M
791414831006M
791414831007M
791414831008M
791414831009M
791414831010M

Part Number



ST-SC Duplex Singlemode 9/125
1 Meter Duplex ST-SC Singlemode Jumper
2 Meter Duplex ST-SC Singlemode Jumper
3 Meter Duplex ST-SC Singlemode Jumper
4 Meter Duplex ST-SC Singlemode Jumper
5 Meter Duplex ST-SC Singlemode Jumper
6 Meter Duplex ST-SC Singlemode Jumper
7 Meter Duplex ST-SC Singlemode Jumper
8 Meter Duplex ST-SC Singlemode Jumper
9 Meter Duplex ST-SC Singlemode Jumper
10 Meter Duplex ST-SC Singlemode Jumper

Part Number
791514831001M
791514831002M
791514831003M
791514831004M
791514831005M
791514831006M
791514831007M
791514831008M
791514831009M
791514831010M



	•		3	
1 Meter	Duplex	SC-SC	Singlemode Jumper	
2 Meter	Duplex	SC-SC	Singlemode Jumper	
3 Meter	Duplex	SC-SC	Singlemode Jumper	
4 Meter	Duplex	SC-SC	Singlemode Jumper	
5 Meter	Duplex	SC-SC	Singlemode Jumper	
6 Meter	Duplex	SC-SC	Singlemode Jumper	
7 Meter	Duplex	SC-SC	Singlemode Jumper	
8 Meter	Duplex	SC-SC	Singlemode Jumper	
9 Meter	Duplex	SC-SC	Singlemode Jumper	
10 Mete	r Duple	x SC-S	C Singlemode Jumper	

SC-SC Duplex Singlemode 9/125

Part Number
791515831001M
791515831002M
791515831003M
791515831004M
791515831005M
791515831006M
791515831007M
791515831008M
791515831009M
791515831010M



LC-LC Duplex Singlemode 9/125	Part Number
1 Meter Duplex LC-LC Singlemode Jumper	791818831001M
2 Meter Duplex LC-LC Singlemode Jumper	791518831002M
3 Meter Duplex LC-LC Singlemode Jumper	791518831003M
4 Meter Duplex LC-LC Singlemode Jumper	791518831004M
5 Meter Duplex LC-LC Singlemode Jumper	791518831005M
6 Meter Duplex LC-LC Singlemode Jumper	791518831006M
7 Meter Duplex LC-LC Singlemode Jumper	791518831007M
8 Meter Duplex LC-LC Singlemode Jumper	791518831008M
9 Meter Duplex LC-LC Singlemode Jumper	791518831009M
10 Meter Duplex LC-LC Singlemode Jumper	791518831010M



Fiber Optic (cont.)

Singlemode 9/125 Micron Duplex (cont.)



ST-LC Duplex Singlemode 9/125

1 Meter Duplex ST-LC Singlemode Jumper 2 Meter Duplex ST-LC Singlemode Jumper 3 Meter Duplex ST-LC Singlemode Jumper 4 Meter Duplex ST-LC Singlemode Jumper 5 Meter Duplex ST-LC Singlemode Jumper 6 Meter Duplex ST-LC Singlemode Jumper 7 Meter Duplex ST-LC Singlemode Jumper 8 Meter Duplex ST-LC Singlemode Jumper 9 Meter Duplex ST-LC Singlemode Jumper 10 Meter Duplex ST-LC Singlemode Jumper

Part Number

791418831001M 791415831002M 791415831003M 791415831004M 791415831005M 791415831006M 791415831007M 791415831008M 791415831009M 791415831010M

SC-LC Duplex Singlemode 9/125



1 Meter Duplex SC-LC Singlemode Jumper 2 Meter Duplex SC-LC Singlemode Jumper 3 Meter Duplex SC-LC Singlemode Jumper 4 Meter Duplex SC-LC Singlemode Jumper 5 Meter Duplex SC-LC Singlemode Jumper 6 Meter Duplex SC-LC Singlemode Jumper 7 Meter Duplex SC-LC Singlemode Jumper 8 Meter Duplex SC-LC Singlemode Jumper 9 Meter Duplex SC-LC Singlemode Jumper 10 Meter Duplex SC-LC Singlemode Jumper

Part Number

791418831001M 791415831002M 791415831003M 791415831004M 791415831005M 791415831006M 791415831007M 791415831008M 791415831009M 791415831010M




TFOCA

Multimode and Singlemode 9/125, 50/125, 62.5/125, and MTRJ micron duplex fiber patch cables. Wholesale prices of a wide variety of fiber optic connectors and lengths.

TFOCA Tactical Fiber Cable

Extremely strong, lightweight, rugged, survivable tight-buffered cables designed for military tactical field use and commercial applications.

Breakout cable design with an individual color-coded subcable surrounding each optical fiber.



TFOCA Tactical Fiber Connectors

TFOCA connectors are specifically designed, developed and manufactured for the world's leading organizations in the DOD, industrial and high reliability market segments. TFOCA connector systems, cable assemblies, harnesses, kits and specialty products have been used throughout the world in some of the most critical applications; down-hole oil exploration platforms, Navy tactical battle systems, secure data lines for the US Navy, water purification systems, performance automotive and many others.





Fiber Optic (cont.)

TFOCA Tactical Fiber Spool

The complete cabling system includes the most ergonomic, low weight backpacks and reels for field deployment, special reelstands and reels (up to 2,500mt of cable) for car deployment, easy to handle and re-usable fittings for fast installation on the ground or in the air, as well as field-proof measurement equipment and repair kits.



TFOCA Tactical Fiber Mil Spec

This specification defines the characteristics, performance and testing criteria for single terminus fiber optic connectors. The connectors described herein cover families of both bulkhead and cable termination configurations. The connectors are supplied under a MIL-STD-790 reliability assurance program. Statistical process control (SPC) techniques are required in the manufacturing process of these connectors to minimize variation.





MTP / MTO Cassettes, Pre-Terminated and Pre-Tested

Lower labor costs and greatly improved reliability, the FCA-MTP® "Plug and Play" style module cassette has been designed to mount in Cables Plus RAC or WAC series enclosures and other AT&T (original design) compatible enclosures.

MTP / MTO Fiber Cassettes, Multimode 62.5/125 Micron



Multimode 62.5/125 Micron	Part Number
6, Simplex, MTRJ(Male) to 1, Male MTP, 62.5/125 (12-Fiber)	CAQM-V48GZB1
6, Duplex, MTRJ(Male) to 2, Male MTP, 62.5/125 (24-Fiber)	CAQM-V48GZF1
6, Simplex, MTRJ(Male) to 1, Male MTP, 62.5/125, Keyed Yellow (12-	CAQM-V48LZB1
Fiber)	
6, Duplex, MTRJ(Male) to 2, Male MTP, 62.5/125, Keyed Yellow (24-	CAQM-V48LZF1
Fiber)	
6, Duplex, LC to 1, Male MTP, 62.5/125 (12-Fiber)	CAQM-V68G0B
6, Quad, LC to 2, Male MTP, 62.5/125 (24-Fiber)	CAQM-V68G0F
6, Duplex, ST to 1, Male MTP, 62.5/125 (12-Fiber)	CAQM-VA810B
6, Duplex, SC to 1, Male MTP, 62.5/125 (12-Fiber)	CAQM-VC8G0B

MTP / MTO Fiber Cassettes, Singlemode 9/125 Micron



Multimode 50/125 Micron	<u>Part Number</u>
6, Simplex, MTRJ(Male) to 1, Male MTP, 50/125 10GB Aqua (12-Fiber)	CAQM-V48CZBC
6, Duplex, MTRJ(Male) to 2, Male MTP, 50/125 10GB Aqua (24-Fiber)	CAQM-V48CZFC
6, Duplex, LC to 1, Male MTP, 50/125 10GB Aqua (12-Fiber)	CAQM-V68C0B
6, Quad, LC to 2, Male MTP, 50/125 10GB Aqua (24-Fiber)	CAQM-V68C0F
6. Duplex, SC to 1. Male MTP, 50/125 10GB Agua (12-Fiber)	CAOM-VC8C0B

MTP / MTO Fiber Cassettes, Singlemode 9/125 Micron



Singlemode 9/125 Micron	Part Number
6, Duplex, LC to 1, Male MTP, 9/125 (12-Fiber)	CAQM-V681CB
6, Quad, LC to 2, Male MTP, 9/125 (24-Fiber)	CAQM-V681CF
6, Duplex, ST to 1, Male MTP, 9/125 (12-Fiber)	CAQM-VA81CB
6, Duplex, SC to 1, Male MTP, 9/125 (12-Fiber)	CAQM-VC81CB
6, Duplex, SC/APC to 1, Male MTP, 9/125 (12-Fiber)	CAQM-VC83CB

KI3600-H1

KI3600-H2 KI3600-H3

KI3600-INGAAS

KI3600-SI

KI3600-GE

Part Number

Part Number

KI3810

KI3812

KI3820

KI3822

KI3822-APC

Part Number

KI7402

KI7402-APC

KI7426

KI7426-APC

KI7427

KI7427-APC

KI7428

KI7428-APC

Part Number

KI7824-PC-APC



Fiber Optic (cont.)



Custom Fiber Cables

We have the ability to fill your custom fiber cable needs! Call us at 1-888-678-5852 or visit our website at CablesPlusUSA.com for more information.



Kingfisher Fiber Optic Testers



3600 Series Optical Power Meters Instrument Power Meter H1

Instrument Power Meter H2 Instrument Power Meter H3 Instrument Power Meter InGaAs Instrument Power Meter SI Instrument Power Meter Ge

7600 Series Optical Power Meters



Instrument Power Meter H3 (MW) KI7600A-H3 Power Meter Ge (MW) Visible Laser PC KI7601A-GE KI7601A-INGAAS-APC Power Meter IngaAs (MW) Visible Laser APC Instrument Power Meter Ge (MW) KI7600A-GF Power Meter H3 (MW) Visible Laser APC KI7601A-H3-APC Power Meter H3 (MW) Visible Laser PC KI7601A-H3 Instrument, Power Meter IngaAs (MW) KI7600A-INGAAS Power Meter IngaAs (MW) Visible Laser PC KI7601A-INGAAS

Element State of Stat

3800 Series Fiber Optic Light Sources

Instrument Source 850nm LED Instrument Source 850/1310nm LED Light Source 1310nm Laser PC Source 1310/1550nm Laser Source 1310/1550nm Laser APC



7400 Series Premium Optic Light Source

Source 1310/1550nm Ultra Stable Source 1310/1550nm Ultra Stable APC 1310/1390/1550/1610nm Laser PC 1310/1390/1550/1610nm Laser APC 1310/1490/1550nm Laser PC 1310/1490/1550/1610nm Laser PC 1310/1490/1550/1610nm Laser APC

7800 Series LED Laser Sources



 Source 850nm LED/1310 nm Laser
 KI7804

 Source 850nm LED 1310/1550 nm Laser
 KI7823

 Source 850nm MM LED PC & 1310/1550nm single Laser APC
 KI7823-PC-APC

 Source 850/1300 LED, 1310/1550 Laser
 KI7824-PC-PC

Source 850/1300 LED, 1310/1350 Laser APC

Fiber Optic (cont.)

Kingfisher Fiber Optic Testers (cont.)



7300 Series Loss Test Sets

1310/1390/1550/1610nm APC InGaAs Meter 1310/1550nm Laser PC, H3 Meter 1310/1490/1550nm APC, InGaAs Meter 1310/1550nm Laser APC, H3 Meter 1310/1490/1550nm PC, InGaAs Meter 1310/1550nm Laser APC, InGaAs Meter 1310/1390/1550/1610nm PC InGaAs Meter 1310/1490/1550/1610nm PC InGaAs Meter 1310/1490/1550/1610nm APC InGaAs Meter 1310/1490/1550/1610nm APC InGaAs Meter 1310/1550/1620nm Laser PC, H3 Meter 1310/1550/1620nm Laser PC, H3 Meter

Part Number

KI7308A-INGAAS-APC
KI7307A-INGAAS-APC
KI7307A-INGAAS-APC
KI7307A-INGAAS
KI7303A-INGAAS-APC
KI7308A-INGAAS
KI73010A-H3-APC
KI7309A-INGAAS
KI7309A-INGAAS-APC
KI7309A-INGAAS-APC
KI73010A-H3
LKI7303A-INGAAS



7340 2-Way Loss Test Set & Optical Return Loss Meters

1310/1550nm Laser InGaAs Meter 1310/1490/1550nm InGaAs Meter 1310/1390 or 1490/1550/1610nm InGaAs Meter 1310/1550/1620nm Laser H3 Meter 1310/1550nm Laser H3 Meter 850/1300nm LED APC Ge Meter

Part Number

KI7343A-INGAAS KI7347A-INGAAS KI7348A-INGAAS KI73410A-H3 KI7343A-H3 KI7344A-GE-APC



7700 Series Loss Test Sets

1310/1550nm InGaAs PC 850/1300nm Ge 1310/1550nm H3 APC 1310/1550nm H3 PC 1310/1550nm InGaAs APC

Part Number

KI7722-INGAAS KI7704-GE KI7722-H3-APC KI7722-H3 KI7722-INGAAS-APC

7740 Series Loss Test Sets

1310/1550nm H3 APC 850/1300nm GE LED PC 1310/1550nm H3 PC 1310/1550nm InGaAs APC 1310/1550nm InGaAs PC

Part Number

K17742-H3-APC K17744-GE K17742-H3 K17742-INGAAS-APC K17742-INGAAS



7000 Optical Attenuators

1310/1550nm SMF 1310/1550nm SMF, APC 850/1300nm MMF 50um 850/1300nm MMF 62.5um Calibration of KI7010 Attenuator, Traceable Metal Free Connector

Part Number

KI7010A KI7010A-APC KI7020A KI7021A CAL-006 OPT090

Cables Plus

Fiber Optic (cont.)



Kingfisher Fault Finders/Identifiers

OTDR Precision Event Locator "Cold Clamp"



Cold Clamp Starter Kit

Cold Clamps & consumables, Quantity: 5

Cold Clamp Work Kit

Cold Clamp 10 Litre Dewar

Cold Clamp 1 Litre Flask

Cold Clamp Vehicle Transit Box

Cold Clamp Vehicle Transit Box

Cold Clamp Cold Cl



Visible Pens Part Number

 635nm Visible Pen (1.25 mm Pulsed)
 KI6352

 650nm Visible Pen (505nm Visible Pen (2.5mm Pulsed)
 KI6353

 635 nm Visible Pen (2.5mm Pulsed)
 KI6351



Kingfisher Talk Sets





Kingfisher Interchangeable Adapters and Options

2/2	Interchangeable Adapters	Part Number
May 1	Interchangeable Adapter (Zr02), SC/FC	OPT051
2/2	Interchangeable Adapter (ZrO2), (ZrO2) SC/ST	OPT040
	Interchangeable Adapter (Zr02), (Zr02) SC/SC	OPT046



Options
Interchangeable Adapter Option, E2000 Blue

OPT060



Interchangeable Adapter Option, E2000 Green OPT060G



Interchangeable Adapter Option, LC/F3000 OPT072



Interchangeable Adapter Option, LSA Blue OPT071



Interchangeable Adapter Option, MU OPT080



Interchangeable Adapter Option, SC Green OPTO46G

Fiber Optic (cont.)




Kingfisher Fixed Connectors



Fixed Connectors
FC
FC/APC

SC SC/APC SMA 906 ST Part Number

OPT501 OPT501A OPT504 OPT508 OPT508A OPT503 OPT502





Accessories	Part Number
Accessory Pack for KI3000 Series	OPT146
Cable, USB to RS232	OPT188



Aust 9V/0.5A DC 3.5mm Jack OPT102



Carry Case 2 Instrument (KI300/KI7000) OPT153



Clip-On Probe FC-PC 1300/1550 nm Pigtail OPT130

IEC 100-240V 2.5/5.5mm Long Plug OPT103B

Leather Holster KI7000 Series

OPT172

All Kingfisher products meet TIA Standard Compliance and have 2- and 4-year extended warranty options available. Also, re-calibrator services and calibration and stability tests can be purchased.









Fiber Optic Test Equipment Manufacturer

Fiber Optic (cont.)



Greenlee Fiber Optic Test Equipment

The XL fiberTOOLS™ are designed to accurately measure optical power levels and link loss on multimode and singlemode cabling networks. These full feature general purpose fiber optic instruments are easy to operate and economically priced to outfit all technicians performing fiber optic installation and maintenance.









	Part Number
635nm Visual Fault Locator	170xl
InGaAs Optical Power Meter	560xI
850/1300nm LED Source (FC)	570xI-fc
850/1300nm LED Source (SC)	570xI-sc
850/1300nm LED Source (ST)	570xI-st
1310/1550nm Laser Source (FC)	580xI-fc
1310/1550nm Laser Source (SC)	580xI-sc
1310/1550nm Laser Source (ST)	580xI-st
Multimode Test Set (FC)	5670-fc
Multimode Test Set (SC)	5670-sc
Multimode Test Set (ST)	5670-st
Singlemode Test Set (FC)	5680-fc
Singlemode Test Set (SC)	5680-sc
Singlemode Test Set (ST)	5680-st
Singlemode/Multimode Test Set (FC)	5890-fc
Singlemode/Multimode Test Set (SC)	5890-sc
Singlemode/Multimode Test Set (ST)	5890-st

Fiber Optic (cont.)

OWL Test Kits and Testers

Optical Wavelength Laboratories (OWL) designs and manufactures optical fiber test and communications equipment. They offer testers, light sources, fault identifiers, and much more including bundled test kits.



OWL Test Kits

Fiber OWL 4 BOLT Series Auto-Wavelength Test Kits

Fiber OWL 4 BOLT / WaveSource Quad MM/SM test kit Fiber OWL 4 BOLT / WaveSource MM test kit Fiber OWL 4 BOLT / WaveSource SM test kit Fiber OWL 4C BOLT / WaveSource Quad MM/SM test kit

Fiber OWL 4C BOLT / WaveSource SM test kit

Part Number

KIT-FO4BFX-WSMDSDxx KIT-FO4BFX-WSMDxx KIT-FO4BFX-WSSDxx KIT-FO4BCFX-WSMDSDxx KIT-FO4BCFX-WSSDxx



Fiber OWL 4 / WaveSource Quad MM/SM test kit Fiber OWL 4 / WaveSource MM test kit

Fiber OWL 4 / WaveSource SM test kit

Fiber OWL 4C / WaveSource Quad MM/SM test kit

Fiber OWL 4C / WaveSource SM test kit

Part Number

KIT-FO4FX-WSMDSDxx KIT-FO4FX-WSMDxx KIT-FO4FX-WSSDxx KIT-FO4CFX-WSMDSDxx KIT-FO4CFX-WSSDxx

Fiber OWL 4 Series Basic Test Kits

Fiber OWL 4 / Dual OWL / Laser OWL MM/SM test kit
Fiber OWL 4 / Dual OWL 850 ST MM test kit
Fiber OWL 4 / Dual OWL 850 SC MM test kit
Fiber OWL 4 / Dual OWL ST MM test kit
Fiber OWL 4 / Dual OWL SC MM test kit
Fiber OWL 4 / Laser OWL SM test kit
Fiber OWL 4C / Laser OWL SM test kit
Fiber OWL 4C / Dual OWL / Laser OWL MM/SM test kit

Part Number

KIT-FO4FX-DOxx-Loxx
KIT-FO4FX-DO850st
KIT-FO4FX-DO850sc
KIT-FO4FX-Dosc
KIT-FO4FX-Loxx
KIT-FO4CFX-LOxx
KIT-FO4CFX-LOxx



Micro OWL Series Test Kits

Micro OWL MM Test Kit (ST connector) Micro OWL MM Test Kit (SC connector) Micro OWL SM Test Kit Micro OWL MM/SM Test Kit

Part Number

KIT-MOUFX-DOSt KIT-MOUFX-DOSC KIT-MOUFX-LOXX KIT-MOUFX-DOXX-LOXX



WaveSeries Auto-test Kits

WaveTester SM Auto-test Kit

WaveTester MM/SM Auto-test Kit with Quad Wavelength Source WaveTester MM Auto-test Kit WaveTester MM Auto-test Kit with integrated VFL Part Number

KIT-WT-WS-MDSDxx KIT-WT-WS-MDVxx KIT-WT-WS-SDxx KIT-WT-WS-VSDxx

Fiber Optic (cont.)

OWL Test Kits (cont.)



WaveTester Series Test Kits

WaveTester MM Test Kit (850nm; ST connector) WaveTester MM Test Kit (850nm; SC connector) WaveTester MM Test Kit (850/1300nm; ST connectors) WaveTester MM Test Kit (850/1300nm; SC connectors) WaveTester SM Test Kit WaveTester MM/SM Test Kit

Silicon ZOOM Series Test Kits

Silicon ZOOM MM Test Kit (850nm only; ST connector) Silicon ZOOM MM Test Kit (850nm only; SC connector)

ZOOM Series Test Kits

ZOOM MM Test Kit (ST connector) ZOOM MM Test Kit (SC connector) ZOOM SM Test Kit ZOOM MM/SM Test Kit

Part Number

KIT-WT-DO850st KIT-WT-DO850sc KIT-WT-DOst KIT-WT-DOsc KIT-WT-LOxx KIT-WT-DOxx-LOxx

Part Number

KIT-ZOS-DO850st KIT-ZOS-DO850sc

Part Number

KIT-ZO-DOst KIT-ZO-DOsc KIT-ZO-LOxx KIT-ZO-DOxx-LOxx



OWL Testers



Fiber OWL Series Power Meters

Fiber OWL 4 Optical Power Meter Fiber OWL 4C Optical Power Meter Fiber OWL 4 BOLT Optical Power Meter Fiber OWL 4C BOLT Optical Power Meter



Micro OWL Series Power Meters

Micro OWL Universal FX Optical Power Meter



FO-4 FO-4C FO-4B FO-4BC

Part Number **MOUFX**



WaveTester Series Power Meters

WaveTester Optical Power Meter

Part Number

WTUFX



Silicon ZOOM Series Power Meters

Silicon ZOOM Optical Power Meter (850nm only)

Part Number

ZOUSFX



ZOOM Series Power Meters

ZOOM Optical Power Meter (850nm only)

Part Number **ZOUFX**

WS-MDSDxx

WS-MDxx

WS-MDVxx

WS-SDxx

WS-SDVxx

Part Number

DO-1st

DO-1sc

DO-850st

DO-850sc

Part Number

LO-1xx

LO-1310xx

LO-1550xx

LO-1xx-HP

LO-1310xx-HP

LO-1510xx-HP

Part Number

Part Number

HO-850

HO-1300

LH-1310

LH-1550

Part Number PCVFL-1

Cables Plus

Fiber Optic (cont.)

OWL Testers (cont.)



WaveSource Series Light Sources

WaveSource Quad MM/SM
WaveSource MM
WaveSource MM with Integrated VFL
WaveSource SM
WaveSource SM with Integrated VFL

Dual OWL Series MM Light Sources

Dual OWL MM Source (ST connector)
Dual OWL MM Source (SC connector)
Dual OWL 850 MM Source (850nm only; ST connector)
Dual OWL 850 MM Source (850nm only; SC connector)

Laser OWL Series SM Laser Light Sources

Laser OWL SM Laser Source
Laser OWL 1310 SM Laser Source
Laser OWL 1550 SM Laser Source
Laser OWL HP SM Laser Source
Laser OWL 1310 HP SM Laser Source
Laser OWL 1550 HP SM Laser Source

Hybrid Optical Length Testers

Beaming Optical Length Tester-NL BOLT-NL Visual Optical Length Tester VOLT-1



Optical Talk Sets

HOOTS 850 MM Talk Set
HOOTS 1300 MM Talk Set
Laser HOOTS 1310 SM Laser Talk Set
Laser HOOTS 1550 SM Laser Talk Set



Visual Fault Locators

Precision Coupled Visual Fault Locator







Fiber Optic (cont.)

Fiber Optic Patch Panels

Cables Plus wall mount and rack mount patch enclosures are designed for direct termination of fiber. These enclosures accommodate modular panels and are equipped with routing guides to limit bend radius and enhance strain-relief control.





Rack Mount and Wall Mount

	RAC Series	Part Number
CARREST WHEN THE PARTY OF T	Fiber Enclosure, Rack Mount, 3 Panel, 1U, (19 & 23in)	RAC-1X
	Fiber Enclosure, Rack Mount, 4 Panel, 2U, (19 & 23in)	RAC-24X
	Fiber Enclosure, Rack Mount, 6 Panel, 2U, (19 & 23in)	RAC-2X
	Fiber Enclosure, Rack Mount, 12 Panel, 4U, (19 & 23in)	RAC-4X
- Senger	WAC Series	Part Number
	Fiber Enclosure, Wall Mount, 1 Panel	WAC-1X
	Fiber Enclosure, Wall Mount, 2 Panel	WAC-2X
	Fiber Enclosure, Wall Mount, 4 Panel	WAC-4X
es .	Fiber Enclosure, Wall Mount, 8 Panel	WAC-8X

Fiber Optic (cont.)

Fiber Adapter Panels

Cables Plus offers a full line of adapters and adapter panels designed for the use with Fiber-Conn RAC and WAC series enclosures and are now compatible with patch panels from most manufacturers, including Lucent, Corning, Leviton and Superior. 6-, 8-, and 12-fiber panels are available. The 6-fiber panels are offered in ST. EC. SC dupley and simpley. MT-R1 and LC connections.



available. The 6-fiber panels are offered in ST, FC, SC duplex and simplex, MT-RJ and LC connectors. 8-fiber panels are offered in ST, SC duplex and simplex, and FC connectors. The 12-fiber panel is offered in SC duplex connectors. Fully preloaded adapter panels are available. We also offer preloaded adapter panels with pigtails and patch cords.



Fiber Adapter Panel Inserts (Multimode/Singlemode)

	Inserts	Part Number
等	Fiber Adapter Panel INSERT, 6 SC DUPLEX	AP-VCCG0B
	Fiber Adapter Panel INSERT, 6 FC	AP-VBBW06
> popular	Fiber Adapter Panel INSERT, 6 MTRJ	AP-V338ZB
· Ballan	Fiber Adapter Panel INSERT, 6 SC	AP-VCCG06
, 666666	Fiber Adapter Panel INSERT, 6 ST	AP-VAAW06
* 8 8 8 8 ·	Fiber Adapter Panel INSERT, 8 FC	AP-VBBW08
A THE THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TO THE PERSON NAMED IN CO	Fiber Adapter Panel INSERT, 8 SC	AP-VCCG08
6666	Fiber Adapter Panel INSERT, 8 ST	AP-VAAW08
*866666 ·	Fiber Adapter Panel INSERT, 12 FC	AP-VBBW08
识말	Fiber Adapter Panel INSERT, 12 MTRJ	AP-V338ZF
• \$ \$ \$ \$ \$ \$ •	Fiber Adapter Panel INSERT, 12 ST	AP-VAAWOB
• •	Fiber Adapter Panel, BLANK	300-200-600



Fiber Optic (cont.)





The new DMAX series fiber enclosures come in 1-, 2-, and 4-unit boxes. They come in 3- and 12-, panel styles with no adapters to 12-, 16-, and 32-port with connectors. These are great for your **EMERSON** MTP fiber cassettes!



DMAX Series



1U, Black, 3 Panel, No Adapters

1U, Black, 12-Port, Duplex, LC, Aqua

1U, Black, 16-Port, Duplex, LC, Aqua

1U, Black, 32-Port, Duplex, LC, Aqua

2U, Black, 3 Panel, No Adapters, w/Wire Management

2U, Black, 12-Port, Duplex, LC, Aqua w/Wire Management

2U, Black, 16-Port, Duplex, LC, Aqua w/Wire Management

2U, Black, 32-Port, Duplex, LC, Aqua w/Wire Management

4U, Black, 12 Panel, No Adapters

Part Number

DMAX-1X-EN DMAX-1X-EN-X-LOUM-12 DMAX-1X-EN-X-LOUM-16 DMAX-1X-EN-X-LOUM-32 DMAX-2X-EN-C DMAX-2X-EN-X-LOUM-12-C

DMAX-4X-EN

Part Number

KC-10TFT

KC-10TFC

KC-10TFS12

Part Number

KC-201-W3-S3

KC-201-W5-S3

KC-300-WDM320

KC-300-WDM520



Media Converters


High performance media converters are available in most configurations. Standalone converters can work for specific needs such as converting Cat5 10/100 to any fiber configuration or converting single mode to multimode. You can convert duplex to single fiber to reduce your Telco cost by leasing only one fiber. For the data center environment we have high density in both low voltage and standard voltage with redundant power. If you have question please be sure to ask, our specialist can help you select the right product and configuration for you.



Standalone Media Converters



10BaseT to 10BaseFL





Single Fiber

20K

Single fiber converter, 1310nmTX/1550nm RX, SM SC, 30K Single fiber converter, 1550nmTX/1310nm RX, SM SC, 30K 1310nm 10/100TX to 1550nm RX media converter. SM, SC, 20KM 1550nm 10/100TX to 1310nm RX media converter. SM, SC,

cont...

DMAX-2X-EN-X-LOUM-16-C DMAX-2X-EN-X-LOUM-32-C

Call for Pricing! 1-866-678-5852

KC-210TF-SXC

KC-210TF-LXC

Part Number

Part Number

Part Number

Cables Plus

Fiber Optic (cont.)

Standalone Media Converters (cont.)



Gigabit Media Converters

Gigabit converter. Multimode SC Gigabit converter, Singlemode SC



Multimode-Singlemode

Multimode, ST, 2KM to Single mode, SC, 20KM converter

Multimode, SC, 2KM to Single mode, SC, 20KM converter

Multimode, ST, 2KM to Single mode, SC, 50KM converter

Multimode, ST, 2KM to Single mode, SC, 50KM converter

Multimode, SC, 2KM to Single mode, SC, 50KM converter

KC-220FF-CS5

Gigabit MM, SC to SM, SC, 1000SC/2KM to 1000LX/10KM

KC-220G

Gigabit MM, SC to SM, SC, 1000SC/2KM to 1000LX/40KM

KC-220GS40



10/100TX to 100FX

KC-300D-C 10/100 TX Copper to 100 FX Fiber Media Converter, SC 2 KM 10/100 TX Copper to 100 FX Fiber Media Converter, ST 2 KM KC-300D-T 10/100TX to 100FX switch based media converter, SM SC, 20KM KC-300D-SA2 10/100TX to 100FX switch based media converter, SM SC, 40KM KC-300D-SL4 10/100TX to 100FX SNMP/Web managed converter MM, SC, 2KM KC-300S-MC 10/100TX to 100FX SNMP/Web managed converter SM, SC, 15KM KC-300S-SA2 10/100TX to 100FX SNMP/Web managed converter SM, SC, KC-300-SA2-OIC 15KM, OIC Chip 10/100TX to 100FX SNMP/Web managed converter SM, SC, 40KM KC-300S-SA4

Media Conversion Center and Slide In Modules



KC-3600 and KC-3000 Series

Manageable 16 port Conversion Center chassis, A/C power	KC-3600-1A
Manageable 16 port Conversion Center chassis, 48V D/C power	KC-3600-1D
Manageable 16 port Conversion Center chassis, Redundant A/C	KC-3600-2A
power	
Manageable 16 port Conversion Center chassis, 2-48V DC Power	KC-3600-2D
10Base-T to 10Base-FL module for KC-3600. MM, ST	KC-3000FLT
10Base-T to 10Base-FL module for KC-3600. MM, SC	KC-3000FLC
10Base-T to 10Base-FL module for KC-3600. SM, ST 12KM	KC-3000FLS12
10/100TX to 100FX module for KC-3600. MM, ST, 2KM	KC-3000-TFMT
10/100TX to 100FX module for KC-3600. MM, SC, 2KM	KC-3000-TFMC
10/100TX to 100FX module for KC-3600. MM, MT-RJ, 2KM	KC-3000-TFJM
10/100TX to 100FX module for KC-3600. MM, VF-45, 2KM	KC-3000-TFVM
10/100TX to 100FX module for KC-3600. SM, SC 20KM	KC-3000-TFS20
10/100TX to 100FX module for KC-3600. SM, SC, 40KM	KC-3000-TFS40
1000Base-T to 1000Base-SX module for KC-3600. MM, SC, 220M	KC-3000SXC
1000Base-T to 1000Base-LX module for KC-3600. SM, SC, 10KM	KC-3000LXC
1000Base-T to 1000Base-LX module for KC-3600. SM, SC, 40KM,	KC-3000LXC40-O
Opt.	
1310nm 10/100TX to 1550nm RX module for KC-3600. SM, SC,	KC-3000WDM32
20KM	
1550nm 10/100TX to 1310nm RX module for KC-3600. SM, SC,	KC-3000WDM52

cont...

20KM



Fiber Optic (cont.)

Media Conversion Center and Slide In Modules (cont.)



KC-1000 and KC-1300 Conversion SeriesPart Number10-port Conversion Center chassisKC-100010-port Conversion Center chassis, Redundant power supplyKC-1000R10 port Conversion Center chassis. Replacement for KC-1000KC-1300



KC-1200 Modular Media Converter Series

Chassis. Rack mountable, regular power supply
Chassis. Rack mountable, redundant power supply
Chassis. Rack mountable, SNMP & Web manageable, regular
power
Chassis. Rack mountable, SNMP & Web manageable, redun
KC-1200-R

dant power

Module, 10Base-T to 10Base-FL, multimode ST

Module, 10Base-T to 10Base-FL, multimode SC

Module, 10Base-T to 10Base-FL, singlemode SC, 12KM

KC-1200FLST:

KC-1200FLST:

Module, 10Base-T to 10Base-E, singlemode SC, 12KM

Module, 10Base-T to 10Base-FL, singlemode SC, 12KM

Mc-1200FLS12

Module, 100TX to 100FX, multimode ST, 2KM

Mc-1200TFT-B

Module, 100TX to 100FX, multimode SC, 2KM

Mc-1200TFC-B

Module, 100TX to 100FX, singlemode SC, 20KM

Mc-1200TFSA-B

Module, 100TX to 100FX, multimode, MT-RJ, 2KM

Module, 100TX to 100FX, multimode, VF-45, 2KM



1 port converter chassis w/internal power, use KC-1200 modules KC-100



4 port conversion center chassis, use KC-1200 modules KC-400



KC-201

KC-300D



KC-10



Cabl<u>es i lus</u>

Cables




Cat5e and Cat6 Universal Patch Cables

Without a way to connect computers to one another you cannot have a network. As a result your network is only as good as your infrastructure. Improve your network's connectivity with Cat5e and Cat6 patch cables. The connectors ensure the best level of conductivity between the cable and your network peripherals. Designed according to the TIA/EIA 568 A specification.



Cat5e Universal Boot

2 Foot Cat5e Patch Cables



1 Foot Cat5e Patch Cables	Part Number
Cable, Cat5e, UTP, 568B, Universal Boot, Blue	PC5-BL-01
Cable, Cat5e, UTP, 568B, Universal Boot, Black	PC5-BK-01
Cable, Cat5e, UTP, 568B, Universal Boot, Gray	PC5-GY-01
Cable, Cat5e, UTP, 568B, Universal Boot, Green	PC5-GR-01
Cable, Cat5e, UTP, 568B, Universal Boot, Orange	PC5-OR-01
Cable, Cat5e, UTP, 568B, Universal Boot, White	PC5-WH-01
Cable, Cat5e, UTP, 568B, Universal Boot, Yellow	PC5-YL-01



Part Number Cable, Cat5e, UTP, 568B, Universal Boot, Blue PC5-BL-02 Cable, Cat5e, UTP, 568B, Universal Boot, Black PC5-BK-02 Cable, Cat5e, UTP, 568B, Universal Boot, Gray PC5-GY-02 Cable, Cat5e, UTP, 568B, Universal Boot, Yellow PC5-YL-02

3 Foot Cat5e Patch Cables Part Number Cable, Cat5e, UTP, 568B, Universal Boot, Blue PC5-BL-03 Cable, Cat5e, UTP, 568B, Universal Boot, Black PC5-BK-03 Cable, Cat5e, UTP, 568B, Universal Boot, Gray PC5-GY-03 Cable, Cat5e, UTP, 568B, Universal Boot, Green PC5-GR-03 Cable, Cat5e, UTP, 568B, Universal Boot, Orange PC5-OR-03 Cable, Cat5e, UTP, 568B, Universal Boot, White PC5-WH-03 Cable, Cat5e, UTP, 568B, Universal Boot, Yellow PC5-YL-03 Cable, Cat5e, UTP, 568B, Universal Boot, Red PC5-RD-03


Cable, Cat5e, UTP, 568B, Universal Boot, Purple	PC5-PL-03
4 Foot Cat5e Patch Cables	Part Number
Cable, Cat5e, UTP, 568B, Universal Boot, Blue	PC5-BL-04
Cable, Cat5e, UTP, 568B, Universal Boot, Black	PC5-BK-04
Cable, Cat5e, UTP, 568B, Universal Boot, Gray	PC5-GY-04
Cable, Cat5e, UTP, 568B, Universal Boot, Yellow	PC5-YL-04

5 Foot Cat5e Patch Cables	Part Number
Cable, Cat5e, UTP, 568B, Universal Boot, Blue	PC5-BL-05
Cable, Cat5e, UTP, 568B, Universal Boot, Black	PC5-BK-05
Cable, Cat5e, UTP, 568B, Universal Boot, Gray	PC5-GY-05
Cable, Cat5e, UTP, 568B, Universal Boot, Green	PC5-GR-05
Cable, Cat5e, UTP, 568B, Universal Boot, Orange	PC5-OR-05
Cable, Cat5e, UTP, 568B, Universal Boot, White	PC5-WH-05
Cable, Cat5e, UTP, 568B, Universal Boot, Yellow	PC5-YL-05
Cable, Cat5e, UTP, 568B, Universal Boot, Red	PC5-RD-05
Cable, Cat5e, UTP, 568B, Universal Boot, Purple	PC5-PL-05



Cables (cont.)

Cat5e Universal Boot (cont.)





6 Foot Cat5e Patch Cables

7 Foot Cat5e Patch Cables

10 Foot Cat5e Patch Cables

Part Number
PC5-BL-06
PC5-GY-06



7 Foot Cathe Patch Cables	Part Number
Cable, Cat5e, UTP, 568B, Universal Boot, Blue	PC5-BL-07
Cable, Cat5e, UTP, 568B, Universal Boot, Black	PC5-BK-07
Cable, Cat5e, UTP, 568B, Universal Boot, Gray	PC5-GY-07
Cable, Cat5e, UTP, 568B, Universal Boot, Green	PC5-GR-07
Cable, Cat5e, UTP, 568B, Universal Boot, Orange	PC5-OR-07
Cable, Cat5e, UTP, 568B, Universal Boot, White	PC5-WH-07
Cable, Cat5e, UTP, 568B, Universal Boot, Yellow	PC5-YL-07
Cable, Cat5e, UTP, 568B, Universal Boot, Red	PC5-RD-07
Cable, Cat5e, UTP, 568B, Universal Boot, Purple	PC5-PL-07

10 Foot Cat5e Patch Cables	Part Number
Cable, Cat5e, UTP, 568B, Universal Boot, Blue	PC5-BL-10
Cable, Cat5e, UTP, 568B, Universal Boot, Black	PC5-BK-10
Cable, Cat5e, UTP, 568B, Universal Boot, Gray	PC5-GY-10
Cable, Cat5e, UTP, 568B, Universal Boot, Green	PC5-GR-10
Cable, Cat5e, UTP, 568B, Universal Boot, Orange	PC5-OR-10
Cable, Cat5e, UTP, 568B, Universal Boot, White	PC5-WH-10
Cable, Cat5e, UTP, 568B, Universal Boot, Yellow	PC5-YL-10
Cable, Cat5e, UTP, 568B, Universal Boot, Red	PC5-RD-10
Cable, Cat5e, UTP, 568B, Universal Boot, Purple	PC5-PL-10

14 Foot Cat5e Patch Cables	Part Number
Cable, Cat5e, UTP, 568B, Universal Boot, Blue	PC5-BL-14
Cable, Cat5e, UTP, 568B, Universal Boot, Black	PC5-BK-14
Cable, Cat5e, UTP, 568B, Universal Boot, Gray	PC5-GY-14
Cable, Cat5e, UTP, 568B, Universal Boot, Green	PC5-GR-14
Cable, Cat5e, UTP, 568B, Universal Boot, Orange	PC5-OR-14
Cable, Cat5e, UTP, 568B, Universal Boot, White	PC5-WH-14
Cable, Cat5e, UTP, 568B, Universal Boot, Yellow	PC5-YL-14
Cable, Cat5e, UTP, 568B, Universal Boot, Red	PC5-RD-14
Cable, Cat5e, UTP, 568B, Universal Boot, Purple	PC5-PL-14
Cable, Cat5e, UTP, 568B, Universal Boot, Yellow Cable, Cat5e, UTP, 568B, Universal Boot, Red	PC5-YL-14 PC5-RD-14

002.07 00.007 0.1.7 00027 0.1.10.000. 2001, 1 u. p.o	
15 Foot Cat5e Patch Cables	Part Number
Cable, Cat5e, UTP, 568B, Universal Boot, Blue	PC5-BL-15
Cable, Cat5e, UTP, 568B, Universal Boot, Black	PC5-BK-15
Cable, Cat5e, UTP, 568B, Universal Boot, Gray	PC5-GY-15
Cable, Cat5e, UTP, 568B, Universal Boot, Yellow	PC5-YL-15
205 1015 811011	

20 Foot Cat5e Patch Cables	<u>Part Number</u>
Cable, Cat5e, UTP, 568B, Universal Boot, Blue	PC5-BL-20
Cable, Cat5e, UTP, 568B, Universal Boot, Black	PC5-BK-20
Cable, Cat5e, UTP, 568B, Universal Boot, Gray	PC5-GY-20
Cable, Cat5e, UTP, 568B, Universal Boot, Yellow	PC5-YL-20

Part Number

Cables Plus

Cables (cont.)

Cat5e Universal Boot (cont.)

25 Foot Cat5e Patch Cables






Cable, Cat5e, UTP, 568B, Universal Boot, Blue	PC5-BL-25
Cable, Cat5e, UTP, 568B, Universal Boot, Black	PC5-BK-25
Cable, Cat5e, UTP, 568B, Universal Boot, Gray	PC5-GY-25
Cable, Cat5e, UTP, 568B, Universal Boot, Green	PC5-GR-25
Cable, Cat5e, UTP, 568B, Universal Boot, Orange	e PC5-OR-25
Cable, Cat5e, UTP, 568B, Universal Boot, White	PC5-WH-25
Cable, Cat5e, UTP, 568B, Universal Boot, Yellow	v PC5-YL-25
Cable, Cat5e, UTP, 568B, Universal Boot, Red	PC5-RD-25
Cable, Cat5e, UTP, 568B, Universal Boot, Purple	PC5-PL-25

50 Foot Cat5e Patch Cables	Part Number
Cable, Cat5e, UTP, 568B, Universal Boot, Blue	PC5-BL-50
Cable, Cat5e, UTP, 568B, Universal Boot, Black	PC5-BK-50
Cable, Cat5e, UTP, 568B, Universal Boot, Gray	PC5-GY-50
Cable, Cat5e, UTP, 568B, Universal Boot, Green	PC5-GR-50
Cable, Cat5e, UTP, 568B, Universal Boot, Orange	PC5-OR-50
Cable, Cat5e, UTP, 568B, Universal Boot, White	PC5-WH-50
Cable, Cat5e, UTP, 568B, Universal Boot, Yellow	PC5-YL-50

100 Foot Cathe Patch Cables	Part Number
Cable, Cat5e, UTP, 568B, Universal Boot, Blue	PC5-BL-100
Cable, Cat5e, UTP, 568B, Universal Boot, Black	PC5-BK-100
Cable, Cat5e, UTP, 568B, Universal Boot, Gray	PC5-GY-100
Cable, Cat5e, UTP, 568B, Universal Boot, Green	PC5-GR-100
Cable, Cat5e, UTP, 568B, Universal Boot, Orange	PC5-OR-100
Cable, Cat5e, UTP, 568B, Universal Boot, White	PC5-WH-100
Cable, Cat5e, UTP, 568B, Universal Boot, Yellow	PC5-YL-100

Cat6 Universal Boot





Cable,	Cat6,	UTP,	568B,	Universal	Boot,	Blue
Cable,	Cat6,	UTP,	568B,	Universal	Boot,	Black
Cable,	Cat6,	UTP,	568B,	Universal	Boot,	Gray
Cable,	Cat6,	UTP,	568B,	Universal	Boot,	Purple
Cable,	Cat6,	UTP,	568B,	Universal	Boot,	White
Cable,	Cat6,	UTP,	568B,	Universal	Boot,	Yellow

Cable, Cat6, UTP, 568B, Universal Boot, Blue	PC6-BL-01
Cable, Cat6, UTP, 568B, Universal Boot, Black	PC6-BK-01
Cable, Cat6, UTP, 568B, Universal Boot, Gray	PC6-GY-01
Cable, Cat6, UTP, 568B, Universal Boot, Purple	PC6-PL-01
Cable, Cat6, UTP, 568B, Universal Boot, White	PC6-WH-01
Cable, Cat6, UTP, 568B, Universal Boot, Yellow	PC6-YL-01
2 Foot Cot/ Dotah Cobles	




3 Foot Cat6 Patch Cables	Part Number
Cable, Cat6, UTP, 568B, Universal Boot, Blue	PC6-BL-03
Cable, Cat6, UTP, 568B, Universal Boot, Black	PC6-BK-03
Cable, Cat6, UTP, 568B, Universal Boot, Gray	PC6-GY-03
Cable, Cat6, UTP, 568B, Universal Boot, Orange	PC6-OR-03
Cable, Cat6, UTP, 568B, Universal Boot, Purple	PC6-PL-03
Cable, Cat6, UTP, 568B, Universal Boot, Red	PC6-RD-03
Cable, Cat6, UTP, 568B, Universal Boot, White	PC6-WH-03
Cable, Cat6, UTP, 568B, Universal Boot, Yellow	PC6-YL-03



Cables (cont.)

Cat6 Universal Boot (cont.)





Cable, Cat6, UTP, 568B, Universal Boot, Blue	PC6-BL-05
Cable, Cat6, UTP, 568B, Universal Boot, Black	PC6-BK-05
Cable, Cat6, UTP, 568B, Universal Boot, Gray	PC6-GY-05
Cable, Cat6, UTP, 568B, Universal Boot, Green	PC6-GR-05
Cable, Cat6, UTP, 568B, Universal Boot, Orange	PC6-OR-05
Cable, Cat6, UTP, 568B, Universal Boot, Purple	PC6-PL-05
Cable, Cat6, UTP, 568B, Universal Boot, Red	PC6-RD-05
Cable, Cat6, UTP, 568B, Universal Boot, White	PC6-WH-05
Cable, Cat6, UTP, 568B, Universal Boot, Yellow	PC6-YL-05

· · · · · · · · · · · · · · · · · · ·
Cable, Cat6, UTP, 568B, Universal Boot, Blue
Cable, Cat6, UTP, 568B, Universal Boot, Black
Cable, Cat6, UTP, 568B, Universal Boot, Gray
Cable, Cat6, UTP, 568B, Universal Boot, Green
Cable, Cat6, UTP, 568B, Universal Boot, Orange

Cable, Cat6, UTP, 568B, Universal Boot, Purple Cable, Cat6, UTP, 568B, Universal Boot, Red Cable, Cat6, UTP, 568B, Universal Boot, White Cable, Cat6, UTP, 568B, Universal Boot, Yellow

10 Foot Cat6 Patch Cables

5 Foot Cat6 Patch Cables

7 Foot Cat6 Patch Cables

Cable, Cat6, UTP, 568B, Universal Boot, Blue
Cable, Cat6, UTP, 568B, Universal Boot, Black
Cable, Cat6, UTP, 568B, Universal Boot, Gray
Cable, Cat6, UTP, 568B, Universal Boot, Green
Cable, Cat6, UTP, 568B, Universal Boot, Orange
Cable, Cat6, UTP, 568B, Universal Boot, Purple
Cable, Cat6, UTP, 568B, Universal Boot, Red
Cable, Cat6, UTP, 568B, Universal Boot, White
Cable, Cat6, UTP, 568B, Universal Boot, Yellow

14 Foot Cat6 Patch Cables

Cable, Cat6, UTP, 568B, Universal Boot, Blue
Cable, Cat6, UTP, 568B, Universal Boot, Black
Cable, Cat6, UTP, 568B, Universal Boot, Gray
Cable, Cat6, UTP, 568B, Universal Boot, Green
Cable, Cat6, UTP, 568B, Universal Boot, Orange
Cable, Cat6, UTP, 568B, Universal Boot, Purple
Cable, Cat6, UTP, 568B, Universal Boot, Red
Cable, Cat6, UTP, 568B, Universal Boot, White
Cable, Cat6, UTP, 568B, Universal Boot, Yellow

20 Foot Cat6 Patch Cables

Cable, Cat5e, UTP,	568B,	Universal	Boot,	Blue
Cable, Cat5e, UTP,	568B,	Universal	Boot,	Gray

Part Number

Part Number

PC6-BL-07
PC6-BK-07
PC6-GY-07
PC6-GR-07
PC6-OR-07
PC6-PL-07
PC6-RD-07
PC6-WH-07
PC6-YL-07

Part Number

PC6-BL-10
PC6-BK-10
PC6-GY-10
PC6-GR-10
PC6-OR-10
PC6-PL-10
PC6-RD-10
PC6-WH-10
PC6-YL-10

Part Number

PC6-BL-14
PC6-BK-14
PC6-GY-14
PC6-GR-14
PC6-OR-14
PC6-PL-14
PC6-RD-14
PC6-WH-14
PC6-YL-14

Part Number

PC6-BL-20	
PC6-GY-20	

Cables Plus

Cables (cont.)

Cat6 Universal Boot (cont.)

25 Foot Cat6 Patch Cables





l	Cable, Cat6, UTP, 568B, Universal Boot, Blue	PC6-BL-25
	Cable, Cat6, UTP, 568B, Universal Boot, Black	PC6-BK-25
l	Cable, Cat6, UTP, 568B, Universal Boot, Gray	PC6-GY-25
l	Cable, Cat6, UTP, 568B, Universal Boot, Green	PC6-GR-25
l	Cable, Cat6, UTP, 568B, Universal Boot, Orange	PC6-OR-25
]	Cable, Cat6, UTP, 568B, Universal Boot, Purple	PC6-PL-25
	Cable, Cat6, UTP, 568B, Universal Boot, Red	PC6-RD-25
ı	Cable, Cat6, UTP, 568B, Universal Boot, White	PC6-WH-25
ŀ	Cable, Cat6, UTP, 568B, Universal Boot, Yellow	PC6-YL-25

50 Foot Cat6 Patch Cables	Part Number
Cable, Cat6, UTP, 568B, Universal Boot, Blue	PC6-BL-50
Cable, Cat6, UTP, 568B, Universal Boot, Black	PC6-BK-50
Cable, Cat6, UTP, 568B, Universal Boot, Gray	PC6-GY-50
Cable, Cat6, UTP, 568B, Universal Boot, Green	PC6-GR-50
Cable, Cat6, UTP, 568B, Universal Boot, Orange	PC6-OR-50
Cable, Cat6, UTP, 568B, Universal Boot, Purple	PC6-PL-50
Cable, Cat6, UTP, 568B, Universal Boot, Red	PC6-RD-50
Cable, Cat6, UTP, 568B, Universal Boot, White	PC6-WH-50
Cable, Cat6, UTP, 568B, Universal Boot, Yellow	PC6-YL-50

100 Foot Cat6 Patch Cables	Part Number
Cable, Cat5e, UTP, 568B, Universal Boot, Blue	PC6-BL-100
Cable, Cat5e, UTP, 568B, Universal Boot, Gray	PC6-GY-100



Serial Cables





Serial	Part Number
Serial Cable, DB9 Male to DB9 Female, 06 Foot	128-06
Serial Cable, DB9 Male to DB9 Female, 10 Foot	128-10
Serial Cable, DB9 Male to DB9 Female, 15 Foot	128-15
Serial Cable, DB9 Male to DB9 Female, 25 Foot	128-25
Serial Cable, DB9 Male to DB9 Female, 50 Foot	128-50
Serial Cable, DB9 Male to DB9 Male, 06 Foot	129-06
Serial Cable, IEEE, DB25 Male to DB25 Male, 06 Foot	205-06
Serial Cable, IEEE, DB25 Male to DB25 Male, 10 Foot	205-10
Serial Cable, DB25 Female to Switchbox, 03 Foot	227-03
Serial Cable, DB25 Female to Switchbox, 06 Foot	227-06
Serial Cable, DB25 Female to Switchbox, 10 Foot	227-10
Serial Cable, DB25 Female to Switchbox, 15 Foot	227-15
Serial Cable, DB25 Female to Switchbox, 25 Foot	227-25
Serial Cable, DB25 Female to DB25 Male, 06 Foot	228-06
Serial Cable, DB25 Female to DB25 Male, 10 Foot	228-10
Serial Cable, DB25 Female to DB25 Male, 15 Foot	228-15
Serial Cable, DB25 Female to DB25 Male, 25 Foot	228-25

Cables (cont.)

Printer Cables



D.......

DB37F

Cisco OEM Cables

200 Pin, to 8 DB25 Female

200 Pin, to 8 V.35 Female

HDB68 Male - 8RJ45, OEM, 6ft HDB68 Male - 8RJ45, OEM, 10ft HDB68 Male - 8RJ45, OEM, 15ft HDB68 Male - 8DB25, OEM, 9ft

MCENT24 Male - DB25 Female, 10ft

MCENT24 Male - DB37 Female, 10ft

MCENT24 Male - V.35 Female, 10ft

MCENT24 Male - DB15 Female, 10ft

MCENT24 Male - DB25 Male, 10ft

MCENT24 Male - DB37 Male, 10ft

MCENT24 Male - V.35 Male, 10ft

MCENT24 Male - DB15 Male, 10ft

200 Pin, to 8 DB25 Male

200 Pin, to 8 V.35 Male

Printer	Part Number
Printer Cable, IEEE, DB25 Male to Centronix, 06 Foot	200-06
Printer Cable, IEEE, DB25 Male to Centronix, 10 Foot	200-10
Printer Cable, IEEE, DB25 Male to Centronix, 15 Foot	200-15
Printer Cable, IEEE, DB25 Male to Centronix, 25 Foot	200-25
Printer Cable, IEEE, DB25 Male to Mini Centronix, 10 Foot	201-10



Cisco Cables

HDB60 Male - DB25 Female, OEM, 10ft RS-232 Cable DCE Fe-

HDB60 Male - DB25 Male, OEM, 10ft RS-232 Cable DTE Male HDB60 Male - DB25 Male, OEM, 15ft RS-232 Cable DTE Male HDB60 Male - DB25 Male, OEM, 25ft RS-232 Cable DTE Male HDB60 Male - DB37 Female, OEM, 10ft DCE RS449 LFH60M-

HDB60 Male - DB37 Male, OEM, 10ft RS449 Cable DTE Male

HDB60 Male - DB25 Female, OEM, 10ft Female DTE RS-530

HDB60 Male - DB25 Male, OEM, 10ft Male DTE RS-530



HDB60 Male -DB25 Female



HDB60 Male -DB25 Male



HDB60 Male -DB37 Female



HDB60 Male -DB37 Male



HDB60 Male -DB25 Female



HDB60 Male -DB25 Male



200 Pin, to 8 DB25 Female



MCENT24 Male -V.35 Female



MCENT24 Male -V.35 Male



CAB-232N	ИТ-10
CAB-232N	ИТ-15
CAB-232N	ИТ-25
CAB-449I	FC-10

CAB-530MT-10

CAB-OCT-232-FC

CAB-OCT-232-MT

CAB-OCT-V35-FC

CAB-449MT-10

CAB-530FC-10

CAB-OCTAL-06

CAB-SS-232FC-10 CAB-SS-232MT-10 CAB-SS-449FC-10 CAB-SS-449MT-10 CAB-SS-V35FC-10 CAB-SS-V35MT-10 CAB-SS-X21FC-10 CAB-SS-X21MT-10

CAB-V35FC-10
CAB-V35MT-10
CAB-V35MT-15
CAB-V35MT-25
CAB-X21FC-10
CAB-X21MT-10



HDB60 Male -DB15 Female

Cables (cont.)



SCSI Cables



SCSI Adapters and Terminators	Part Number
SCSI Terminator, Active, HD50 Male	M8570-OA2T
SCSI Terminator, HD68, LVD/SE	M8570-SELVD
SCSI Adapter CN50 Female/HPDB50 Male	M8575-012AD
SCSI Adapter CN50 Male/HPDB50 Female	M8575-012ADR
SCSI Adapter IDC68 Female/IDC50 Female	M8575-0131FF
SCSI Adapter IDC68 Female/IDC50 Male	M8575-0131MF
SCSI Adapter IDC68 Male/IDC50 Male	M8575-0131MM
SCSI Terminator, VHDCI68, LVD/SE	M8575-SELVD.8T



SCSI Cables	Part Number
Cable, SCSI, DB25 Male - HD50 Male, O6ft	2552-06
Cable, SCSI, CENT50 Male - HD50 Male, 06ft	5250-06
Cable, SCSI, HD50 Male - HD50 Male, 06ft	5252-06
Cable, SCSI, HD68 Male - HD50 Male, 06ft	5352-06
Cable, SCSI, HD68 Male - HD68 Male, 06ft	5353-06
Cable, SCSI, VHDCI68 Male - HD68 Male, 06ft	5853-06
Cable, SCSI, VHDCI68 Male - VHDCI68 Male, 06ft	5858-06



Mouse & Keyboard Cables



Mouse & Keyboard	Part Number
DIN5 Male - DIN5 Female, 06ft	403-06\$
DIN5 Male - DIN5 Female, 10ft	403-10S



MiniDIN6 Male - MiniDIN6 Female, 06ft	405-06
MiniDIN6 Male - MiniDIN6 Female, 10ft	405-10
MiniDIN6 Male - MiniDIN6 Female, 15ft	405-15
MiniDIN6 Male - MiniDIN6 Female, 25ft	405-25



DIN5 Female - MiniDIN6 Male Adapter 406



DIN5 Female - MiniDIN6 Male, 01ft	406-01
DIN5 Male - MiniDIN6 Female, 01ft	406-01R



DIN5 Male - MiniDIN6 Female Adapter	406R
-------------------------------------	------



MiniDIN6 Male - MiniDIN6 Male, 06ft	409-06S
MiniDIN6 Male - MiniDIN6 Male, 10ft	409-10S
MiniDIN6 Male - MiniDIN6 Male, 15ft	409-15\$



Cabl<u>es i lus</u>

Cables (cont.)



High-End Audio/Video Cables by Vanco, Inc.

Want the same grade performance, without such a scary price? With more than 46 years in the Electronics Accessories Industry, Vanco has its origin as a provider of high quality audio, video, mobile, and CB accessories. Vanco draws upon their years of electronic experience to develop innovative, electronic accessory products that address emerging new markets.





HTDV372

- For the Highest Quality Transmission of Video Signals
- · Three Discreet Video Paths Enable the Sharpest and Most Detailed Image, Most Vivid and Brightest Color
- · Superior Cable Construction Maximizing Noise Rejection, Minimizing Signal Loss and Ensuring the Brilliance of Frequency Signals
- Triple RCA Phono Pin Plugs to Triple RCA Phono Pin Plugs



High-End Audio/Video Cables



Digital Video Interface (DVI)

6 Foot Digital Visual Interface (DVI) 18 Pin Cable 10 Foot Digital Visual Interface (DVI) 18 Pin Cable 12 Foot Digital Visual Interface (DVI) 18 Pin Cable 6 Foot Digital Visual Interface (DVI) 24 Pin Cable 10 Foot Digital Visual Interface (DVI) 24 Pin Cable 12 Foot Digital Visual Interface (DVI) 24 Pin Cable



Stereo Metal Hooded Cables

3 Foot Premium Stereo RCA Metal Hooded Cable 6 Foot Premium Stereo RCA Metal Hooded Cable 12 Foot Premium Stereo RCA Metal Hooded Cable



Digital Optical Fiber Toslink to Toslink

3 Foot Premium Toslink to Toslink Metal Hooded Cable 6 Foot Premium Toslink to Toslink Metal Hooded Cable 12 Foot Premium Toslink to Toslink Metal Hooded Cable



Triple RCA Composite Audio/Video

3 Foot Triple RCA Composite Audio/Video Metal Hooded Cable 6 Foot Triple RCA Composite Audio/Video Metal Hooded Cable 12 Foot Triple RCA Composite Audio/Video Metal Hooded Cable

Part Number

DVI1806 DVI1810 DVI1812

DVI2406 DVI2410

DVI2412

Part Number

HT2RCA3 HT2RCA6 HT2RCA12

Part Number

HTADT36 HTADT72

HTADT12

Part Number

HTDKE3 HTDKE6

HTDKE12

Cabl<u>es Plus</u>

Cables (cont.)

High-End Audio/Video Cables (cont.)



RGB Component Video Cable

12 Foot Premium RGB Component Video Metal Hooded Cable

Part Number

HTDV312



Metal Hooded Cable w/ "F" Connectors

3 Foot Premium Video Coaxial (F) Connector Screw On Cable 6 Foot Premium Video Coaxial (F) Connector Screw On Cable 12 Foot Premium Video Coaxial (F) Connector Screw On Cable Part Number HTFPG3

HTFPG6 HTFPG12



Digital RCA Audio Metal Hooded Cable

3 Foot Digital RCA Audio Metal Hooded Cable 6 Foot Digital RCA Audio Metal Hooded Cable 12 Foot Digital RCA Audio Metal Hooded Cable Part Number

HTRCA3 HTRCA6 HTRCA12



Hi-Res Precision S-Video Cable

3 Foot Premium High Resolution Precision S-Video Cable 6 Foot Premium High Resolution Precision S-Video Cable 12 Foot Premium High Resolution Precision S-Video Cable 25 Foot Premium High Resolution Precision S-Video Cable 50 Foot Premium High Resolution Precision S-Video Cable

Part Number

HTSVHS3 HTSVHS6 HTSVHS12

HTSVHS25 HTSVHS50



RCA Subwoofer Metal Hooded Cable

6 Foot Premium RCA Subwoofer Metal Hooded Cable 12 Foot Premium RCA Subwoofer Metal Hooded Cable 25 Foot Premium RCA Subwoofer Metal Hooded Cable 50 Foot Premium RCA Subwoofer Metal Hooded Cable Part Number HTSWRCA6

HTSWRCA12 HTSWRCA25

HTSWRCA50



Adapters & Gender Changers



Serial Adapters Serial Adapter, DB25 Male - DB9 Female Serial Adapter, DB25 Female - DB9 Male Serial Adapter, DB25 Male - DB9 Male Serial Adapter, DB25 Female - DB9 Female

Part Number 309 313

315 317







Gender Changers

Gender Changer, DB9 Male - Male
Gender Changer, DB9 Female - Female
Gender Changer, DB15 Male - Male
Gender Changer, DB15 Female - Female
Gender Changer, DB25 Male - Male
Gender Changer, DB25 Female - Female
Gender Changer, HD DB15 Male - Male
Gender Changer, HD DB15 Female - Female

Part Number NGC-1011

NGC-1022 NGC-1033

NGC-1044 NGC-1055

NGC-1066 NGC-1077 NGC-1088







Cables (cont.)

Adapters & Gender Changers (cont.)

Modular Adapters



Mudulal Adapters	<u>Part Number</u>
Modular Adapter, RJ12 - DB9 Male	NMA-6109
Modular Adapter, RJ12 - DB9 Female	NMA-6209
Modular Adapter, RJ12 - DB25 Male	NMA-6509
Modular Adapter, RJ12 - DB25 Female	NMA-6609
Modular Adapter, RJ45 - DB9 Male	NMA-8109
Modular Adapter, RJ45 - DB9 Female	NMA-8209
Modular Adapter, RJ45 - DB15 Male	NMA-8309
Modular Adapter, RJ45 - DB15 Female	NMA-8409
Modular Adapter, RJ45 - DB25 Male	NMA-8509
Modular Adapter, RJ45 - DB25 Female	NMA-8609



VGA & SVGA Cables



VGA Cables	Part Number
Monitor Cable, HD 15 Male - HD 15 Female, 06'	130-06
Monitor Cable, HD 15 Male - HD 15 Female, 10'	130-10
Monitor Cable, HD 15 Male - HD 15 Male, 06'	132-06
Monitor Cable, HD 15 Male - HD 15 Male, 10'	132-10



SVGA Cables	Part Number
Monitor Cable, SVGA, HD 15 Male - HD 15 Female, 06'	130CX-06F
Monitor Cable, SVGA, HD 15 Male - HD 15 Female, 10'	130CX-10F
Monitor Cable, SVGA, HD 15 Male - HD 15 Female, 15'	130CX-15F
Monitor Cable, SVGA, HD 15 Male - HD 15 Female, 25'	130CX-25F
Monitor Cable, SVGA, HD 15 Male - HD 15 Female, 50'	130CX-50F
Monitor Cable, SVGA, HD 15 Male - HD 15 Female, 100'	130CX-100F
Monitor Cable, SVGA, HD 15 Male - HD 15 Male, 06'	132CX-06F
Monitor Cable, SVGA, HD 15 Male - HD 15 Male, 10'	132CX-10F
Monitor Cable, SVGA, HD 15 Male - HD 15 Male, 15'	132CX-15F
Monitor Cable, SVGA, HD 15 Male - HD 15 Male, 25'	132CX-25F
Monitor Cable, SVGA, HD 15 Male - HD 15 Male, 50'	132CX-50F
Monitor Cable, SVGA, HD 15 Male - HD 15 Male, 100'	132CX-100F



Cisco 200 pin to 8 DB25 Female


Bulk Cable

Singlemode/Multimode Fiber Optic Bulk Products

We provide a full menu of NextGen™ fiber optic cables for data communications and voice and video networks. Our products range from tight buffer and armored products for military applications to loose tube and hybrid cables for communications networks, and include the advanced Blolite™ blown fiber systems for local area networks and campus applications.

Indoor/Outdoor Fiber Cable

Whether primarily for indoor or outdoor use, we have an impressive choice of products that have the ability to route from either a plenum or riser building space to an outdoor run. This eliminates the costly and space-consuming transition point at the building entrance and improves the system loss budget. These cables are most efficient when used to directly connect equipment rooms (on any floor) in different buildings or to connect a manhole location to an equipment room.



Applications: Whether primarily for indoor or outdoor use, we have an impressive choice of products that have the ability to route from either a plenum or riser building space to an outdoor run. This eliminates the costly and space-consuming transition point at the building entrance and improves the system loss budget. These cables are most efficient when used to directly connect equipment rooms (on any floor) in different buildings or to connect a manhole location to an equipment room.

Range of Products: Indoor/outdoor fiber optic cables include loose tube (gel-filled) and tight buffer (900µm) designs. These are available in a variety of configurations and jacket types to cover riser and plenum requirements for indoor cables and the ability to be run in duct, direct buried, or aerial/lashed in the outside plant. The following catalog pages provide information on proper interbuilding and intrabuilding applications.

Features: These products reduce the system cost by eliminating splice points, simplifying cable handling and gaining flexibility with the choice of building entrances. All cables meet appropriate NEC requirements and are listed with ETL or UL. Tight buffer designs allow direct termination of fibers with industry standard connectors and techniques. Loose tube designs provide more fiber protection in harsh outdoor environments are are readily spliced to existing outside plant cables. Most indoor/outdoor fiber optic cables utilize Dry Water Block technology in the cable core to protect the fibers and provide fast, clean fiber preparation.

As with all NextGen fiber optic cables, splitter kits are available to reinforce and assist in preparing the fibers for termination.

Please call us for Part numbers and pricing.



Bulk Cable (cont.)

Indoor Fiber Cable

Premises cables with 900µm tight buffer constructions are built to withstand the continuous handling and difficult routing typical of building backbones. These

fiber optic cables emphasize flexibility, handling and proper fiber termination characteristics. This provides reliable and simple installations every time. These cables are used for intrabuilding vertical (backbone) and horizontal runs.

Applications: Premises cables with 900µm tight buffer constructions are built to withstand the continuous handling and difficult routing typical of building backbones. These fiber optic cables emphasize flexibility, handling and proper fiber termination characteristics. This provides reliable and simple installations every time. These cables are used for intrabuilding vertical (backbone) and horizontal runs.

Range of Products: Includes the manufacture of riser, plenum, and Low-Smoke, Zero-Halogen (LSZH) cables. This includes the common distribution designs as well as breakout style cables. Fiber counts range up to 144 fibers.

Features: Premises cables have an industry standard 900µm tight buffer for termination to connectors. The tight buffer diameter is tightly controlled to provide reliable first time connection. Breakout cables utilize 2.4mm breakout dimensions for rugged environments and compatibility with connectors. All fibers are color coded and subgrouped (if necessary) for easy identification for handling.

As with all NextGen fiber optic cables, breakout kits are available for premises cables to reinforce and assist in preparing the fibers for termination.

Please call us for Part numbers and pricing.

Outdoor Fiber Cable

Outside plant cables with loose tube constructions are built to withstand adverse environments and provide the maximum fiber protection. These cables perform exceptionally well in wet conditions and during extreme temperature cycles.



They can be installed in ducts, direct buried, and aerial/lashed providing the flexibility needed to meet the demands of campus backbones and other outside plant requirements.

Applications: Outside plant cables with loose tube constructions are built to withstand adverse environments and provide the maximum fiber protection. These cables perform exceptionally well in wet conditions and during extreme temperature cycles. They can be installed in ducts, direct buried, and aerial/lashed providing the flexibility needed to meet the demands of campus backbones and other outside plant requirements.

Range of Products: A wide range of cables from 2 - 288 fibers are manufactured with a variety of designs to meet the demands of most installation conditions.

Features: Only the highest quality materials are used in NextGen fiber optic cables to ensure that the cable strength and optical integrity are not compromised. Rugged jacket materials and the addition of armor provide the right level of protection. The line of outside plant products conform to TIA/EIA, ICEA, Telcordia and RUS standards.

As with all NextGen fiber optic cables, splitter kits are available to reinforce and assist in preparing the fibers for termination.

Please call us for Part numbers and pricing.





Bulk Cable (cont.)



Bulk Copper Cable

	Coaxial Cable	Part Number
(EE)-	RG 6/U, PVC, 18awg, 60% Alum Braid, Copper Clad Steel, 1000' White or Black, Wooden Reel or Spool in a Box	6CCSCMRxx
(E)-	RG 6/U, PVC, 18awg, 60% Alum Braid, Copper Clad Steel, 500' White or Black, Wooden Reel or Spool in a Box	6CCSCMRSB5x
. HEST quarties 19 than Fall & Bard	RG 6/U, Quad Shield, 18awg, 60%40% Alum Braid, Copper Clad Steel, 1000'	6QCCSCMRxx
• RCGU Quad Stabil M Haw Fee A Bread	White or Black, Wooden Reel or Spool in a Box RG 6/U, Quad Shield, 18awg, 60%40% Alum Braid, Copper Clad Steel, 500'	6QCCSCMRSB5x
	White or Black, Wooden Reel or Spool in a Box RG 6/U, Dual, 18awg, 60% Alum. Braid, Copper Clad Steel, Black, Wooden Reel, 1000'	6DCCSCMRRB
BC AT Company to the End A November 1	RG 6/U, Quad Shield, Dual, 18awg. 60%40% Alum. Braid, Copper Clad Steel, Black, Wooden Reel, 500'	6QDCCSCMRR5B
BY AN INC. COMPANY TO A RESE	RG 6/U, Quad Shield, Dual, 18awg. 60%40% Alum. Braid, Copper Clad Steel, Black, Wooden Reel, 1000'	6QDCCSCMRRB
	RG 59/U, 20awg., Solid Copper, 95% Copper, Braid, CCTV, 1000'	59SCCMRxx
	White or Black, Wooden Reel or Spool in a Box RG 59/U, 20awg., Solid Copper, 95% Copper Braid, CCTV, w/ 18awg./2c, 1000'	59182CMRxx
	White or Black, Wooden Reel or Spool in a Box RG 59/U, 20awg., Solid Copper, 95% Copper Braid, CCTV, w/ 18awg./2c, 500' White or Black, Wooden Reel or Spool in a Box	59182CMR5xx
	Bundled Cable	Part Number
	2 RG6 Quad + 2 Cat 5E 350MHz., Bundled, Jacketed Yellow or Blue	6Q5ECMR5x
	Bulk Cat 3 Cable	Part Number
	Cat 3, PVC, 2 pair/24awg, Gray, Reelex Box, 1000' Cat 3, PVC, 3 pair/24awg, Gray, Reelex Box, 1000' Cat 3, PVC, 4 pair/24awg, Gray, Reelex Box, 1000'	6Q5ECMR5x
	Bulk Cat 5e Cable	Part Number
	Cat 5e, CMR, 350MHz., 24awg./4 pair, Spool in a Box, 1000' Blue, White, Gray, or Green	5ECMR244SBx
	Cat 5e, CM, 350MHz., 24awg./4 pair, Reelex Box, 1000' Blue, White, Gray, or Green	5ECM244Bx
	Cat 5e, CMR, 100MHz., 24awg./4 pair, Reelex Box, 1000' Blue, White, Gray, Red, Yellow, or Purple	5CMR244Bx
	Cat 5e, CM, 350MHz., 24awg./6 pair, Spool in a Box, 1000' Gray or Blue	5ECM246SBx
	Cat 5e, Plenum, 350MHz., 24awg./4 pair, Spool in a Box, 1000' Blue, White, or Yellow	5ECMP244SBx
	Cat 5e, Plenum, 100MHz., 24awg./4 pair, Spool in a Box, 1000' Blue, White, Gray, or Yellow	5CMP244SBx

Bulk Cable (cont.)

Bulk Copper Cable (cont.)



Bulk Cat 6 Cable

Cat 6, CMR, 550MHz., 23awg./4 pair, Spool in a Box, 1000'

White or Blue

Cat 6, Plenum, 550MHz., 23awg./4 pair, Spool in a Box, 1000' White or Blue

6CMR234SBx 6CMP234SBx

Part Number

Tools and Testers



Crimp tools, punch down tools, and more from several high-quality manufacturers including Greenlee and Quest. We also have Tool Kits for complete solutions. Line testers, cable testers and fiber testers - Everything you need to install and support the robust network.



Tool Kits



Tool Kits Part Number

12 PC BASIC PC TOOL KIT

TCK-1000



22 PC COMPUTER TECHNICIAN TOOL KIT DELUXE

TCK-1010



11 PC MOBILE PHONE SERVICE TOOL KIT

TCK-1020

Tools and Testers (cont.)

Tool Kits (cont.)



Tool Kits (for specs and information, please call.)

Part Number

45 PC COMPUTER SERVICE TOOL KIT

TCK-1040



21 PIECE ELECTRONIC TOOL KIT

TCK-1300



19 PIECE ELECTRONIC TOOL KIT

TCK-4040



37 PIECE COMPUTER SERVICE TOOL KIT

TCK-4300



MINI FIBER TERMINATION KIT

NFK-2000




100 PIECE EVERY BIT KIT

TBK-1900

 $cont \dots$



Tool Kits (cont.)





Tool Kits (cont.)

	Tool Kits (for specs and information, please call.)	<u>Part Number</u>
111	STUBBY WRENCH DRIVER	THT-5110
ALLIAMANIA	TWIN WRENCH DRIVER SET	THT-5115
	55 PIECE NETWORK INSTALLER & COAXIAL TERMINATION KIT	TNK-4020
	21 PIECE MINI SCREWDRIVER SET	TPK-5000
	85 PIECE DELUXE COMPLETE SERVICE TOOL KIT	TPK-6000
	100 PIECE MASTER TECHNICIAN TOOL KIT	TPK-7000
	23 PIECE PC REPAIR KIT	TSK-1120
	42 PIECE COMPUTER CLEANING KIT	TSK-1130
	16 PIECE SERVICE TOOL KIT	TSK-1160 cont




Tool Kits (cont.)

F.A.	Tool Kits (for specs and information, please call.)	Part Number
	51 PIECE ELECTRICAL & PC MAINTENANCE KIT	TSK-1180
	42 PIECE COMPUTER SERVICE TOOL KIT	TSK-1190
	95 PRO TECHNICIANS SERVICE KIT	TSK-2000
	16 PIECE TECHNICIANS SERVICE KIT	TSK-2010
	22 PIECE ELECTRIAL TOOL KIT	TSK-2020
M. S	CABLE SPLICE KIT WITH POUCH	TTK-1680
The state of the s	25 PC BASIC TOOL KIT - BITS/DRIVERS/HAND TOOLS	TTK-3010
	CABLING TECHNICIANS TOOL BELT KIT	TTK-5200

Wholesale Supplier
Fiber Optics • Networking Equipment • Cables

Tools and Testers (cont.)

Crimp Tools



Punch Down Tools

	Punch Down Tools	Part Number
200	Quest 66/110 Economy Punch Down Tool With Blades	TEL-6070
	Quest 110 Impact Punch Down Tool With Blades	TEL-6080
H.I.	Quest 110 Impact Pro Punch Down Tool With Blades	TEL-6090
-€ 9= □ □	Quest Pro Impact Punch Down Tool With 66 & 110 Blades	TEL-7000
	REPLACEMENT BLADES, PRO, 66 REPLACEMENT BLADES, PRO, 110 REPLACEMENT BLADES, PRO, KRONE	TEL-6097 TEL-6098 TEL-6099

Axy.

Greenlee Tools



Greenlee offers professional-grade tools and testers for both copper and fiber optic applications. This section is divided into a wide variety of installation, copper termination, wire and cable identification, buried facility locating, cable and service testing, and fiber termination and testing products. Check them out today!



Greenlee Tools (cont.)

	Installation	Part Number
	GREENLEE FISH POLE - 18' GREENLEE FISH POLE - 24' GREENLEE NOSE, WHISK (PACKAGED)	10442 10443 11426
SO S	GREENLEE POLY LINE 210# - 95KG	430
	GREENLEE STL FISH TAPE 1/8X240	438-20
	GREENLEE FISH TAPE - 25'	438-2X
T	GREENLEE CABLE TY GUN HEAVY DUTY	45300
	GREENLEE GLO STIX 15' KIT	540-15
	GREENLEE FISH STIX 24'	540-24
	GREENLEE CABLECASTER	6186

Greenlee Tools (cont.)

_	Installation (cont.)	Part Number
F	GREENLEE FOLDING HAND CADDY Holds up to 6 spools of #10 wire. Folds down to 2-1/2" (63.5 mm) for easy storage. Pinless design eliminates loose parts.	9501
	GREENLEE DATA CADDY Width is ideal for large diameter spools of coax, data and communications cable. Especially handy for 6" (152 mm) wide and up to 19" (483 mm) diameter spools. Folds down for easy storage. Pinless design eliminates loose parts.	9520
100	Cable & Service Testing	Part Number
8.2	GREENLEE SIDEKICK, 7B	1134-5029
	GREENLEE SIDEKICK, T & N	1137-5002
	GREENLEE SIDEKICK, VOC	1143-5000
	GREENLEE SIDEKICK, T & ND	1144-5000
A STATE OF THE STA	GREENLEE MOD TESTER	46050



GREENLEE TEST SET - PRO TELEPHONE

GREENLEE TEST SET - BASIC TELEPHONE

cont...

PE810

PE830



Greenlee Tools (cont.)

	Cable & Service Testing (cont.) GREENLEE TEST SET - TELEPHONE HF	Part Number PE945
	GREENLEE TEL SET - ADSL HF	PE961
	GREENLEE TELESCOUT, MTDR W/STORAGE	TS100-01
	Wire & Cable Identification	Part Number
	GREENLEE PRODE - IND AMPLIFIER	200EP
200x	GREENLEE AMPLIFIER, IND	200GX
	GREENLEE MODULAR CABLE TESTER	468
	GREENLEE TONE & PROBE KIT - STANDARD	701K
	GREENLEE TONE & PROBE - PRO	711K
	GREENLEE GENERATOR, TONE	77GX
		cont

Tools and Testers (cont.)

Greenlee Tools (cont.)

STAP	Wire & Cable Identification (cont.) GREENLEE HIGH-POWER TRACER	<u>Part Number</u> 77HP
	GREENLEE PREMIUM TONE AND PROBE KIT	801K
	GREENLEE TONER, LAN	AT8L
	GREENLEE PAIRMAPPER W/ REMOTES	PM-400K
Sad	Termination & Testing—Fiber GREENLEE DUAL LED SOURCE 850/1300	<u>Part Number</u> 252B
	GREENLEE LED SOURCE, 660nm	253B
8	GREENLEE FIBER OPTIC CUTTER	45483
162	GREENLEE 9" FRAME	45504
	GREENLEE SCRIBE	45593
1	GREENLEE MICROSCOPE	45651 cont



Greenlee Tools (cont.)

	Termination & Testing—Fiber (cont.) GREENLEE REELCLEANER	<u>Part Number</u> 948
	GREENLEE VFF, 2.5mm SOC-635mm	T160L
Total Control	Copper Termination	Part Number
	GREENLEE CATV COAX TERMINATION KIT	45466
	GREENLEE VOICE/CAT 5 TERMINATION KIT	45469
	GREENLEE TELEPHONE RATCHET CRIMPER	45575
Oil	GREENLEE CATV CABLE STRIPPER	45578
OSS	GREENLEE TWISTED PAIR STRIPPER	45579
O.L.	GREENLEE STRIPPER, UTP + COAX	45677



Greenlee Tools (cont.)

	Copper Termination (cont.) GREENLEE UTP TERMINATION KIT	Part Number 46010
	GREENLEE PUNCH DOWN TOOL	46020
	GREENLEE PUNCH DOWN TOOL W/66 BLADE	46021
	GREENLEE 66 BLADE ONLY	46022
	GREENLEE PUNCHDOWN W/110 BLADE	46023
	GREENLEE 110 BLADE ONLY	46024
	GREENLEE KNIFE & SCISSORS TOOL KIT	PT-K01
As a second	GREENLEE CABLE SPLICER'S KNIFE	PT-T01
	GREENLEE ELECTRICIAN'S SCISSORS	PT-T02
0	Buried Facility Locating GREENLEE TRACKER II - CABLE LOCATOR	<u>Part Number</u> 501
	GREENLEE LOCATOR - PULSER FAULT	PE2003

Tools and Testers (cont.)

Acme Wire Tackers and Staples

Staple Guns for Wire & Cable ... Fully redesigned with the Pro in mind!

Unique Safety Grip

Only Acme staple guns feature high-visibility safety yellow "Sure-Grip" handles with integral hand-stop for maximum year-round comfort and safety.

Lifetime Warranty

If it says Acme on it, we'll stand behind it. We're so sure you'll be satisfied with our new and improved staple guns that each one comes with a limited lifetime warranty.

Jamless Design

Our unique loading system makes Acme staple guns faster, safer, and more reliable than ever before.



Acme Wire Tackers and Staples

Wire Tackers and Staples

Acme Stapler For Cat 5 Applications

Galvanized Staples for 25AC

Part Number

25AC 652166



Acme Stapler For Coax Applications

Galvanized Staples for 37AC

37AC 652174



Cat 5/Cat 6 UTP Testers



Test-Um NT955 Validator-NT™

Test-Um

The new Validator-NT™ Ethernet System All-in-One Network Management Tool puts the power of network test and configuration in your hand at an affordable price. Results up to 1 gigabit. Software included.

Part Number

NT955



Test-Um NT950 Validator True Certified Cat 5e & 6 Tester The Test-Um NT950 Validator™ Includes, Remote, Cables and Adapters, Plan-Um™ Software, and 2 AC Adapter Power Chargers ("Wallies") in a Hard-Sided, Soft Zipper Case.

NT950

Wholesale Supplier
Fiber Optics • Networking Equipment • Cables

Tools and Testers (cont.)

Cat 5/Cat 6 UTP Testers (cont.)



Test-Um (cont.)	
Test-IIm I anPoverPRO™ -	Tester/Analyzer

The LanRoverPRO™ TP600 Tester/Analyzer is the high performance length measurement CAT 5 tester that identifies multiple faults clearly without interpretation, has one-ended testing with pre-test for fast result, clear wiremapping form displayed on 2-line, 16 character LCD display and measures cable length.

Test-Um Resi-Tester™ - Whole-House Cable Tester Resi-TesterTM TP300 is the first identifier and verification tester designed exclusively for all the wiring environments found in Home Networking and Home Automation.

Test-Um Testifier™ - All Cable Tester

The new Testifier™ produces the most accurate and easy-tounderstand results of any cable tester/verifier on the market. Its large LCD display is easy to read--it shows a clear picture of a wired cable; data, coax, telephone, security/alarm, or unterminated site wire.

Test-Um Speaker Seeker™

The Speaker Seeker™ wiremaps speaker and security/alarm wire up to 20 individual runs at a time by using 20 wiremap remotes. Each remote is specially wired with alligator clips to attach to unterminated paired cable ends.

Test-Um LanRover™ - Tester/Analyzer

The LanRover™ TP500 Tester/Analyzer offers a new price/performance level for verification of wiring faults and configurations on all your data cable.

Test-Um LanScaper™ Network Tester

The new LanScaper™ NT700 Network Tester is the first in a new line of Physical Layer Network Management Devices. The LanScaper™ combines the functions of a high-end cable tester and length measurement device with the capability to monitor and correct network problems connected with the physical layer and link conditions of the network.

Test-Um Tell-All Indicator

The TP100 TeII-AII Indicator is designed to aid network technicians and MIS personnel in the identification of the equipment connected to modular jacks found throughout the workplace.

Test-Um LanRoverPRO™ Tester/Analyzer

The LanRoverPRO™ TP607 Tester/Analyzer is the high performance length measurement CAT 5 tester that identifies multiple faults clearly without interpretation, has one-ended testing with pre-test for fast result, clear wiremapping form displayed on 2-line, 16 character LCD display and measures cable length.

Test-Um Talk & Trace™

The hands-free personal communications set that can be used in any wiring environment.

Part Number

TP600

TP300

TP350

TP400

TP500

NT700

TP100

TP607

TM110



Cat 5/Cat 6 UTP Testers (cont.)

Quest



Quest Remote Network Delux Tester

The TTE-9030 Remote Network Tester is a versatile tester that allows installers a quick method of testing patch cables and end-to-end cabling. The unit comes with a slide-out detachable remote module and is designed for testing coax, BNC, (Ethernet 10Base-2, 10Base-5), RJ-11 (USOC 4/6), RJ-45 (EIA/TIA-568A) and USB cabling. It is packaged with an instruction manual and comes with a fabric case with belt loop.



Quest LAN Cable Tester

Test-Um

The TT-9000 LAN Cable Tester enables the installer an easy method to check and identify pin configurations for patch cords and cable installations. The main unit features an illumination light for visibility in dark work areas. It comes with a remote module, fabric case and 4 test jumper accessories.

TT-9000

Part Number

TTE-9030

Tone Generators & Probes



Test-Um Resi-Toner™ - Home Networking

A full function tone generator with unique features designed to further test connections on telephone systems and speaker installations. Find your outlets and assure your connections with the Resi-Toner $^{\text{\tiny M}}$



Test-Um Tone Tracer With High Sensitivity

The Tone Tracer TT100 sets a new standard for field service professionals. Due to its slim, ergonomic design, as well as balanced weighting, the TT100 is the most comfortable tracer available.



Test-Um Resi-Tracer™ Tone Detector

Resi-Tracer™ TT300 combines unique new features for tracing telephone, network, coax, and audio cable with special functions for finding and phasing speakers and testing telephone systems.



Test-Um Tone Generator With Multi-Function

TG100 Tone Generator With Multi-Function with alligator clips.

Test-Um Tone Generator With Multi-Function (Bed of Nails) TG101 Tone Generator - Multi-Function with bed of nails cord

set.



Test-Um Turbo-Tone™ High Powered Tone Generator TG200 Turbo-Tone™ - High Powered Tone Generator with alliquator clips.

Test-Um Turbo-Tone™ - High Powered Tone Generator (Bed of Nails)

TG201 Turbo-Tone $^{\mathbb{M}}\,$ - High Powered Tone Generator with bed of nails cord set.

Part Number

TG400

TT100

TT300

TG100

. - . - .

TG101

TG200

TG201

Wholesale Supplier Fiber Optics • Networking Equipment • Cables

Tools and Testers (cont.)

Tone Generators & Probes (cont.)



Test-Um (cont.)

Test-Um Latch-Test™ - Security/Alarm

TG300 Latch-Test™ - Security/Alarm Tone Generator. A combination advanced tone generator and continuity tester for sensors, switches, and circuits used in security/alarm systems.

Quest

Quest Tone Generators and Probes Set Identify and trace wires. Includes volume control, selectable single or dual alternating tone, test lead set/RJ-11 4 conductor cord and plug.

With zippered case

Quest Tone Generator With Case

Part Number

TG300

TTE-2100

Part Number

TTE-2101

TTE-2102



Coax Testers



Test-Um Coax Testers

Test-Um CS300 Satellite Finder

The Test-Um CS300 Satellite Finder signal strength meter is a simple mechanical device used to maximize a satellite signal between the LNB amplifier and the receiver.




Test-Um CX200 Coax Mapping Tester

The Test-Um CX200 Coax Mapping Tester is designed for testing CATV and security camera coax connections and installations.



Test-Um Resi-Tester™ - TP300 Whole-House Cable Tester Resi-Tester™ TP300 is the first identifier and verification tester designed exclusively for all the wiring environments

found in Home Networking and Home Automation.



Quest Remote Network Delux Tester

The TTE-9030 Remote Network Tester is a versatile tester that allows installers a quick method of testing patch cables and end-to-end cabling. The unit comes with a slide-out detachable remote module and is designed for testing coax, BNC, (Ethernet 10Base-2, 10Base-5), RJ-11 (USOC 4/6), RJ-45 (EIA/ TIA-568A) and USB cabling. It is packaged with an instruction manual and comes with a fabric case with belt loop.



CS300

CX200

TP300

Part Number

TTE-9030



Tools and Testers (cont.)



Butt Sets

# 6	Test-Um	Part Number
	Test-Um Lil' Buttie™ Test Set Test-Um LB110 Lil' Buttie™ hands free test set with headset test set with bed of nails cord set.	LB110
	Test-Um Lil' Buttie™ Test Set (AT&T snap clip) Test-Um LB115 Lil' Buttie™ test set hands free test set with headset with bed of nails cord set & AT&T snap clip.	LB115
	Test-Um Lil' Buttie™ Test Set (piercing clip) Test-Um LB100 Lil' Buttie™ test set hands free test set with headset with piercing clip set.	LB100
	Test-Um Ranger™ DSL-Safe Test Set Test-Um LB255 Ranger test set incorporates a built-in amplified speaker as well as new advanced features unavailable on any other test set on the market.	LB225
	Test-Um Lil' Buttie Pro™ Test Set Test-Um LB200 Lil' Buttie Pro™ Test Set with piercing clip set.	LB200
	Test-Um Lil' Buttie Pro™ Test Set (bed of nails) Test-Um LB220 Lil' Buttie Pro™ Test Set with bed of nails cord set.	LB220
	Test-Um Lil' Buttie Pro™ Test Set (AT&T snap clip) Test-Um LB230 Lil' Buttie Pro™ Test Set with bed of nails cord set & AT&T snap clip.	LB230
	Test-Um Resi-Talker™ Test Set with al Test-Um LB300 Resi-Talker™ Test Set with alligator clip set. Our most economical test set for basic telephone system work.	LB300



Butt Sets (cont.)



Quest Butt Sets

Quest Lineman Pro Set Tester

Part Number

TTE-2000



Quest Telephone Cable Tester

TTE-9010



Test Accessories

	1001110000001100	
Cone.	Test-Um Accessories	Part Number
1	Test-Um 1 brown terminator for Coax Mapping Tester	CX31
	Test-Um 2 red terminator for Coax Mapping Tester	CX32
	Test-UM 3 orange terminator for Coax Mapping Tester	CX33
H	Test-UM 4 yellow terminator for Coax Mapping Tester	CX34
LIF BASIN'	Test-Um 48IN Cord set, RJ11 to piercing clip set with strain relief	LB20B
-20-3	Test-Um No-Twist telephone cord adapter	LB22
	Test-Um 48IN Cord set, premium, RJ11 to piercing clip set	LB25
LF Butto	Test-Um 48IN Cord set, RJ11 to bed of nails with strain relief	LB30B
	Test-Um 48IN Cord set, RJ11 to alligator clip set	LB31B



Test Accessories (cont.)

but the box one	Test-Um Accessories	<u>Part Number</u>
3	Test-Um 24IN Cable assembly, (F) push-on plug / alligator clips	LB32
Nation In	Test-Um 18IN Cable assembly, (F) push-on plug to RJ11 plug	LB34
	Test-Um 48IN Cord set, premium, RJ11 to bed of nails and piercing clip set	LB35
Lif Bettie Market Start And Sta	Test-Um Two-piece belt clip	LB60B
Moditori Mananan	Test-Um 4-position modtest adapter	LB64
Modest Manage	Test-Um 6-position modtest adapter	LB66
Carre	Test-Um 8-position modtest adapter	LB68
Lif' Bertile" These serves are These serves are The	Test-Um AT&T hook/clip assembly - yellow	LB70B
\mathcal{Q}	Test-Um Telco Clip	LB75



Test Accessories (cont.)

Test Accessories (cont.)			
	Test-Um Accessories (cont.) Test-Um Nylon pouch holds one telephone test set	<u>Part Number</u> LB80	
Thirds and due	Test-Um AT&T hook/clip assembly - blue	LB85B	
	Test-Um Nylon pouch for one tone trace	PC100	
	Test-Um Nylon pouch for one set Talk & Trace™	PC110	
	Test-Um Nylon pouch for one LanScaper™, LanRoverPRO™, LanRover™ or Resi-Tester™	PC150	
	Test-Um Nylon pouch for tone tracer and tone generator	PC200	
1	Test-Um Nylon pouch holds a telephone test set, tone tracer and tone generator	PC300	
	Nylon Carrying Case for one Resi-Tester™, LanScaper™ or LanRoverPRO™ with 8 remotes	PC400	



Test Accessories (cont.)

 Test-Um Accessories (cont.)	Part Number
Test-Um 24" Cord set, RJ11 to alligator clip set for tone generator	TG10
Test-Um 24" Cord set, RJ11 to bed of nails cord set for tone generator	TG20
Test-Um Deluxe, 26 pocket tool case	TK100
Test-Um Zippered, 8 pocket tool case	TK200
Test-Um 24IN Cable assembly, banana plug to test probes	TM24
Test-Um 48IN Cable assembly, banana plug to test probes	TM48
Test-Um 7.5IN Cable assembly, RJ45 to modular plug for RJ11 or RJ45	TP10
Test-Um 7.5IN Cable assembly, no-fault RJ12 connectors for RJ11 or RJ45	TP20
Test-Um No-fault RJ12 replacement connector for TP10 and TP20	TP21
Test-Um Replacement #1 remote identifier for Resi-Tester™	TP309



Test Accessories (cont.)

	Test-Um Accessories (cont.)	Part Number
2. 3885	Test-Um Set of 10 (1-10) coax remote identifiers for	TP310
	Resi-Tester™ Set of 20 (1-20)	TP311
T m	Test-Um Set of 20 (1-20) RJ45 wiremappers for Resi-Tester™	TP312
() () () () () () () () () ()	Test-Um Set of 20 (1-20) RJ11 wiremappers for Resi-Tester™	TP314
	Test-Um 12IN Cable assembly, RJ45 to alligator clips	TP40
	Test-Um Adapter, RJ45 to F - 1 piece	TP50
© 12 © 24 Sp © 45 Salad © 74 Sp Lauriton er en han son	Test-Um LanRover™ #1 replacement remote	TP505
	Test-Um 12IN Cable assembly, shielded, RJ45 connectors	TP55
	Test-Um 12IN Cable assembly, unshielded, RJ45 connectors	TP56
	Test-Um Adapter RJ45 plug/RJ11 jack - 2 pieces	TP60
	Test-Um Set of 7 network remote identifiers (2/8) for Resi-Tester™, LanScaper™ or LanRoverPRO™	TP608
1 ggg	Test-Um Replacement 1 remote identifier for LanScaper™ or LanRoverPRO™	TP609



Test Accessories (cont.)

	1 001 7 10000001 100 (001111)	
	Test-Um Accessories (cont.)	Part Number
Tr. Barre	Test-Um Adapter, F plug to BNC jack	TP62
	Test-Um Adapter, F jack to BNC jack	TP63
	Test-Um Replacement #1 coax remote identifier ResiTester™	TP65
	Test-Um 24IN Cable assembly, RJ45 with 8 alligator clips	TP68
	Test-Um Adapter, RJ45 plug to BNC jack	TP70
Charles .	Test-Um Adapter, BNC plug to F jack	TP72
1	Test-Um Round tip for Tone Tracer	ТТ30
Uf both	Test-Um Paddle style tip for Tone Tracer	TT35
	Test-Um 48IN Cord set, RJ11 to alligator clip set w/strain relief	LB10B
Lif Bella was manuar	Test-Um Mini headset/Microphone	LB40B
Lir Bettie		LB45B

Tools and Testers (cont.)

Tools and Testers in Bundled Kits

	Test-Um Tool and Tester Kits	Part Number
io:	Professional Tone & Trace Field Kit: TT100 with out a nylon pouch	KP100
	Professional Tone & Trace Field Kit: TG101 in a nylon pouch	KP101
	High Powered Tone & Trace Field Kit: TT100, TG200 in a Cordura™ nylon pouch	KP105
A.A	Security/Alarm Tone & Trace Field Kit: TT100, TG300 in a Cordura™ nylon pouch	KP106
8 8	Field Kit: TM110 in a Cordura™ pouch Contains two Talk and Trace units with two RJ12 to alligator clip cord sets a 24" test lead assembly, banana plug/test probes and two headsets in a Cordura™ pouch.	KP110
	Signal Tracer Field Kit: TT100 Contains a High Sensitivity Tone Tracer with a round tip and a paddle style tip in a Cordura™ pouch.	KP150
	Basic Telco Field Kit: LB110 in Pouch Contains a Lil'Buttie™ with bed of nails cord set, headset and belt clip in a Cordura™ pouch.	KP200
	Deluxe Telco Field Kit: LB220 Test Set with headset & bed of nails cord set Telephone test set with LCD readout and voltmeter.	KP220
	Telco/Signal Tracing Field Kit Contains a Lil'Buttie™ with bed of nails cord set, headset and belt clip, a High Sensitivity Tone Tracer with a round tip and a paddle style tip, a Multi-Function Tone Generator with alliga- tor clips, a 7.5" cable assembly with 2 no-fault RJ12 connectors in a Cordura™ pouch.	KP300
	Resi-Kit: TG400, TP300, TP310 in a nylon, zippered tool case	KP311

Part Number

KP312

KP315

Cables Flus

Tools and Testers (cont.)

Tools and Testers in Bundled Kits (cont.)



Test-Um Tool and Tester Kits (cont.)

Deluxe Resi-Kit TP300, TG400, LB300, TT300, TP311, TP312, TP314

Comes in a nylon, zippered tool case The ultimate in residential cabling test, talk and tracing. This kit contains everything needed to find, fix, and verify network, telephone, audio, and coaxial cable in all system sizes.

Resi-Tone and Trace Kit KP313

Resi-Tone and Trace Kit: TG400, TT300, TP311, TP20, TG10, in TK200 a nylon, zippered tool case.

Resi-Test and Trace Kit KP314

Resi-Test and Trace Kit: TP300, TT300 in a nylon, zippered tool



Resi-Total Test-Wiremapping Kit: TP300, TP311, TP312, TP314 in a nylon, zippered tool case.

Professional Telco Field Kit KP400

Contains a Lil'Buttie Pro™ with bed of nails cord set, a High Sensitivity Tone Tracer and a Multi-Function Tone Generator with alligator clips in a Cordura™ pouch.

High-Powered Telco Field Kit KP401

Contains a Lil'Buttie Pro™ with bed of nails cord set, headset and a two-piece belt clip, a High Sensitivity Tone Tracer with a round tip and a paddle style tip and a Multi-Function Turbo-Tone™ Generator with alligator clips, a 7.5" cable assembly with 2 no-fault RJ12 connectors in a Cordura™ pouch.

Deluxe Telco/Signal Tracing Field Kit KP402-A

Contains a Ranger™ test set with ADLI with bed of nails cord set and a headset, a High Sensitivity Tone Tracer with a round tip and a paddle style tip and a Multi-Function Tone Generator with alligator clips, a 7.5" cable assembly with 2 no-fault RJ12

connectors in a Cordura™ pouch.

Deluxe High-Powered Field Kit KP403

Contains a Ranger™ test set with ADLI with bed of nails cord set and a headset, a High Sensitivity Tone Tracer with a round tip and a paddle style tip and a Multi-Function Turbo-Tone™ Generator with molded cord set with alligator clips, a 7.5" cable assembly with 2 no-fault RJ12 connectors in a Cordura™ pouch.

Tools and Testers in Bundled Kits (cont.)



Test-Um Tool and Tester Kits (cont.)

Security/Alarm Field Kit: LB2220, TG300
Contains a Lil'Buttie Pro™ with bed of nails cord set, headset and a two-piece belt clip, a High Sensitivity Tone Tracer with a round tip and a paddle style tip and a Latch-Test™ with molded cord set with alligator clips in a Cordura™ pouch.

Part Number KP406



Deluxe Security/Alarm Field Kit

Contains a Ranger[™] test set with ADLI, bed of nails cord set and a headset, a High Sensitivity Tone Tracer with a round tip and a paddle style tip and a Latch-Test[™] with molded cord set with alligator clips in a Cordura[™] pouch.

KP407



Security/Alarm System Adapter

Security/Alarm System Adapter Kit for LanRoverPRO™: (9) TP40, an LB66 in a nylon, zippered pouch.

KP410

......

Coax Adapter Kit for LanRoverPRO™

Coax Adapter Kit for LanRoverPRO $^{\mathrm{IM}}$: (9) TP50 in a nylon, zippered pouch.

KP411



Test-Um Master Wiremapping Kit: TP311, TP312, TP314, TP315

Use the wiremapper sets to find the end location of any type of cable run - network, telephone, audio, or coaxial. Up to 20 locations at a time, using the Test-Um TP300 Resi-Tester or the Test-Um TP350 Testifier $^{\text{TM}}$

KP420



Master Adapter Kit: (1) LB64, (1) LB66, (2) TP50, (2) TP60, (2) TP62, (2) TP70, (2) TP72

(2) TP62, (2) TP70, (2) TP72

Comes in a plastic case. Go from any type of cable to any other type for testing, tracing, or talking. The adapters and cable assemblies make it easy to interconnect any cable types. KP421



Length Measurement & Tracing Kit

Length Measurement & Tracing Kit: TP600, TT100 in a zippered tool case. LanRoverPR0™ CAT 5/6 tester with one remote, a High Sensitivity Tone Tracer and a 12" cable assembly RJ45/ alligator clip in a zippered case.

KP450



Compact Total Test Kit: TP500, LB220, TT100, TG100

Comes in a zippered tool case. Contains a LanRover™ CAT 5 tester with one remote, Lil'Buttie ProTM with bed of nails cord set, a High Sensitivity Tone Tracer with a round tip and a paddle style tip and a Multi-Function Tone Generator with alligator clips, a 7.5" cable assembly with 2 no-fault RJ12 connectors in a zipper case.

KP500



Tools and Testers in Bundled Kits (cont.)



Test-Um Tool and Tester Kits (cont.)

CAT 5/6 Test and Telco Kit: TP600, LB220, TT100, TG100 Comes in a nylon, zippered tool case. Contains a LanRover-PRO™ CAT 5 tester with one remote, Lil'Buttie Pro™ with bed of nails cord set, a High Sensitivity Tone Tracer with a round tip and a paddle style tip and a Multi-Function Tone Generator with alligator clips, a 7.5" cable assembly with 2 no-fault RJ12 connectors in a zipper case.

Part Number

KP501



Compact Total Test Kit, zipper case: TP500, LB255, TT100, TG100

Contains a LanRover™ CAT 5 tester with one remote, Ranger™ test set with ADLI, bed of nails cord set, a High Sensitivity Tone Tracer with a round tip and a paddle style tip and a Multi-Function Tone Generator with alligator clips, a 7.5" cable assembly with 2 no-fault RJ12 connectors in a zipper case.

KP505-A



Deluxe CAT 5/6 Test and Telco Kit: TP600, LB255, TT100, TG100

Contains a LanRoverPRO™ CAT 5 tester with one remote, Ranger™ test set with ADLI, bed of nails cord set, a High Sensitivity Tone Tracer with a round tip and a paddle style tip and a Multi-Function Tone Generator with alligator clips, a 7.5" cable assembly with 2 no-fault RJ12 connectors in a zipper case.

KP506-A



Total Pro Test Kit: TP500, LB220, TT100, TG100

Contains a LanRover™ CAT 5 tester with one remote, Lil'Buttie Pro™ with bed of nails cord set a High Sensitivity Tone Tracer with a round tip and a paddle style tip and a Multi-Function Tone Generator with alligator clip, a 7.5" cable assembly with 2 no-fault RJ12 connectors s in a deluxe 36 pocket case.

KP600



Deluxe Total Pro Kit: TP600, LB220, TT100, TG100
Contains a LanRoverPRO™ CAT 5 tester with one remote,
Lil'Buttie Pro™ with bed of nails cord set, a High Sensitivity
Tone Tracer with a round tip and a paddle style tip and a
Multi-Function Tone Generator with alligator clips, a 7.5" cable
assembly with 2 no-fault RJ12 connectors in a deluxe 36 pocket

KP601



Deluxe Total Pro Kit with Ranger™ Test Set: TP600, LB255, TT100, TG100

Contains a LanRoverPRO™ CAT 5 tester with one remote, Ranger™ test set with ADLI, bed of nails cord set, a High Sensitivity Tone Tracer with a round tip and a paddle style tip and a Multi-Function Tone Generator with alligator clips, a 7.5" cable assembly with 2 no-fault RJ12 connectors in a deluxe 36 pocket case.

KP602-A

Part Number

KP603-A

KP605-A


NT750

TP607

Tools and Testers (cont.)

Tools and Testers in Bundled Kits (cont.)

Test-Um Tool and Tester Kits (cont.)



connectors in a deluxe 36 pocket case.

Contains a LanRoverPRO™ CAT 5 tester with one remote, tivity Tone Tracer with a round tip and a paddle style tip and Multi-Function Turbo-Tone™ Generator with molded cord set with alligator clips, a 7.5" cable assembly with 2 no-fault RJ12

Total Pro Test Kit with Ranger™ Test Set: TP500, LB255, TT100, TG100

Comes in a nylon, deluxe tool case. Contains a LanRover™ CAT 5 tester with one remote, Ranger™ test set with ADLI, bed of nails cord set, a High Sensitivity Tone Tracer with a round tip and a paddle style tip and a Multi-Function Tone Generator with alligator clips, a 7.5" cable assembly with 2 no-fault RJ12 connectors in a deluxe 36 pocket case.

LanScaper™ Network Tester Kit

The new LanScaper™ Network Tester is the first in a new line of Physical Layer Network Management Devices. The Lan-Scaper™ combines the functions of a high-end cable tester and length measurement device with the capability to monitor and correct network problems connected with the physical layer and link conditions of the network.

Test-Um LanRoverPRO™ TP607 Tester/Analyzer

The LanRoverPRO™ TP607 Tester/Analyzer is the high performance length measurement CAT 5 tester that identifies multiple faults clearly without interpretation, has one-ended testing with pre-test for fast result, clear wiremapping form displayed on 2-line, 16 character LCD display and measures cable length.

NT750





Call for Pricing! 1-866-678-5852

Cabl<u>es F</u>lus

Power Protection



Power Protection, also know as surge protection is a subject that is conflicting and confusing to many. There are many terms that are very technical, but really do not tell the average consumer that much about the product that they are buying.

Power Protection is necessary because as the electricity travels over the copper cables from the power plant to your home or office, it develops surges, spikes and noise. This is referred to as dirty power.

Power Protection devices, like the GXS-701KR, the GXS-702R, and the GXS-703KM have electrical components that take the worst of the surges and spikes and stops them from reaching your delicate electrical equipment.



Surge Protection





- \$50,000 Connected Equipment Warranty - 24 Karat Lifetime **Limited Warranty**



GoldX™ - PowerCore™ System base

Clean up your desk clutter with this expandable system. You can stop destructive surges from crippling your hardware and scrambling software data with a surge protector. This product is designed to detect and dissipate damaging power surges before they harm your electronic equipment.



Surge Protector, 6-Outlet, w/Mod

125 V, 15 A, 60 Hz, 1875 Watts Outlets 6 Power & 2 RJ12 4-Foot NEMA 14/3 Surge Protection.

19" Horizontal Rack Mount Surge Protector The rack-mount units feature 10-outlets (2 front and 8 rear) with illuminated rocker power switch and 15 amp circuit break.

03601

Part Number

GXS-701K

GXS-702R

GXS-703KM

GXS-710M

GXS-712MC

GXSB-1110

GXSB-7555

HPS-10

Power Protection (cont.)




UPS (Uninterruptible Power Supply)

Standalone UPS

Part Number

Powercom, UPS, 1000VA, 6-Outlet

HOME-1000A



Powercom, UPS, 600VA, 6-Outlet

HOME-600A

BATTERY PACK for HOME 600/1000

HOME-BATTERYPAC

KIN-1000AP



Powercom, King Pro 1000 UPS, 1000VA, 3-Outlet King Pro KIN-1000AP Series 1000 Events like power failures, unstable line voltages, electrical interference, and power surges can easily damage the computers and electronic equipment that is critical to your business. The King Pro Line includes features to help prevent unexpected power events from interrupting your business. Clear LED indicators, audiable alarms, a RS-232 remote management port, and included software make monitoring and managing your power needs a snap.

Powercom, King Pro Series 1500 UPS, 1500VA, 3-Outlet	KIN-1500AP
Powercom, King Pro 2200 UPS, 2200VA, 3-Outlet	KIN-2200AP
Powercom, King Pro 3000 UPS, 3000VA, 3-Outlet	KIN-3000AP
Powercom, King Pro 800 UPS, 800VA, 3-Outlet	KIN-800AP



Powercom, King Office 375 UPS, 375VA, 6-Outlet KOF-375S suppression in a compact power strip style package. Remote management available on larger capacity models.

KON-575S

KON-375S

Powercom, King Office 575 UPS, 575VA, 6-Outlet

SMK-1000A



Powercom, Smart King 1000 UPS, 1000VA, 6-Outlet Smart King SMK-1000A Series 1000 Critical applications require reliable power and efficient monitoring and management. The Smart King series provides surge protected, regulated, battery backed up, True Sine Wave output to ensure that critical devices receive stable high quality power. Comprehensive LED/ LCD readouts complement the remote management functions provided by the management port and included software.

Powercom , Smart King 1500 UPS, 1500VA, 6-Outlet	SMK-1500A
Powercom , Smart King 2000 UPS, 2000VA, 6-Outlet	SMK-2000A
Powercom , Smart King 3000 UPS, 3000VA, 6-Outlet	SMK-3000A





Power Protection (cont.)



UPS (Uninterruptible Power Supply) (cont.)



Powercom, King Pro Rackmount 1000 UPS, 1000VA, 1U, 6-Outlet

Rackmount UPS

King Pro KIN-1000APRM Series 1000 Events like power failures, unstable line voltages, electrical interference, and power surges can easily damage the computers and electronic equipment that is critical to your business. The King Pro Line includes features to help prevent unexpected power events from interrupting your business. Clear LED indicators, audible alarms, a RS-232 remote management port, and included software make monitoring and managing your power needs a snap.

Powercom, King Pro Rackmount 1500 UPS, 1500VA, 2U, 6-Outlet

Powercom, King Pro Rackmount 2200 UPS, 2200VA, 3U, 6-Outlet



Powercom, Smart King Pro Rackmount 1000 UPS, 1000VA,

Smart King SMK-1000RM Rack Mount 1000 Critical applications require reliable power and efficient monitoring and management. The Smart King series provides surge protected, regulated, battery backed up, True Sine Wave output to ensure that critical devices receive stable high quality power. Comprehensive LED/LCD readouts complement the remote management functions provided by the management port and included software.

Powercom, Smart King Pro Rackmount 1500 UPS, 1500VA, 6-Outlet

Powercom, Smart King Pro Rackmount 2000 UPS, 2000VA, 6-Outlet

SMK-1500RM

Part Number

KIN-1000APRM

KIN-1500APRM

KIN-2200APRM

SMK-1000RM

SMK-2000RM

Security Products



Pelco Security

Pelco CCTV Camera Lenses

Pelco CCTV Lens 1/3 in. Zoom 2.8 12mm f1.4 360 Al Pelco 13VD28-12 Lens, 1/3-inch format varifocal zoom, 2.8 12mm auto iris (direct drive), manual focus and zoom, f1.4 closed, CS-mount.

Pelco Camera Lens 1/3 in. Zoom 3 8mm f1.4 360 Al DC Drive Pelco 13VD3-8 Lens, 1/3-inch format varifocal zoom, 38mm auto iris (direct drive), manual focus and zoom, f1.4 360, CSmount.

13VD3-8

Part Number

13VD28-12

Wholesale Supplier
Fiber Optics • Networking Equipment • Cables

Security Products (cont.)

Pelco Security (cont.)



Pelco CCTV Camera Lenses (cont.)

Pelco Camera Lens 1/3 in. Zoom 5.5 82.5mm f1.8 AI DC Drive

Pelco 13VD55-825 Lens, 1/3-inch format varifocal zoom, 5.5 82.5mm auto iris (direct drive), manual focus and zoom, f1.6 360, CS-mount.

Pelco Camera Lens 1/3 in. Zoom 5 40mm f1.6 360 Al DC Drive

Pelco 13VD3-8 Lens, 1/3-inch format varifocal zoom, 38mm auto iris (direct drive), manual focus and zoom, f1.4 360, CS-mount.

Pelco CCTV Camera Lens 1/3 in. Zoom 5 50mm f1.6 360 Al DC Drive

Pelco 13VD5-50 Lens, 1/3-inch format varifocal zoom, 5 50mm auto iris (direct drive), manual focus and zoom, f1.4 360, CS-mount.

Pelco Cameras

Pelco Camera 1/3 in. High Res Exview Col 12/24 Volt Pelco 13VD55-825 Lens, 1/3-inch format varifocal zoom, 5.5 82.5mm auto iris (direct drive), manual focus and zoom, f1.6 360, CS-mount.

Camera 1/3 in. High Res Col NTSC 24VAC

Pelco CC3701H-2 Camera, 1/3-inch Extended Dynamic Range color, high resolution (480TVL) NTSC. 24 VAC/ 12 VDC, C/CS, DC/Video drive auto iris lens compatibility, BLC, AGC, 0.4 lux at 30 IRE, f1.2.

Camera 1/3 in High Res CCD 12VAC/24VDC NTSC

Pelco 13VD5-50 Lens, 1/3-inch format varifocal zoom, 5 50mm auto iris (direct drive), manual focus and zoom, f1.4 360, CS-mount.

Camera Col Std Res 1/3IN CCD 12/24V NTSC

Pelco CC3701S-6 Camera, 1/3-inch std resolution High Sensitivity color (330TVL) NTSC, 24 VAC/12VDC,C/CS, DC/Video auto iris, BLC, 00.6lux @ 40IRE, f1.2.

Camera 1/3 in. High Res Col NTSC 24VAC AI

Pelco CC3751H-2 Camera, 1/3-inch high resolution LowLight DSS color CCD (480TVL) NTSC, 24 VAC/12VDC,C/CS, DC/Video auto iris, BLC, 00.017lux @ 50IRE, f1.2.

Camera Col High Res 1/3IN CCD 12VDC

Pelco CCC2400H-4 Camera, 1/3-inch high resolution color CCD (480 TVL) NTSC, compact case, 12VDC, CS, DC/Video drive auto iris lens compatibility, 1.0 lux, f1.2, 40 IRE, 75% reflectance.

Part Number

13VD55-825

13VD5-40

13VD5-50

Part Number CC3610H-6

CC3701H-2

CC3710H-6

CC3710S-6

CC3751H-2

CCC2400H-4

6.00



Security Products (cont.)

Pelco Security (cont.)

Pelco Cameras (cont.) Part Number Camera Col Standard Res 1/3IN CCD 12VDC CCC2400S-4 Pelco CCC2400S-4 Camera, 1/3-inch high resolution color CCD (330 TVL) NTSC, compact case, 12VDC, CS, DC/Video drive auto iris lens compatibility, .9 lux, f1.2, 40 IRE, AGC on, 75% reflectance. Camera 1/3 in. High Res B-W EIA 24VAC AI MC3600H-2 Pelco MC3600H-2 Camera, 1/3-inch compact, EIA digital monochrome Exview HAD CCD, high resolution, (570TVL) DC/video drive, auto iris lens compatibility and adjustable back focus .02 lux at f1.2. Camera 1/3 in. High Res B-W EIA 24VAC or 12VDC MC3610H-6 Pelco MC3610H-6 Camera, 1/3-inch EIA monochrome CCD, high resolution (570TVL) 24 VAC or 12 VDC, Autosensing DC/Video Auto Auto iris Drive, 0.04 Lux @ 40 IRE, f1.2, 75% scene reflection. Camera 1/3 in. High Res B-W EIA 24VAC AI MC3651H-2 Pelco MC3651H-2 Camera, 1/3-inch LowLight DSS EIA digital monochrome EXview HAD CCD, high resolution (570TVL) 24 VAC/12VDC, C/CS, DC/Video. Auto iris, BLC, 0.002 lux @ 1/2 second integration. Camera 1/3 in. Standard Res B-W EIA 24VAC AI MC3700S-2 Pelco MC3700S-2 Camera, 1/3-inch EIA digital monochrome CCD, standard resolution (380TVL) 24 VAC, DC/Video. Auto iris Iens, 0.08 Lux @ 50 IRE, f1.2, 80% scene reflection. Camera 1/3 in. High Res B-W EIA 24VAC or 12 VDC AI MC3710H-6 Pelco MC3710H-6 Camera, 1/3-inch EIA monochrome CCD, high resolution (570TVL) 24 VAC or 12 VDC, Autosensing DC/Video Auto Auto iris Drive, 0.07 Lux @ 40 IRE, f1.2, 75% scene reflection. Camera 1/3 in. Standard Res B-W EIA 24VAC or 12 VDC AI MC3710S-6 Pelco MC3710S-6 Camera, 1/3-inch EIA monochrome CCD, standard resolution (380TVL) 24 VAC or 12 VDC, Autosensing DC/ Video Auto iris Drive, 0.06 Lux @ 40 IRE, f1.2, 75% scene reflection. Camera 1/3 in. High Res Compact B-W EIA 24VAC AI MCC1370H-2 Pelco MCC1370H-2 Camera, 1/3-inch EIA digital monochrome CCD, high resolution (560TVL), High density sensor. Compact body style, CS lens mount, DC/Video. Auto iris, BLC, AGC, 0.10 lux at f1.2, 75% Highlight. Camera 1/3 in. Standard Res Compact B/W CCD 12VDC MCC2400S-4 Pelco MCC2400S-4 Camera, 1/3-inch high resolution monochrome CCD (380 TVL) EIA, compact case, 12VDC, CS, DC/ Video drive auto iris lens compatibility, .1 lux, f1.2, 40 IRE,

AGC on, 75% reflectance.



Security Products (cont.)

Pelco Security (cont.)



Pelco Fixed Camera Mount In-ceiling Smoked Dome Pelco DF5-0 Indoor, 5-inch in-ceiling discreet dome with fixed camera mount and smoked lower dome (1/2 f-stop light loss).

camera mount and smoked lower dome (1/2 f-stop light Plenum rated back box.

Pelco Fixed Camera Mounts

Pelco Fixed Camera Mount In-ceiling Smoked Flat Acrylic Sheet

Pelco DF5-0F Indoor, 5-inch drop ceiling mount dome. Lower dome replaced with a smoked flat acrylic sheet, providing additional discreetness. Fixed camera mount. Plenum rated back box

Pelco Fixed Camera Mount In-ceiling Clear Dome
Pelco DF5-1 Indoor, 5-inch in-ceiling discreet dome with fixed
camera mount and clear lower dome with opaque liner (for
virtually no light loss). Plenum rated back box.

Pelco Fixed Camera Mount Indoor Smoked Black Pendant No Camera

Pelco DF5-PB-0 Dome, indoor, 5-inch pendant mount, black, with fixed camera mount bracket and smoked lower dome.

Pelco Fixed Camera Mount Indoor Clear Black Pendant No Camera

Pelco DF5-PB-1 Dome, indoor, 5-inch pendant mount, black, with fixed camera mount bracket and clear lower dome. Opaque liner not included.

Pelco Fixed Camera Mount Indoor Chrome Black Pendant No Camera

Pelco DF5-PB-2 Dome, indoor, 5-inch pendant mount, black, with fixed camera mount bracket and chrome lower dome.

Pelco Fixed Camera Mount Indoor Gold Black Pendant No Camera

Pelco DF5-PB-3 Dome, indoor, 5-inch pendant mount, black, with fixed camera mount bracket and gold lower dome.

Pelco Fixed Camera Mount Indoor Smoked Gray Pendant No Camera

Pelco DF5-PG-0 Dome, indoor, 5-inch pendant mount, gray, with fixed camera mount bracket and smoked lower dome.

Pelco Fixed Camera Mount Indoor Clear Gray Pendant No Camera

Pelco DF5-PG-1 Dome, indoor, 5-inch pendant mount, gray, with fixed camera mount bracket and clear lower dome. Opaque liner not included.

Pelco Fixed Camera Mount Indoor Chrome Gray Pendant No Camera

Pelco DF5-PG-2 Dome, indoor, 5-inch pendant mount, gray, with fixed camera mount bracket and chrome lower dome.

DF5-0

Part Number

DF5-0F

DF5-1

DF5-PB-0

DF5-PB-1

DF5-PB-2

....

DF5-PB-3

DF5-PG-0

DF5-PG-1

DF5-PG-2

Part Number

DF5-PG-3

DF5-PG-E0

DF5-PG-E1

CM1750

EM1009U

EM1015U

EM1109

EM1450

EM1900U



Security Products (cont.)

Pelco Security (cont.)



Pelco Fixed Camera Mounts (cont.)

Pelco Fixed Camera Mount Indoor Gold Gray Pendant No Camera

Pelco DF5-PG-3 Dome, indoor, 5-inch pendant mount, gray, with fixed camera mount bracket and gold lower dome.

Pelco Fixed Camera Mount Outdoor Smoked Gray Pendant No Camera

Pelco DF5-PG-E0 Dome, environmental, 5-inch pendant mount, gray, with fixed camera mount bracket and smoked lower dome. Includes heater and sun shield.

Pelco Fixed Camera Mount Outdoor Clear Gray Pendant No Camera

Pelco DF5-PG-E1 Dome, environmental, 5-inch pendant mount, gray, with fixed camera mount bracket and clear lower dome. Includes heater and sun shield. Opaque liner not included.



Pelco Universal Camera Mount 5-inches up to 7lbs


Pelco CM1750 5-inch universal for cameras weighing up to 7 pounds. Ceiling, pedestal or wall mount. Manually adjustable swivel head with set screw. Identical to CM1750S except 2 in. longer.



Pelco MD Ceiling/Ped Mount Adjustable Swivel 9 in.

Pelco EM1009U Medium-duty ceiling/pedestal mount, 9-inch height, with adjustable swivel head and cable feedthrough hole. Supports up to 40 lbs. For enclosures with 2-inch mounting hole pattern.







Pelco Light-Duty Mount for EH3500 Series Enclosure
Pelco EM1450 Light-duty wall mount for use with EH3500 series



enclosures.

Pelco MD 90-Deg Wall Mount Adjustable Swivel Head Pelco EM1900U Medium-duty 90-degree wall mount with manually adjustable swivel head and cable feedthrough hole. Extends 15.45-inch from wall. Supports up to 40 lbs. 2-inch mounting hole pattern.

Pelco Medium-Duty J-Mount to Vertical Pole Pelco EM2000 Medium-duty 90-degree "J" mount for mounting to a vertical pipe or pole. Manually adjustable swivel head. For enclosures with 2-inch EM2000



Security Products (cont.)

Pelco Security (cont.)



Pelco Fixed Camera Mounts (cont.)

Pelco Medium-Duty Wall Mount for EH4014 & EH55
Pelco EM22 Medium-duty wall mount for enclosures with 2-inch hole pattern and light- to medium-weight cameras. Manually adjustable swivel head. Supports up to 40 lbs.

Part Number EM22



Pelco Medium-Duty Pipe/Pole Mount Enclosure
Pelco EM2200 Medium-duty "hook" mount for mounting to a
horizontal pipe or pole. Manually adjustable swivel head. For
enclosures with 2-inch mounting hole pattern.

EM2200



Pelco Mount Enclosure with Cable Feedthrough Hole
Pelco EM2400 Light-duty wall mount with cable feedthrough
hole and manually adjustable swivel head. Use with EH3010/
EH3014 or EH4010/EH4014/EH4018 enclosures and light- to
medium-weight cameras.

EM2400



Pelco Light-Duty Ceiling J-Mount

Pelco EM3000 Light-duty ceiling "J" mount for use with EH3010, EH3014, EH4010, EH4014 enclosures, or light- to mediumweight cameras. Supports up to 20 lbs.

EM3000

Pelco Camera Enclosures



Pelco Camera Enclosure Indoor Low-Profile Wedge for Drop Ceiling

Pelco EH1000 Enclosure, indoor. Low profile wedge-style for drop ceiling applications. Hinged lower ABS plastic cover with tamper-resistant screw. Aluminum back box.

Part Number

EH1000



Pelco Camera Enclosure Indoor Alum Clamshell Design 10 in. Pelco EH100-10 Enclosure, indoor. Economical interlocking aluminum "clamshell" design. Security rated with camera/lens access requiring removal of one tamper-resistant screw. 10-inch length.

EH100-10

Pelco Camera Enclosure Indoor Alum Clamshell Design 8 in. Pelco EM2400 Light-duty wall mount with cable feedthrough hole and manually adjustable swivel head. Use with EH3010/EH3014 or EH4010/EH4014/EH4018 enclosures and light- to medium-weight cameras.

EH100-8



Pelco Camera Enclosure Indoor Low-Profile Wedge for Drop Ceiling

Pelco EH2100 Enclosure, indoor. Low profile wedge-style for drop ceiling applications. Hinged lower ABS plastic cover with Phillips head screw. Aluminum back box.

EH2100

Pelco Camera Enclosure Indoor Low-Profile Wedge for Drop Ceiling (Plenum rated)

Pelco EH2100P Enclosure, indoor. Low profile wedge-style for drop ceiling applications. Hinged lower ABS plastic cover with Phillips head screw. Plenum rated aluminum back box.

EH2100P



Security Products (cont.)

Pelco Security (cont.)



Pelco Camera Enclosures (cont.)

Pelco Camera Enclosure Dust-Tight Waterproof 12 in. Alum Pelco EH2512 Enclosure, dust-tight and waterproof. Small aluminum cylindrical design. Meets NEMA4 and IP66 standards. 4.25-inch diameter and 12-inch length.

Pelco Camera Enclosure Dust-Tight Waterproof 12 in. Alum 120VAC

Pelco EH2512-1 Enclosure, dust-tight and waterproof. Small aluminum cylindrical design. Meets NEMA4 and IP66 standards. Includes 120 VAC dual element 15W heater for defog/defrost. 4.25-inch diameter and 12-inch length.

Pelco Camera Enclosure Dust-Tight Waterproof 12 in. Alum 24VAC

Pelco EH2512-2 Enclosure, dust-tight and waterproof. Small aluminum cylindrical design. Meets NEMA4 and IP66 standards. Includes 24V dual element 15W heater for defog/defrost. 4.25-inch diameter and 12-inch length.

Pelco Camera Enclosure Dust-Tight Waterproof 15 in. Alum Pelco EH2515 Enclosure, dust-tight and waterproof. Small aluminum cylindrical design. Meets NEMA4 and IP66 standards. 4.25-inch diameter and 15-inch length.

Pelco Camera Enclosure Dust-Tight Waterproof 15 in. Alum 120VAC

Pelco EH2515-1 Enclosure, dust-tight and waterproof. Small aluminum cylindrical design. Meets NEMA4 and IP66 standards. Includes 120 VAC dual element 15W heater for defog/defrost. 4.25-inch diameter and 15-inch length.

Pelco Camera Enclosure Dust-Tight Waterproof 15 in. Alum 24VAC

Pelco EH2515-2 Enclosure, dust-tight and waterproof. Small aluminum cylindrical design. Meets NEMA4 and IP66 standards. Includes 24V dual element 15W heater for defog/defrost. 4.25-inch diameter and 15-inch length.

Pelco Camera Pelco EH3508

Pelco Camera Enclosure 8 in. Rectangular Alum

Pelco EH3508 Enclosure, small aluminum rectangular style with front hinged lid and rear link-lock latch. 8-inch length.

Pelco Camera Enclosure 8 in. Rectangular Alum 120VAC Heater & Defogger

Pelco EH3508-1 Enclosure, environmental, small aluminum rectangular style with front hinged lid and rear link-lock latch. Thermostat controlled 10W heater and 3W continuous duty defogger. 8-inch length. 120 VAC.

Pelco Camera Enclosure 12 in. Rectangular Alum

Pelco EH3512 Enclosure, environmental, small aluminum rectangular style with front hinged lid and rear link-lock latch. 12-inch length.

Part Number

EH2512

EH2512-1

EH2512-2

EH2515

E2515-1

E2515-2

EH3508

FH3508-1

EH3512

cont...

inch length.

Part Number

EH3512-1

EH3512-2

EH3515

EH3515-1

Part Number

MCS16-10

MCS16-20

MCS16-20B

MCS16-20E

Security Products (cont.)

Pelco Security (cont.)



Pelco Camera Enclosures (cont.)

Pelco Camera Enclosure 12 in. Rectangular Alum 120VAC Heater & Defogger

Pelco EH3512-1 Enclosure, environmental, small aluminum rectangular style with front hinged lid and rear latch. Thermostat controlled 10W heater, 3.8W continuous duty blower and 3W continuous duty defogger. 12-inch length. 120 VAC.

Pelco Camera Enclosure 12 in. Rectangular Alum 120VAC Heater & Defogger

Pelco EH3512-2 Enclosure, environmental, small aluminum rectangular style with front hinged lid and rear latch. Thermostat controlled 10W heater, 3.8W continuous duty blower and 3W continuous duty defogger. 12-inch length. 24 VAC.

Pelco Camera Enclosure 15 in. Rectangular Alum

Pelco EH3515 Enclosure, environmental, small aluminum rectangular style with front hinged lid and rear link-lock latch. 15inch length.

Pelco Camera Enclosure 15 in. Rectangular Alum 120VAC Heater & Defogger

Pelco EH3515-1 Enclosure, environmental, small aluminum rectangular style with front hinged lid and rear latch. Two thermostat controlled 10W heaters, 3.8W continuous duty blower and 3W continuous duty defogger. 15-inch length. 120 VAC.

Pelco Power Supplies

Pelco Power Supply Camera 10Amp 16 Out Pelco MCS16-10 Allows 16 fused outputs with total capacity of 10Amp. UL Listed. 120/240 VAC input, 24/28 VAC output.

Pelco Power Supply Camera 20Amp 16 Out

Pelco MCS16-20 Allows 16 fused outputs with total capacity of 20Amp. UL Listed. 120/240 VAC input, 24/28 VAC output.

Pelco Power Supply Camera 20Amp 16 Out Breaker Pelco MCS16-20B Allows 16 outputs with total capacity of 20Amp. Each output has a self-resetting circuit breaker. UL

Listed. 120/240 VAC input, 24/28 VAC output.

Pelco Power Supply Camera 20Amp 16 Out

input, 24/28 VAC output.

Pelco EH3515-1 Enclosure, environmental, small aluminum rectangular style with front hinged lid and rear latch. Two thermostat controlled 10W heaters, 3.8W continuous duty blower and 3W continuous duty defogger. 15-inch length. 120 VAC.

Pelco Power Supply Camera 20Amp 16 Out Switch Pelco MCS16-20S Allows 16 fused outputs with total capacity of 20Amp. Each output has a power switch and LED. 120/240 VAC

MCS16-20S

cont...

Call for Pricing! 1-866-678-5852



Security Products (cont.)

Pelco Security (cont.)



Pelco Power Supplies (cont.)

Pelco Power Supply Camera 2Amp 4 Out Pelco MCS4-2 Allows 4 fused outputs with total capacity of 2Amp. No master power switch. UL Listed. 120 VAC input, 24 VAC output.

Pelco Power Supply Camera 5Amp 8 Out
Pelco MCS8-5 Allows 8 fused outputs with total capacity of
5Amp. UL Listed. 120/240 VAC input, 24/28 VAC output.

Pelco Power Supply Camera 5Amp 8 Out Breaker Pelco MCS8-5B Allows 8 outputs with total capacity of 5Amp. Each output has a self-resetting circuit breaker. UL Listed. 120/240 VAC input, 24/28 VAC output.



Pelco MPEG4 IP VIDEO Receiver
Pelco NET300R MPEG4 IP VIDEO RCVR, DUAL STREAM, 16KBPS1.5MBPS, 1 VIDEO, 1 SERIAL PORT, 1 ALRM IN, 1 RELAY OUT

Pelco MPEG4 IP VIDEO Transmitter
Pelco NET300T MPEG4 IP video transmitter dual stream,
16KBPS-1.5MBPS, 1 video, 1 serial port, 1 alarm in, 1 relay out.

60.

Pelco IP video receiver w/audio

Pelco NET350R IP video receiver w/audio, dual stream, 16KBPS-1.5MBPS, 1 video, 1 serial port, 1 alarm in, 1 relay out.

Pelco IP video transmitter w/audio and local storage Pelco NET350T IP video transmitter w/audio and local storage, dual stream, 16KBPS-1.5MBPS, 1 video, 1 serial port, 1 alarm in, 1 relay out.

Pelco Spectra III

Pelco Spectra III SE In-ceiling Smoked Col 22X Pelco SD53C22-F0 Spectra III SE consists of the following Pelco models: DD53C22, BB53-F, LD5F-0.

Pelco Spectra III SE In-ceiling Clear Col 22X Pelco SD53C22-F1 Spectra III SE consists of the following Pelco models: DD53C22, BB53-F, LD5F-1.

Pelco Spectra III SE In-ceiling Chrome Col 22X Pelco SD53C22-F2 Spectra III SE consists of the following Pelco models: DD53C22, BB53-F, LD5F-2.

Pelco Spectra III SE Gray Pendant Smoked Col 22X Pelco SD53C22-PG-0 Spectra III SE consists of the following Pelco models: DD53C22, BB53-PG, LD53PB-0.

Part Number MCS4-2

MCS8-5

MCS8-5B

Part Number

NET300R

NET300T

NET350R

NET350T

NE 1 3501

Part Number SD53C22-F0

DE0000 E4

SD53C22-F1

SD53C22-F2

3D33C22-12

SD53C22-PG-0

Wholesale Supplier Fiber Optics • Networking Equipment • Cables



Security Products (cont.)

Pelco Security (cont.)



Pelco Spectra III (cont.) Pelco Spectra III SE Gray Pendant Clear Col 22X Pelco SD53C22-PG-1 Spectra III SE consists of the following	Part Number SD53C22-PG-1
Pelco models: DD53C22, BB53-PG, LD53PB-1. Pelco Spectra III SE Gray Pendant Chrome Col 22X Pelco SD53C22-PG-2 Spectra III SE consists of the following Pelco models: DD53C22, BB53-PG, LD53PB-2.	SD53C22-PG-2
Pelco Spectra III SE Env Gray Pendant Smoked Col 22X Pelco SD53C22-PG-E0 Spectra III SE consists of the following Pelco models: DD53C22, BB53-PG-E, LD53PB-0.	SD53C22-PG-E0
Pelco Spectra III SE Env Gray Pendant Clear Col 22X Pelco SD53C22-PG-E1 Spectra III SE consists of the following Pelco models: DD53C22, BB53-PG-E, LD53PB-1.	SD53C22-PG-E1
Pelco Spectra III SE In-ceiling Smoked Col/B-W 23X Pelco SD53CBW-F0 Spectra III SE consists of the following Pelco models: DD53CBW, BB53-F, LD5F-0.	SD53CBW-F0
Pelco Spectra III SE In-ceiling Clear Col/B-W 23X Pelco SD53CBW-F1 Spectra III SE consists of the following Pelco models: DD53CBW, BB53-F, LD5F-1.	SD53CBW-F1
Pelco Spectra III SE In-ceiling Chrome Col/B-W 23X Pelco SD53CBW-F2 Spectra III SE consists of the following Pelco models: DD53CBW, BB53-F, LD5F-2.	SD53CBW-F2
Pelco Spectra III SE Black Pendant Smoked Col/B-W 23X Pelco SD53CBW-PB-0 Spectra III SE consists of the following Pelco models: DD53CBW, BB53-PB, LD53PB-0.	SD53CBW-PB-0
Pelco Spectra III SE Black Pendant Clear Col/B-W 23X Pelco SD53CBW-PB-1 Spectra III SE consists of the following Pelco models: DD53CBW, BB53-PB, LD53PB-1.	SD53CBW-PB-1
Pelco Spectra III SE Black Pendant Chrome Col/B-W 23X Pelco SD53CBW-PB-2 Spectra III SE consists of the following Pelco models: DD53CBW, BB53-PB, LD53PB-2.	SD53CBW-PB-2
Pelco Spectra III SE Gray Pendant Smoked Col/B-W 23X Pelco SD53CBW-PG-0 Spectra III SE consists of the following Pelco models: DD53CBW, BB53-PG, LD53PB-0.	SD53CBW-PG-0
Pelco Spectra III SE Gray Pendant Clear Col/B-W 23X Pelco SD53CBW-PG-1 Spectra III SE consists of the following Pelco models: DD53CBW, BB53-PG, LD53PB-1.	SD53CBW-PG-1
Pelco Spectra III SE Gray Pendant Chrome Col/B-W 23X Pelco SD53CBW-PG-2 Spectra III SE consists of the following Pelco models: DD53CBW, BB53-PG, LD53PB-2.	SD53CBW-PG-2

SECURITY PRODUCTS



Security Products (cont.)

Pelco Security (cont.)



Pelco Spectra III (cont.)

Pelco Spectra III SE Env Gray Pendant Smoke Col/B-W 23X Pelco SD53CBW-PG-E0 Spectra III SE consists of the following Pelco models: DD53CBW, BB53-PG-E, LD53PB-0.

Pelco Spectra III SE Env Gray Pendant Clear Col/B-W 23X Pelco SD53CBW-PG-E1 Spectra III SE consists of the following Pelco models: DD53CBW, BB53-PG-E, LD53PB-1.

SD53CBW-PG-E1

Part Number

SD53CBW-PG-E0



USB Storage Devices

ClipDrive Bio™ is the most secure and advanced USB 2.0 & USB 1.1 data storage device on the market. Using leading edge biometric fingerprint technology, the scanner authenticates a user's identity & then gives the user access to the hidden secure partition on the ClipDrive Bio™. All data saved on the Secure Partition portion of the ClipDrive Bio™ is automatically encrypted and hidden.



ClipDrive Bio™ Flash Memory



ClipDrive Bio™ Flash Memory	Part Number
ClipDrive Bio™ Flash Memory Drive, 64MB, V2.0	MXU2BCD064
ClipDrive Bio™ Flash Memory Drive, 128MB, V2.0	MXU2BCD128
ClipDrive Bio™ Flash Memory Drive, 256MB, V2.0	MXU2BCD256
ClipDrive Bio™ Flash Memory Drive,512MB, V2.0	MXU2BCD512
ClipDrive Bio™ Flash Memory Drive, 1GB, V2.0	MXU2BCD1GB
ClipDrive Bio™ Flash Memory Drive, 2GB, V2.0	MXU2BCD2GB
ClipDrive Bio™ Flash Memory Drive, 64MB, V1.1	MXUBCD064
ClipDrive Bio™ Flash Memory Drive, 256MB, V1.1	MXUBCD256
ClipDrive Bio™ Flash Memory Drive, 512MB, V1.1	MXUBCD512
ClipDrive Bio™ Flash Memory Drive, 1GB, V1.1	MXUBCD1GB

- Portable USB 2.0 & USB 1.1 flash drives with Biometric security to safeguard access to drive;
- Fingerprint scan required to access ClipDrive Bio™;
- Secure, protected partition on the drive cannot be accessed without being authenticated;
- All files placed on the ClipDrive Bio™ secure partition are automatically encrypted (without user intervention and in background);

USB Storage Devices (cont.)

Advanced technology and ultra-convenience—with capacities up to 2GB! Small enough to slip into your pocket, the Clip-Drive™ USB portable drives enable you to quickly, easily and confidentially transport business documents, multimedia files, photos, music files—anything—anywhere! Simply connect the ClipDrive™ to your desktop or notebook PC's USB port and it's ready to use.





ClipDrive™ Flash Memory



ClipDrive™ Flash Memory	Part Number
USB Flash Drive, 16MB, V2.0	MXU2CD016
USB Flash Drive, 32MB, V2.0	MXU2CD032
USB Flash Drive, 64MB, V2.0	MXU2CD064
USB Flash Drive, 128MB, V2.0	MXU2CD128
USB Flash Drive, 256MB, V2.0	MXU2CD256
USB Flash Drive, 512MB, V2.0	MXU2CD512
USB Flash Drive, 1GB, V2.0	MXU2CD1GB
USB Flash Drive, 2GB, V2.0	MXU2CD2GB
USB Flash Drive, 16MB, V1.1	MXUCD016
USB Flash Drive, 32MB, V1.1	MXUCD032
USB Flash Drive, 64MB, V1.1	MXUCD064
USB Flash Drive, 128MB, V1.1	MXUCD128



KTI Pen Drives





Pen Drive Units 2.0 Silver	Part Number
16MB PEN DRIVE UNITS 2.0 SILVER	I-USB-16
32MB PEN DRIVE UNITS 2.0 SILVER	I-USB-32
64MB PEN DRIVE UNITS 2.0 SILVER	I-USB-64
128MB PEN DRIVE UNITS 2.0 SILVER	I-USB-128
256MB PEN DRIVE UNITS 2.0 SILVER	I-USB-256
512MB PEN DRIVE UNITS 2.0 SILVER	I-USB-512
1GB PEN DRIVE UNITS 2.0 SILVER	I-USB-1GIG
2GB PEN DRIVE UNITS 2.0 SILVER	I-USB-2GIG
4GB PEN DRIVE UNITS 2.0 SILVER	I-USB-4GIG

I-USB-512-EX

I-USB-512-MP3



USB Storage Devices (cont.)

KTI Pen Drives (cont.)

512MB EXECUTIVE PEN DRIVE SILVER

512MB PEN DRIVE + MP3 PLAYER SILVER





Executive Pen Drive Silver	Part Number
16MB EXECUTIVE PEN DRIVE SILVER	I-USB-16-EX
32MB EXECUTIVE PEN DRIVE SILVER	I-USB-32-EX
64MB EXECUTIVE PEN DRIVE SILVER	I-USB-64-EX
128MB EXECUTIVE PEN DRIVE SILVER	I-USB-128-EX
256MB EXECUTIVE PEN DRIVE SILVER	I-USB-256-EX



Pen Drive + MP3 Player Silver 16MB PEN DRIVE + MP3 PLAYER SILVER 1-USB-16-MP3 32MB PEN DRIVE + MP3 PLAYER SILVER 1-USB-32-MP3 64MB PEN DRIVE + MP3 PLAYER SILVER 1-USB-64-MP3 128MB PEN DRIVE + MP3 PLAYER SILVER 1-USB-128-MP3 256MB PEN DRIVE + MP3 PLAYER SILVER 1-USB-256-MP3



WIFI FINDER/DETECTOR

Part Number


KWFS-1



Wholesale Supplier
Fiber Optics • Networking Equipment • Cables

Home Automation Network

Home Automation Networking equipment is essential for any new homeowner/entrepreneur with a Small Office/Home Office environment. This system is fully-customizable and is easy to install. First, purchase the box (either the NHA-2001, NHA-3000, or the NHA-3001), then purchase any of the components that you need. Each box has holes punched out in the top and bottom for easy cable access.





SOHO Home Automation

1. Pick your box!

To begin automating your home's telephone, data, satellite, and cable connections, you are first going to need a box to put all of your modules in. We carry the NHA-2001, NHA-3000, and NHA-3001 models for your home automation needs.



Boxes

Part Number

SURFACE STRUCTURED BOX 10.25" X 6.75" X 3.5"

NHA-2001



IN WALL STRUCTURED WIRING BOX 21.25" X 14.50" X 3.75"

NHA-3000




SURFACE MOUNT STRUCTURED WIRING BOX 19" X 14.5" X 4.5"

NHA-3001



Home Automation Network (cont.)

2. Pick your modules!



Telephone ModulesPart NumberTELEPHONE HUB 4 LINES 6 OUTLETS W/ RJ-31X PORTNHA-1002



TELEPHONE HUB 4 LINES / 8 OUTLETS WITH PASS NHA-1006
THROUGH



COMBO 6 X 6 TELEPHONE - CATV SPLITTER UP TO 4 NHA-1001 PHONE LINES W/ RJ-31X




Data Modules

8 PORT DATA UNIT / 8 RJ-45 JACKS W/ 8 100 4 PAIR
BLOCKS

NHA-1003



8 PORT 10/100 FAST ETHERNET SWITCH NHA-1009



CATV Cable/Satellite Modules

2 INPUT / 6 OUTPUT CATV SPLITTER 1 GHZ


NHA-1004



RF MODULATOR CH 14-32 UHF / VHF NHA-1008



4 RECEIVER SATELLITE MULTI- SWITCH NHA-3401



6 WAY 1 GHZ SPLITTER MODULE NHA-6001
8 WAY 1 GHZ SPLITTER MODULE NHA-8001

COMBO 6 X 6 TELEPHONE - CATV SPLITTER UP TO 4 PHONE LINES W/ RJ-31X

NHA-1001



Home Automation Network (cont.)



Audio Modules

Part Number

1 PAIR X 6 OUTPUT SPEAKER DISTRIBUTION MODULE

NHA-1005



Power Modules

Part Number

POWER OUTLET - 2 POLE 3 WIRE GROUNDED OUTLET

NHA-1007

3. Call us!

Give us a call toll-free at 1-866-678-5852 and one of our knowledgeable sales reps will most certainly be able to help you!

Networking Infrastructure

Cat 5e and Cat 6 Patch Panels



Cat 5e Patch Panels

Part Number

Patch Panel, 12 Port, Cat 5e, Wall Mount, A&B, Vertical GXN-C5EP12

12 Port Vertical Cat 5 Enhanced GoldX™ Patch Panel. This patch panel is Cat 5e compliant and is 568A & B wire compatible. Comes with wall mount bracket.

GXN-C5EPA12R

Patch Panel, 12 Port, Cat 5e, Rack Mount, A&B 12 Port Horizontal Cat 5 Enhanced GoldX™ Patch Panel. This patch panel is Cat 5e compliant and is 568A & B wire compatible and mounts on a standard 19" rack.

GXN-C5EPA24

Patch Panel, 24 Port, Cat 5e, Rack Mount, A&B 24 Port Horizontal Cat 5 Enhanced GoldX™ Patch Panel. This patch panel is Cat 5e compliant and is 568A & B wire compatible and mounts on a standard 19" rack.

GXN-C5EPA48

Patch Panel, 48 Port, Cat 5e, Rack Mount, A&B, 110 48 Port Horizontal Cat 5 Enhanced GoldX™ Patch Panel. This patch panel is Cat 5e compliant and is 568A & B wire compatible and mounts on a standard 19" rack.

Cat 6 Patch Panels



Patch Panel, 12 Port, Cat 6, Wall Mount, A&B, Vertical 12 Port Vertical Cat 6 Enhanced GoldX™ Patch Panel. This patch panel is Cat 6 compliant and is 568A & B wire compatible. Comes with wall mount bracket.

GX3300

GX3301

Part Number

Patch Panel, 24 Port, Cat 6, Rack Mount, A&B 24 Port Horizontal Cat 6 GoldX™ Patch Panel. This patch panel is Cat 6 compliant and is 568A & B wire compatible and mounts on a standard 19" rack. Comes with Wallmount bracket!

Wholesale Supplier Fiber Optics • Networking Equipment • Cables

Networking Infrastructure (cont.)

Cat 5e and Cat 6 Patch Panels (cont.)

Cat 6 Patch Panels (cont.)

Part Number Patch Panel, 48 Port, Cat 6, Rack Mount, A&B, 110 GX3302 48 Port Horizontal Cat 6 Enhanced GoldX™ Patch Panel. This

patch panel is Cat 6 compliant and is 568A & B wire compatible and mounts on a standard 19" rack.

Patch Panel, 12 Port, Cat 6, Rack Mount, A&B GX3304

12 Port Horizontal Cat 6 Enhanced GoldX™ Patch Panel. This patch panel is Cat 6 compliant and is 568A & B wire compatible and mounts on a standard 19" rack.



Data Jacks & Faceplates

Cat 5e Jacks, Telephone Jacks, & Inserts

Keystone Jack - BNC Connector **BNCKJ** This BNC pass-through keystone jack is used to make a termi-

nation of video or network wire at a wall. When it is use with a faceplate, it can be mounted at any height and will be flush with the wall. When it is use wit a surface mount box, it will

be on top of a wall. Ivory or White



Keystone Jack - F Connector

This F connector pass-through keystone jack is used to make a

termination of video wire at a wall. When it is use with a faceplate, it can be mounted at any height and will be flush with the wall. When it is use wit a surface mount box, it will be on top of a wall. Ivory or White

JACK, USOC, RJ11, 6P6C, IVORY

11KJIV Removable jack used in a wall plate to organize the wiring

from the wall to the network component.

11KJWH White




JACK, CAT5E, RJ45, 568 A&B, BLUE

Removable jack used in a wall plate to organize the wiring

from the wall to the network component.

C5EKJG Green C5EKJIV **Ivory** C5EKJK Black C5EKJOR Orange C5EKJR Red C5EKJW White C5EKJY Yellow






cont...

Part Number

FKJ

C5EKJB

Faceplates & Surfacemount Boxes



Surface Raceway

	Multilink Fittings & Raceway	Part Number
	Multilink Junction Box Single Gang White	MJB-1-IV MJB-1-WH
	Multilink Fitting Flat 1-1/4 Elbow (Box of 10) White	MRF12-FER-IV MRF12-FER-WH
	Multilink Fitting Inside Corner 1-1/4 (Box of 10) White	MRF12-ICR-IV MRF12-ICR-WH
7	Multilink Fitting Joint Cover 1-1/4 (Box of 10) White	MRF12-JC-IV MRF12-JC-WH
	Multilink Fitting Outside Corner 1-1/4 (Box of 10) White	MRF12-OCR-IV MRF12-OCR-WH
	Multilink Fitting Flat Elbow 1-3/4 (Box of 10) White	MRF17-FER-IV MRF17-FER-WH
	Multilink Fitting Inside Corner 1-3/4 (Box of 10) White	MRF17-ICR-IV MRF17-ICR-WH
7	Multilink Fitting Joint Cover 1-3/4 (Box of 10) White	MRF17-JC-IV MRF17-JC-WH
	Multilink Fitting Outside Corner 1-3/4 (Box of 10) White	MRF17-OCR-IV MRF17-OCR-WH

Surface Raceway (cont.)

Multilink Fittings & Raceway (cont.)

Multilink Fitting Flat Elbow 3/4 (Box of 10) White

Part Number MRF75-FER-IV MRF75-FER-WH

Multilink Fitting Inside Corner 3/4 (Box of 10)
White

MRF75-ICR-IV MRF75-ICR-WH

Multilink Fitting Joint Cover 3/4 (Box of 10)
White

MRF75-JC-IV MRF75-JC-WH

Multilink Fitting Outside Corner 3/4 (Box of 10)

MRF75-OCR-IV MRF75-OCR-WH



Multilink Raceway 1-1/4 X 6' (Box of 20)

White


Multilink Raceway 1-3/4 X 6' (Box of 20)

White

Multilink Raceway 3/4 X 6' (Box of 20)

White

MRM12-IV-T MRM12-WH-T MRM17-IV-T MRM17-WH-T MRM75-IV-T MRM75-WH-T



Featured Rack



Kendall Howard 41U 1931 Series Rack

This rack is the best of the best in racking cabinets. Its frame is made from extruded 6063 Aluminum for maximum strength and durability. Each of these racks ships complete with all accessories included and installed complete. Our 41U rack is also EIA compliant and has a 10 year limited warranty on parts.

Part Number

1931-3-001-41

Cabinets, Racks, & Wire Management (cont.)



Standalone Racks—400 Series Part Number Quest Manufacturing 400 Series Floor Enclosure, 35" Height FE4019-20 X 22.5" Width X 21.5" Depth Ivory or Black Quest Manufacturing 400 Series Floor Enclosure, 47" Height FE4019-28 X 22.5" Width X 21.5" Depth Ivory or Black Quest Manufacturing 400 Series Floor Enclosure, 60" Height FE4019-34 X 22.5" Width X 21.5" Depth Ivory or Black Quest Manufacturing 410 Series Floor Enclosure, 60" Height FE4019-40 X 22.5" Width X 32" Depth Ivory or Black FE4019-45 Quest Manufacturing 400 Series Floor Enclosure, 70" Height



Standalone Racks—410 Series

Quest Manufacturing 410 Series Floor Enclosure, 35" Height
X 22.5" Width X 32" Depth

Ivory or Black

Quest Manufacturing 410 Series Floor Enclosure, 47" Height

FE4119-28-01

X 22.5" Width X 21.5" Depth Ivory or Black

Quest Manufacturing 410 Series Floor Enclosure, 47" Height X 22.5" Width X 32" Depth

Nory or Black

FE4119-28-01

Quest Manufacturing 410 Series Floor Enclosure, 60" Height X 22.5" Width X 32" Depth

| Ivory or Black|

Quest Manufacturing 410 Series Floor Enclosure, 70" Height FE4119-40-01 X 22.5" Width X 32" Depth

| Ivory or Black|

Quest Manufacturing 410 Series Floor Enclosure, 79" Height
X 22.5" Width X 32" Depth

Ivory or Black

FE4119-45-01



Standalone Racks—420 Series Quest Manufacturing 420 Series Floor Enclosure, 70" Height X 27.5" Width X 32" Depth

Ivory or Black

Quest Manufacturing 420 Series Floor Enclosure, 79" Height X 27.5" Width X 32" Depth

| Ivory or Black|

Cables Plus

Wholesale Supplier
Fiber Optics • Networking Equipment • Cables

Part Number

WM2019-07-01

WM2019-09-01

WM2019-11-01

WM2019-14-01

WM2019-16-01

Part Number

WM3019-07-01

WM3019-09-01

WM3019-11-01

WM3019-14-01

Part Number

WRS-4

Networking Infrastructure (cont.)

Cabinets, Racks, & Wire Management (cont.)



Wall Mount Cabinets—200 Series

Quest Manufacturing 200 Series Wall Mount Enclosure Cabinet, 15" Height X 20.5" Width X 20" Depth

Ivory or Black

Quest Manufacturing 200 Series Wall Mount Enclosure Cabinet, 18" Height X 20.5" Width X 20" Depth

Ivory or Black

Quest Manufacturing 200 Series Wall Mount Enclosure Cabinet, 22" Height X 20.5" Width X 20" Depth

Ivory or Black

Quest Manufacturing 200 Series Wall Mount Enclosure Cabi-

net, 26" Height X 20.5" Width X 20" Depth

Ivory or Black

Quest Manufacturing 200 Series Wall Mount Enclosure Cabinet, 31" Height X 20.5" Width X 20" Depth

Ivory or Black



Wall Mount Cabinets-300 Series

Quest Manufacturing 300 Series Wall Mount Swingout Enclosure Cabinet, 15" Height X 20.5" Width X 20" Depth Ivory or Black

Quest Manufacturing 300 Series Wall Mount Swingout Enclosure Cabinet, 18" Height X 20.5" Width X 20" Depth

Ivory or Black

Quest Manufacturing 300 Series Wall Mount Swingout Enclosure Cabinet, 22" Height X 20.5" Width X 20" Depth

Nory or Black

Quest Manufacturing 300 Series Wall Mount Swingout Enclosure Cabinet, 16" Height X 20.5" Width X 20" Depth Ivory or Black

Low-Profile Wall Mount Racks

4 Space 19" Low-Profile Wall Mount Rack 4 space Wall Mount Rack that allows mounting of equipment in a vertical "knobs-up" fashion for space efficiency. Adjustable to 20" - 23" of useable racking depth.

6 Space 19" Low-Profile Wall Mount Rack

6 space Wall Mount Rack that allows mounting of equipment in a vertical "knobs-up" fashion for space efficiency. Adjustable to 20" - 23" of useable racking depth.

8 Space 19" Low-Profile Wall Mount Rack

8 space Wall Mount Rack that allows mounting of equipment in a vertical "knobs-up" fashion for space efficiency. Adjustable to 20" - 23" of useable racking depth.

WRS-8

WRS-6

cont...

Call for Pricing! 1-866-678-5852

Cabinets, Racks, & Wire Management (cont.)

Only the best quality equipment and wire management products designed for mounting communications equipment and hardware. The 19" format open frame floor racks are available in 3,4 and 7 foot heights and in natural aluminum or black electrostatic powder coat finish. All racks are provided with all assembly hardware and equipment mounting screws. The rails are tapped #12-24 front and rear in EIA compliant spacing. They are designed with mounting holes which allow anchoring to the floor.



Floor Racks

Quest Manufacturing Floor Rack, 36" Height X 19" Width X

FR1903-20

20 Rack Mount Space

Black or Aluminum

Quest Manufacturing Floor Rack, 48" Height X 19" Width X FR1904-28

28 Rack Mount Space

Black or Aluminum

Quest Manufacturing Floor Rack, 84" Height X 19" Width X FR1907-45

45 Rack Mount Space

Black or Aluminum

The Open-Frame Series of wall-mount racks provide the capability of mounting rack-mount equipment when floor mounting space is limited or not available. They are designed for 19" rack-mount equipment with #12-24 threaded rails in accordance with EIA standards on both front and rear flanges. Constructed of high-quality aluminum, these racks are designed for durable service life.



Fixed Wall Mount Racks Part Number

Quest Manufacturing Fixed Wall Mount Rack, 22.75" Height X WR1922-13-02 19" Width X 13 Rack Mount Space

Quest Manufacturing Fixed Wall Mount Rack, 28" Height X WR1928-16-02 19" Width X 16 Rack Mount Space

Quest Manufacturing Fixed Wall Mount Rack, 35" Height X WR1935-20-02

19" Width X 20 Rack Mount Space

The Open-Frame Series of swing-out racks provide the capability of mounting rack-mount equipment when floor mounting space is limited or not available. The swing-out design offers unparalleled access to component rear panels. The rear section can be easily separated from the mounting section for ease of field installation. The front section is reversible for right or left side opening. They are designed for 19" rack-mount equipment with #12-24 threaded rails in accordance with EIA standards on both front and rear flanges. Constructed of high-quality aluminum, these racks are designed for durable service life. Available in several RMS sizes, Quest's wall-mount rack series offers solutions for virtually any wall-mount rack requirement.



Swing Out Wall Mount Racks

Quest Manufacturing Swing-out Wall Mount Rack, 35" Height

X 19" Width X 20 Rack Mount Space

Quest Manufacturing Swing-out Wall Mount Rack, 43" Height SR1943-25-02

X 19" Width X 25 Rack Mount Space

cont...

Part Number

SR1935-20-02

Cabinets, Racks, & Wire Management (cont.)

Kendall Howard Portable Racks

Kendall Howard Portable Rack Systems are the perfect solution for just about any racking need. These systems are durable, lightweight, stackable, and completely portable. You may never again have to worry about running out of rack



space. Each rack is fitted with interlocking corner guards so when you need more space, simply add on an additional rack. Our racks come equipped with spring loaded recessed handles and optional casters for maximum portability. Unlike most similar systems that are contracted from compressed wood products, the Kendall Howard rack is made entirely of steel and can hold over 500 lbs. With its expandability, strength, and aesthetic design, this is one racking system you will not out grow (Casters Not Included).

Kendall Howard Portable Racks

8U Portable Rack

The 8U is great for small closets, under the desk applications or countertops.

<u>Part Number</u> 1920-3-000-08A



12U Portable Rack

The 12U cabinet is great for small closets and under the desk applications.

1920-3-000-12A



20U Portable Rack

You may never again have to worry about running out of rack space. Also, this unit ships UPS!

1920-3-000-20A

Kendall Howard Wall Mount Racks

The strength and durability of our modular rack line is now available in a new patent pending wall mount version. What's so great about this new racking system? Were glad you asked!

- 2 piece design installs in less than 5 minutes
- Supports over 250lbs
- Adjusts to ANY width 19" EIA, 24" Telecom, whatever spacing you need
- Under the desk mountable
- Ceiling mountable
- Universal mounting holes for most common wall hardware
- Side cutouts for easy cabling
- Standard pre-tapped 10-32 rail holes
- We know once you own one of these, there is no turning back



Cabinets, Racks, & Wire Management (cont.)

Kendall Howard Wall Mount Racks

Part Number

1915-3-001-08

8U Wall Mount Rack Shelf not included



12U Wall Mount Rack Shelf not included

1915-3-001-08

Hinged Wall Mount Brackets

Our line of wall or rack mount brackets provide simple and efficient mounting of rack mount components to walls or open frame racks. Available in both non-hinged and hinged designs in various RMS capacities and in 6" and 12" depths. Hinged designs for easy access to the rear of the components and non-hinged designs for more competitive solutions. Made of 16 AWG steel with EIA spaced threaded mounting holes. In black powder coat finish.



Part Number

WB19-0106H

WB19-0206H

WB19-0406H

Hinged Wall Mount Brackets

Quest Manufacturing Hinged Wall Mount Bracket, 1.75" Height X 19" Width X 1 Rack Mount Space

Quest Manufacturing Hinged Wall Mount Bracket, 3.75" Height X 19" Width X 2 Rack Mount Space

Quest Manufacturing Hinged Wall Mount Bracket, 7" Height X 19" Width X 4 Rack Mount Space

Quest Manufacturing Hinged Wall Mount Bracket, 7" Height X 19" Width X 4 Rack Mount Space

Quest Manufacturing Hinged Wall Mount Bracket, 10.5" Height X 19" Width X 6 Rack Mount Space 6" Depth

Quest Manufacturing Hinged Wall Mount Bracket, 10.5" Height X 19" Width X 6 Rack Mount Space 12" Depth



Kendall Howard Rack Shelving

Full 20" Rack Shelf

This 20" Rack Shelf was designed to compliment our portable racking systems. This solid design will support up to 300 lbs. This shelving unit is perfect to help support heavy servers and UPS backup systems. This unit is mounted on both the front and rear rails for maximum stability. Each unit comes with 1/2" sidewall flanges to ensure whatever you place on these shelves does not slide off. This shelf is made with .074" (14-gauge) steel. This unit may only be used on rack systems with 20" deep chassis. Recommended for the Kendall Howard Portable Rack Line.

WB19-0412H

WB19-0606H

WB19-0612H

Part Number 1904-1-001-01A

Cabinets, Racks, & Wire Management (cont.)

Kendall Howard Rack Shelving

Part Number



3U Media Shelf

The Kendall Howard Rack Mounted Media Shelf is a great addition to any racking system. This shelf allows you to conveniently store CDs, tapes or most media types. Imagine not having to search for that important startup disk or emergency recovery disk. This component is also great for musicians and DJ's allowing easy storage of your sampling, data and music CD's. This item is recommended for all music rack configurations. Our Media Shelves are constructed from heavy 14-gauge steel and individually formed. Each corner also features radius corners for optimum safety and handling.

1905-3-000-03A



1U 12" Component Shelf

The Kendall Howard Rack Mounted line of shelves is another great way to store your non-rack mountable components. Our shelves are suitable for monitors, modems, DSL routers, tape players, backup units, and virtually anything you can think of. These products are constructed from heavy 14-gauge steel and individually formed by hand. Each corner also features radius corners for optimum safety and handling. All shelving units have a front and back flange to ensure your components cannot slide off. Our 1U unit is so strong you wont believe it! Even many heavy flat screen monitors will mount with ease. This is the perfect shelf for the space conscious customer.

1906-1-001-01A



2U 14" Component Shelf

Our 2U unit is a great medium to heavy-duty shelf. This unit will support just about any monitor or other medium weight component. This is the all around best shelf for most racking needs

1906-1-002-02A



3U 16" Component Shelf

Our 3U unit is the Goliath of rack shelves. With the ability to use all 12 mounting holes, there is almost nothing you cannot safely mount on this shelf.

1906-1-003-03A



4 Point Adjustable Shelf

Imagine a 4 point shelf that will expand to fit in almost any 19" rack. This shelf is one of the most versatile and innovative products that we manufacture. Capable of adjusting from 22" all the way to 40" deep! Because of its unique design this shelving unit can hold 350 lbs evenly distributed. An absolute must for any racking system.

1906-3-006-02A



Centerline Shelf (Vented)

The Kendall Howard Rack Mounted Centerline Vented Shelf is one of the strongest most stable shelves on the market. Unlike most centerline shelves, which may "teeter", our centerline shelf is rock solid. The mounting flanges are not only press welded onto each side but wrap completely around the bottom to give it unprecedented stability and strength. This patent pending design will truly prove to be one of the strongest racking components you can own.

1907-3-000-03A

Cabinets, Racks, & Wire Management (cont.)

Kendall Howard Rack Shelving (cont.)

Part Number

Centerline Shelf (Solid)

1907-3-001-03A



The Kendall Howard Rack Mounted Centerline Solid Shelf is one of the strongest most stable shelves on the market. Unlike most centerline shelves, which may "teeter", our centerline shelf is rock solid. The mounting flanges are not only press welded onto each side but wrap completely around the bottom to give it unprecedented stability and strength. This patent pending design will truly prove to be one of the strongest racking components you can own.

1910-1-001-01A



The Kendall Howard series of Stationary Keyboard trays are an inexpensive way to mount your keyboards to almost any open racking system. Exceptionally strong and lightweight, this unit will keep your keyboard stable while allowing you room to configure your rack your way. Our Stationary Keyboard trays are constructed from heavy 14-gauge steel and individually formed to maintain the highest quality. These shelves come with our standard heavy-duty black textured powder coat

paint. Units are available in other colors with quantity orders. Ask your customer service representative for customization details.


Kendal Howard Accessories

Part Number

1U Spacer Blank

vals.

1901-1-001-01A



2U Spacer Blank 1901-1-002-02A



4U Spacer Blank

1901-1-004-04A



6U Spacer Blank 1901-1-006-06A

Rack Helper

1924-1-001-02A

The Kendall Howard Patented Rack Helper is a truly innovative product. This rack-mounted component makes installing heavy rack mount components a snap! Simply install this device just below any heavy component. Next slide your component on top, attach with screws and your finished.

Cabinets, Racks, & Wire Management (cont.)

Kendall Howard Accessories (cont.)

XL Rack Helper

Part Number

1924-1-100-02



The Kendall Howard Patent Pending XL Rack Helper was created to help network installers support extremely heavy rack components. Unlike the standard Rack Helper which only gives 3.5" of support, the XL extends 11" into your rack providing unsurpassed holding power. Simply install this device just below any heavy component. Next slide your component on top, attach with screws and your finished. No more running around trying to find someone to help hold up your server or UPS while you attempt to line up the mounting holes and tighten in the screws. An absolute must for all network installers.



10-32 Rack Screws (50 ct.)

0100-1-001-01A

Rack Screws are made from forged steel and are painted with a black powder coat to match most racking systems. Rack Screws use a standard Cross Head Driver.

100 ct. 5000 ct. 0100-1-002-01A 0100-3-100-01

10-32 Rack Screws W/Washers (50 ct.)

0100-1-011-01A

Rack Screws are made from forged steel and are painted with a black powder coat to match most racking systems. Also included are protective plastic washers to protect your components finish. Rack Screws use a standard Cross Head Driver.

100 ct.

0100-1-012-01A



10-32/ M5 Cage Nuts (50 ct.)

100 ct.

0200-1-001-01A 0200-1-002-01A



Portable Rack Caster Kit

0013-2-004-00A

Our medium duty rack caster kit comes with four medium duty casters, and all the hardware necessary for mounting to any Kendall Howard Portable Rack System. Casters come with poly wheels to ensure they do not leave marks on tiled or other hard surfaces. Each caster will support 200 lbs (evenly distributed) giving your total caster weight capacity of 800 lbs per rack.

Portable Rack Locking Caster Kit

0014-2-004-00

Our medium duty rack locking caster kit comes with four medium duty casters, and all the hardware necessary for mounting to any Kendall Howard Portable Rack System. Casters come with poly wheels to ensure they do not leave marks on tiled or other hard surfaces. Each caster will support 200 lbs (evenly distributed) giving your total caster weight capacity of 800 lbs per rack.




Stacking Bracket Kit

1921-1-000-00A

This bracket allows you to safely stack the 8, 12 and 20 Portable Racking Units. Kit comes with 2 brackets, one for each side of the cabinet.

Cabinets, Racks, & Wire Management (cont.)



are offered in non-ventilated and ventilated designs. Made of 16 AWG steel construction in black powder coat finish.

Quest Manufacturing Center Mount 130lb Black Shelf, 19"

Width X 25" Depth, 12lbs Capacity RMS 1

cont...

ES0819-0225

Cabinets, Racks, & Wire Management (cont.)



Quest Shelving and Accessories (cont.)


Quest Manufacturing Keyboard Mount Black Shelf, 19" Width X 18" Depth, 12lbs Capacity RMS 1

The stationary keyboard/ mouse shelf mounts on any 19" width open rack and accommodates standard keyboards and its mouse tray can be mounted on the left, right or center of the tray. Takes up 1 RMS (1.75") and comes in black powder coat finish.



Quest Manufacturing Keyboard Pull-out Mount Black Shelf, 19" Width X 15" Depth, 15lbs Capacity RMS 1

Designed for mounting on 19" width enclosures, this hide-away keyboard shelf is mounted on a bearing track which allows the keyboard shelf to be stowed when not in use. A quick slide pull and 90 degree turn is all it takes to set up the keyboard tray for operation. Incorporated in the tray is a pull-out mouse shelf. Takes up 1 RMS (1.75") of panel space and comes in black powder coat finish.





Universal Wire Mender

The Kendall Howard rack mounted Universal Wire Minder is the perfect add on to any racking system. This adaptive design allows it to be mounted in eight different positions based on what best fits your racking needs. This Wire Minder has a generous 1.5" by 3" clearance to manage even the largest cables and is made from .090" Steel to assure strength and durability.



1U Cable Routing Blank

The Kendall Howard series of Cable Routing Blanks is an excellent solution for your cable routing needs. These devices help to route cables from patch panels, routers, switches, and virtually any component that requires front mounted cables. Simply placing a Cable Routing Blank adjacent to your component allows you to route your cabling to the back of your racking system, conveniently and effortlessly.

2U Cable Routing Blank



1903-3-000-01A

Part Number

ES1019-0108

ES1119-0115

Part Number

0004-1-002-01A

1902-1-001-01A



1U Managed Cable Minder

The Kendall Howard Cable Minder is an excellent solution for your cable routing needs. Routing cables from patch panels, routers, switches, and virtually any component that requires front mounted cables. Our Cable Minders are constructed from heavy 14-gauge steel. This minder also includes 24 semi-hard molded plastic Minder Clips.

Multilink Cable Manage Organizer - 4X5 F Only, 83H


10-4156



Multilink Cable Manage Organizer - 4x5 F&R, 20L

10-4157

Cabinets, Racks, & Wire Management (cont.)



Kendall Howard LAN Stations

Our LAN Stations are absolutely perfect for test labs, project work benches, shipping or assembly tables. They're made from 2" Square tube steel and welded together for optimum strength and reliability. Each table top and shelf is hand crafted with a premium laminate and reinforced with square tube steel across the entire table. All tables come complete with one lower and two upper shelves.



K	end	ali	lΗ	loward	<i>Worl</i>	k B	Benches

Part Number 24" Performance Work Bench 5000-3-100-24

New in 2005, the Kendall Howard Performance series of work stations are top of the line in quality and versatility. This completely modular system allows you to design virtually any layout suitable for your environment. Each bench frame is made from only the highest quality American-Made tube steel welded and assembled right here in our St Paul, Minnesota manufacturing facility.

> W/Full Bottom Shelf 5000-3-200-24

48" Performance Work Bench 5000-3-100-48 W/Full Bottom Shelf 5000-3-200-48

72" Performance Work Bench 5000-3-100-72 W/Full Bottom Shelf 5000-3-200-72

Cabinets, Racks, & Wire Management (cont.)



Kendall Howard Work Benches (cont.)

96" Performance Work Bench W/Full Bottom Shelf

Part Number 5000-3-100-96

5000-3-200-96



Expand your Kendall Howard Performance Work Stations lower shelf with this expansion kit. Assembles in just minutes to add another 14", giving you a full 28" of shelf depth.

Lower Expansion Shelf (24")	
Lower Expansion Shelf (48")	
Lower Expansion Shelf (72")	
Lower Expansion Shelf (96")	

5100-3-000-24

5100-3-000-48 5100-3-000-72 5100-3-000-96



Performance Keyboard Tray

This simple, yet effective sliding shelf is perfect for keyboards, writing surfaces and mouse trays. Mounts in just minutes to any Performance Series Work Station.

5200-3-200-00



Performance Utility Drawer

Store all your items in this versatile add on utility drawer. Mounts in just minutes to any Performance Series Work Station

5200-3-201-00



Performance Caster Kit

These locking swivel casters are a great add on to our Performance Work Station benches. No hardware or tools required! Casters have a single bolt that replaces the leveler for easy assembly.

5200-3-001-00



LCD Rackmounts and Displays

Inputs, PS/2 Mouse and Keyboard inputs.

Rack Mount Tactical Display in a 8U Rack Mountable Config. All Aluminum Construction. 20.1in Diagonal Viewing with UXGA (1600x1200) Max Resolution. 89/89/89/89 Viewing Angles. aRGB, DVI-D, S-Video, CVS, and Audio in/out, OSD controls, Picture In Picture (PIP).

Part Number CPPM-8U201-NV

CPR-27201-AD



Rack Drawer, 1U Lay Flat, 27in Deep, 20in Monitor

Cherry Keyboard with trackball, UXGA (1600x1200) Resolution, aRGB, DVI-D, Inputs, PS/2 Mouse and Keyboard inputs. (optional USB Keyboard and Mouse/Pointer)

Rack Drawer, 1U Clamshell, 24in Deep, 19in Monitor, SXGA CPR-2419-1D Cherry Keyboard with trackball, SXGA Resolution, aRGB, DVI-D,

Rack Drawer, 1U Clamshell, 24in Deep, 19in Monitor, VGA

VGA inputs with up to SXGA Resolution, PS/2 Mouse and Keyboard inputs.

CPR-2419-1A

Cabinets, Racks, & Wire Management (cont.)



LCD Rackmounts and Displays (cont.)

Part Number CPL-2019-13V

Rack Drawer, 1U Lay Flat, 20in Depth, 90 to 125 for hyper extension (19in Display)

Pivot Hinge from 0 - 90 Deg Flat to upright, from 90 to 125 for hyper extension, 19in LCD TFT monitor with SXGA Resolution and 15Pin aRGB input, DVI-D, S-Video, and CVS.

17in Display CPL-2017-13V



1U Rackmount Keyboard Drawer

1922-3-200-01

Kendall Howard introduces their new 1U Rackmount Keyboard Drawer. Unlike others on the market that are mounted at all four points, the new Kendall Howard Keyboard Drawer attaches at two points and is useable with 19" two post racks as well as four post racks.



Chassis Plans Rackmount TFT/LCD - 15IN, 8RU

CPPM-15

The CPPM-15 is a high performance 15 LCD display in an 8U mounting. The display is a high quality Samsung 15" TFT LCD with a maximum resolution of 1024 x 768.



Chassis Plans Rackmount TFT/LCD - 20.1IN, 8RU

CPPM-20

The CPPM-20 is a high performance 20. LCD display in an 8U mounting. The display is a high quality Samsung 20" TFT LCD with a maximum resolution of 1024 x 768.



Chassis Plans Rackmount TFT/LCD - 17IN Swivel 19IN Swivel CPR-117

CPR-119



Chassis Plans Drawer, TFT/LCD - 15IN, 1RU

CPS-215

The CPS215 is a high performance 1U 15 LCD display/keyboard drawer. The display is a high quality Samsung 15" TFT LCD.

15IN Touch Screen CPS-215-TS



Chassis Plans Drawer, TFT/LCD - 17IN, 1RU

CPS-217

The CPS217 is a high performance 1U 17 LCD display/keyboard drawer. The display is a high quality Samsung 17" TFT LCD.

17IN Touch Screen CPS-217-TS



Chassis Plans Drawer, TFT/LCD - CPS-219 - 19IN, 1RU
The CPS219 is a high performance 1II 19 I CD display/keybo

The CPS219 is a high performance 1U 19 LCD display/keyboard drawer. There is no other 1U keyboard/display with a larger

display. This display is of high quality!

19IN Touch Screen

CPS-219-TS

CPS-219

Cabinets, Racks, & Wire Management (cont.)

LCD and Plasma Monitor Mounts	Part Number
Moview Standard LCD Monitor Arm The arm adjusts in every direction for custom comfort and a perfect view. And since that view also takes in the attractive styling of the adjustable monitor arm itself, it's never looked better.	5200-3-511-00
Elite Model	5200-3-512-00
Moview Arm Wall Mount Accessory This adapter allows Moview® Standard and Elite arms to be mounted to a wall stud.	5200-3-513-00
Moview Flush Mount Mount your LCD flat panel to the wall with the only self leveling flush mount available. Easy installation level NOT required!	5200-3-514-00
Moview Fully Articulating Wall Mount Mount your LCD flat panel to the wall with the only self leveling Tilt and Pan mount available in this price class. Easy installation level NOT required!	5200-3-515-00
Moview Dual LCD Monitor Stand If you have two LCD monitors, the Moview® Dual is the perfect solution for saving space and providing maximum ergonomic comfort. The Dual is the most versatile, durable desk stand available. Unlike other brands, the Moview® Dual moves in every direction for maximum adjustability.	5200-3-516-00
Moview Triple Monitor Stand If you have three LCD monitors, the Moview® Triple is the perfect solution for saving space and providing maximum ergonomic comfort. The Triple is the most versatile, durable desk stand available. Unlike other brands, the Moview® Triple moves in every direction for maximum adjustability.	5200-3-517-00
Moview Quad Monitor Stand If you have four LCD monitors, the Moview® Quad is the perfect solution for saving space and providing maximum ergonomic comfort. The Quad is the most versatile, durable desk stand available. Unlike other brands, the Moview® Quad moves in every direction for maximum adjustability.	5200-3-518-00
Moview Double Arm Our unique Double LCD arm lets you reposition two monitors at willand independent of each other for infinite viewing configurations. Desk clamp removes monitors' footprint, saving tons of space.	5200-3-519-00

Cabinets, Racks, & Wire Management (cont.)



LCD and Plasma Monitor Mounts (cont.)

Moview Flush Plasma Mount

Flush to the wall, tilting, or tilting and panning your plasma TV is easy with Moview. This is the easiest plasma mount to install that is available on the market today. This is the only plasma mount that levels itself AFTER installation.

Part Number 5200-3-520-00



Moview Tilting Plasma Mount

Flush to the wall, tilting, or tilting and panning your plasma TV is easy with Moview. This is the easiest plasma mount to install that is available on the market today. This is the only plasma mount that levels itself AFTER installation.

5200-3-521-00



Moview Pan / Tilt Plasma Mount

Flush to the wall, tilting, or tilting and panning your plasma TV is easy with Moview. This is the easiest plasma mount to install that is available on the market today. This is the only plasma mount that levels itself AFTER installation.

5200-3-522-00

Kendall Howard Conversion Kits

2 Piece Rack Conversion Kit

This outstanding new product for 2004 can not only be used with the 4 piece Rack Conversion Kit to make your 4 post conversion even stronger, but it can also be used to mount any Telco rack to the wall for added support. This design will work with virtually any Telco rack on the market. Cage nut or 10-32/M6/12-24 pre-tap styles are no problem. Simply screw the conversion arms into the back of the front Telco rack and the front of the back Telco rack and you have a fully functional adjustable 4 post rack. Adjustable range is from 20"-35" (+ the width of your telco rack)

Part Number

1927-3-002-00



4 Piece Rack Conversion Kit

This outstanding new product for 2004 will convert virtually any 2 Telco racks into a 4 post racking system. This design will work with virtually any Telco rack on the market. Cage nut or 10-32/M6/12-24 pre-tap styles are no problem. Simply screw the conversion arms into the back of the front Telco rack and the front of the back Telco rack and you have a fully functional adjustable 4 post racking system.

1927-3-004-00

Rackmount Surge Protectors

19" Horizontal Rack Mount Surge Protector

The rack-mount units feature 10-outlets (2 front and 8 rear) with illuminated rocker power switch and 15 amp circuit break.

Part Number HPS-10







Innerduct

Plenum Corrugated Innerduct

Premier-Plenum meets UL-(910) standards for the National Electrical Code, Article 770, and satisfies UL-2024 standards for low smoke and flame propagation.

Premier-Plenum is offered in 1", $1\,1/4$ " and $1\,1/2$, with pre-installed pull tape for easy cable installation. The standard color is orange and is offered in a variety of other colors. Sequential marked footage is standard. Custom options, such as multiple colors per reel and Slit Duct, are also available.

Future growth or maintenance of your interior cable system is made easy with Premier Plenum.

Test Results (Using Test Method UL-2024)

Smoke peak optical—0.02 Smoke average optical density—0.01 Max. flame spread distance (ft.)—1.5' Max. flame temperature—554°F





Plenum Corrugated Innerduct Part Number P-100T-2000 1" Plenum Corrugated Innerduct with Tape, 2000' P-100T-2800 1" Plenum Corrugated Innerduct with Tape, 2800' 1" Plenum Corrugated Innerduct with Tape, 5000' P-100T-5000 1" Plenum Corrugated Innerduct with Tape, 6000' P-100T-6000 1" Plenum Corrugated Innerduct with Tape, 9000' P-100T-9000 1 1/4" Plenum Corrugated Innerduct with Tape, 1000' P-125T-1000 1 1/4" Plenum Corrugated Innerduct with Tape, 1600' P-125T-1600 1 1/4" Plenum Corrugated Innerduct with Tape, 3400' P-125T-3400 1 1/4" Plenum Corrugated Innerduct with Tape, 4000' P-125T-4000 1 1/4" Plenum Corrugated Innerduct with Tape, 6000' P-125T-6000 1 1/2" Plenum Corrugated Innerduct with Tape, 1000' P-150T-1000 1 1/2" Plenum Corrugated Innerduct with Tape, 2500' P-150T-2500 1 1/2" Plenum Corrugated Innerduct with Tape, 3500' P-150T-3500 1 1/2" Plenum Corrugated Innerduct with Tape, 5000' P-150T-5000

Innerduct (cont.)

HDPE Outside Corrugated Innerduct

HDPE Outside Corrugated Innerduct is ideal for pulls under 1000 ft. and is designed to reduce surface contact when pulling cable. This lightweight product offers maximum flexibility, and allows for installation in small or restricted areas. Corrugated duct is available in 1", 1 1 /4 " and 1 1 /2 ". The standard color is orange and is offered in a variety of other colors. Sequential marked footage is standard. Custom options, such as multiple colors per reel and Slit Duct, are also available.

HDPE Corrugated Innerduct

1 1/2" HDPE Corrugated Innerduct with Tape, 2500'

1 1/2" HDPE Corrugated Innerduct with Tape, 3500'

1 1/2" HDPE Corrugated Innerduct with Tape, 5000'



Part Number

PEC-150T-2500

PEC-150T-3500

PEC-150T-5000



1" HDPE Corrugated Innerduct with Tape, 2000' PEC-100T-2000 PEC-100T-2800 1" HDPE Corrugated Innerduct with Tape, 2800' PEC-100T-5000 1" HDPE Corrugated Innerduct with Tape, 5000' 1" HDPE Corrugated Innerduct with Tape, 6000' PEC-100T-6000 1" HDPE Corrugated Innerduct with Tape, 9000' PEC-100T-9000 1 1/4" HDPE Corrugated Innerduct with Tape, 1000' PEC-125T-1000 1 1/4" HDPE Corrugated Innerduct with Tape, 1600' PEC-125T-1600 1 1/4" HDPE Corrugated Innerduct with Tape, 3400' PEC-125T-3400 1 1/4" HDPE Corrugated Innerduct with Tape, 4000' PEC-125T-4000 1 1/4" HDPE Corrugated Innerduct with Tape, 6000' PEC-125T-6000 1 1/2" HDPE Corrugated Innerduct with Tape, 1000' PEC-150T-1000







Innerduct (cont.)

Plenum Corrugated Innerduct

Premier-Riser meets UL-(1666) standards safety test for flame propagation height of electrical and optical fiber cables installed vertically in shafts. Premier also meets UL-2024 standards for safety optical fiber cable raceway. Premier-Riser is offered in 1", 1 1 /4 " and 1 1 /2 ", with pre-installed pull tape for easy cable installation. The standard color is orange and is offered in a variety of other colors. Sequential marked footage is standard. Custom color options are available.

Test Results (Using Test Method UL-2024)

Smoke peak optical—0.02 Smoke average optical density—0.01 Max. flame spread distance (ft.)—1.5' Max. flame temperature—554°F



Riser Corrugated Innerduct	Part Number
1" Riser Corrugated Innerduct with Tape, 2000'	R-100T-2000
1" Riser Corrugated Innerduct with Tape, 2800'	R-100T-2800
1" Riser Corrugated Innerduct with Tape, 5000'	R-100T-5000
1" Riser Corrugated Innerduct with Tape, 6000'	R-100T-6000
1" Riser Corrugated Innerduct with Tape, 9000'	R-100T-9000
1 1/4" Riser Corrugated Innerduct with Tape, 1000'	R-125T-1000
1 1/4" Riser Corrugated Innerduct with Tape, 1600'	R-125T-1600
1 1/4" Riser Corrugated Innerduct with Tape, 3400'	R-125T-3400
1 1/4" Riser Corrugated Innerduct with Tape, 4000'	R-125T-4000
1 1/4" Riser Corrugated Innerduct with Tape, 6000'	R-125T-6000
1 1/2" Riser Corrugated Innerduct with Tape, 1000'	R-150T-1000
1 1/2" Riser Corrugated Innerduct with Tape, 2500'	R-150T-2500
1 1/2" Riser Corrugated Innerduct with Tape, 3500'	R-150T-3500
1 1/2" Riser Corrugated Innerduct with Tape, 5000'	R-150T-5000



Wholesale Supplier Fiber Optics • Networking Equipment • Cables

Networking Electronics



Network Interface Cards

Copper Network Interface Cards

Part Number

KG-600T-B



64/32 UTP Gigabit card

The KG-600T is ideal for speeding up data transfers for network servers and other computers, such as those used for video-conferencing, that send and/or receive large amounts of data. The KG-600T also supports the feature that autonegotiates the 10/100/1000Mbps network connection speed. Its 64/32-bit PCI provides increased performance in a server-based environment.



10/100Base-TX PCI Network Card with WOL DEC/Intel Chipset

KF-320

KF-310



10/100Base-TX PCI Network Card with WOL, Boot ROM, Real-tek chipset

KF-310L-N



10/100Base-TX PCI Network Card without WOL or Boot ROM, Realtek chipset

Fiber Gigabit Cards

Part Number

Part Number

64/32 Fiber Gigabit card The KG-700SX 1000Base-SX

The KG-700SX 1000Base-SX Gigabit Ethernet PCI Adapter is an ideal solution for speeding up data transfers for servers and desktop computers, such as those used for video-conferencing, that send and/or receive large amounts of data. The KG-700SX supports multimode SC fiber optic full-duplex connection to extend the distance up to 550 meters. Its 64/32-bit PCI provides increased performance in a server-based environment.





100Base-FX Ethernet Adapters

100M Fiber NIC, Multimode, ST, 2KM KF-221FXMT

100M Fiber NIC, Multimode, SC, 2KM KF-221FXMC

100M Fiber NIC, Multimode, MT-RJ, 2KM KF-221FXJM

100M Fiber NIC, Multimode, VF-45, 2KM KF-221FXVM

100M Fiber NIC, Multimode, LC, 2KM KF-221FXL

100M Fiber NIC, Single mode, SC, 20KM, HP/Agilent KF-221FSA2

100M Fiber NIC, Single mode, SC, 20KM, Local chipset KF-221FSL2

100M Fiber NIC, Single mode, SC, 40KM, Local chipset KF-221FSL2

Cables Plus

Wholesale Supplier Fiber Optics • Networking Equipment • Cables

Networking Electronics (cont.)



Switches

	Gigabit Switches and 10/100 switches with Giga links	David Manada ar
(1770 PRINTED 18 19 19 19 19 19 19 19 19 19 19 19 19 19	8-Port 10/100 Fast Ethernet Switch with 2 1000Base-T Ports	Part Number KS-229L
	5-Port 1000Base-T Gigabit Ethernet Switch with External Power	KGS-500
n -	4-Port 1000Base-T Gigabit Ethernet Switch with 1 mini-GBIC Port, Multimode SC	KGS-500F-SXLC
***********	16-Port 10/100 Web Smart Ethernet Switches with 2 1000Base-T and 2 mini-GBIC Ports	KS-1604
	24-Port 10/100 Smart Switch with 2 1000Base-T Ports, VLAN & Trunking	KS-2402
	24-Port 10/100 Web Smart Ethernet Switches with 2 1000Base-T and 2 mini-GBIC Ports	KS-2404
********	8-Port 1000Base-T Gigabit Ethernet Switch with External Power	KGS-800-L
111111111	8-Port 1000Base-T Gigabit Ethernet Switch	KGS-800-D
- == ===	16-Port 1000Base-T Gigabit Ethernet Switch	KGS-1600
	24-Port 1000Base-T Gigabit Ethernet Switch	KGS-2400
	KS-2300 Managed Switch Series	Part Number
	Manageable 24 port switch, with optional fiber/UTP Gigabit uplink	KS-2300
	Multimode Gigabit fiber module, SC 220M Singlemode Gigabit fiber module, SC 10KM 1 port Gigabit UTP module 2 port 100FX module. MM, ST, 2KM 2 port 100FX module, MM, SC, 2KM 1 port 100FX module. MM, ST, 2KM 1 port 100FX module. MM, SC, 2KM 2 port 100FX module. SM, SC, 15KM 1 port 100FX module. SM, SC, 15KM 1 port 100FX module. SM, SC, 15KM	KS-2300-1X KS-2300-1LX KS-2300-1GT KS-2300-FX2MT KS-2300-FX2MC KS-2300-FX1MT KS-2300-FX1MC KS-2300-FX2S15 KS-2300-FX1S15



Part Number

Part Number

Part Number

KS-SOHO5

KS-SOHO8

Networking Electronics (cont.)

Switches (cont.)

KS-2260 Managed Modular Switch Series



24 x 10/100 manageable switch with 2 x Giga base slots KS-2260

Gigabit UTP module KS-2260-GT Gigabit SX Fiber Module, MM, SC, 500M KS-2260-SXC Gigabit LX Fiber Module, MM, SC, 10KM KS-2260-LXC 100FX fiber module, MM, ST, 2KM KS-2260-FMT 100FX fiber module, MM, SC, 2KM KS-2260-FMC 100FX fiber module, MM, MT-RJ, 2KM KS-2260-FJM 100FX fiber module, MM, VF-45, 2KM KS-2260-FVM 100FX fiber module, SC, SC, 20KM KS-2260-FSA2





Manageable, modular 24 port switch chassis with 3 slots. KS-2600 Optional Giga links

 8 port 10/100TX UTP module
 KS-2600-8T

 8 port 100FX module. MM, ST, 2KM
 KS-2600-8MT

 8 port 100FX module. MM, SC, 2KM
 KS-2600-8MC

 8 port 100FX module. SM, SC, 20KM
 KS-2600-8S15

 1 port 1000SX Gigabit module, MM, SC, 220M
 KS-2600-1SX

 1 port 1000LX Gigabit module, SM, SC, 10KM
 KS-2600-1LX

 1 port 1000Base-T Gigabit UTP module
 KS-2600-1GT

KS-2260 Managed Modular Switch Series




24 port 10/100M layer 2/3 managed switch with 2 module KS-5000 slots

1 port 100FX, MM, SC, 2KM module KS-5000-FXMC 1 port 100FX, SM, SC, 20KM module KS-5000-FXSC 2 port 1000SX, MM, SC, 220M/500M module KS-5000-2SX 1 port 1000Base-T + 1 port 1000SX, MM, SC module KS-5000-T-SX 2 port 1000LX, SM, SC, 550M/10KM module KS-5000-2LX 1 port 1000Base-T + 1 port 1000LX, SM, SC module KS-5000-T-LX 1 port 1000Base-LX, SM, SC, 550M/10KM module KS-5000-1LX 2 port 1000Base-T module KS-5000-2GT



10/100 Switches Part Number



5 port 10/100TX Nway switch. External power



16 port 10/100TX switch. Rack mountable & internal power KS-116B

24 port 10/100TX switch. Rack mountable & internal power KS-124B

Part Number

KS-105FSL4

KS-108FSL4

KS-115FMV-JM

KS-115FMV-VM

KS-115FMV-L

KS-115FMV-SA2

KS-115FMV-SL2

KS-115FMV-SL4

Networking Electronics (cont.)

Switches (cont.)

10/100 switches with Fiber Connectivity

5 port switch with 4 x 10/100 & 1 x 100FX, SM, SC, 40KM

8 port switch with 7 x 10/100 & 1 x 100FX, SM, SC, 40KM



5 port switch. 4 UTP 10/100TX & 1 100FX ports. MMST
5 port switch. 4 UTP 10/100TX & 1 100FX ports. MM SC
5 port switch. 4 UTP 10/100TX & 1 100FX ports. MM MT-RJ
5 port switch. 4 UTP 10/100TX & 1 100FX ports. MM VF-45
6 port switch. 4 UTP 10/100TX & 1 100FX ports. SM SC 15Km
7 port switch. 4 UTP 10/100TX & 1 100FX ports. SM SC 15Km
8 port switch. 4 UTP 10/100TX & 1 100FX ports. SM SC 50Km
8 KS-115FS5-OP



5 port switch with 4 x 10/100 & 1 x 100FX ports. MM ST
5 port switch with 4 x 10/100 & 1 x 100FX ports. MM SC
5 port switch with 4 x 10/100 & 1 x 100FX, MM, MT-RJ
6 port switch with 4 x 10/100 & 1 x 100FX, MM, VF-45
7 port switch with 4 x 10/100 & 1 x 100FX, MM, LC/SFF
8 port switch with 4 x 10/100 & 1 x 100FX, MM, LC/SFF
9 port switch with 4 x 10/100 & 1 x 100FX. SM, SC, 20KM, KS-105FSA2
8 Agilent Chip
7 port switch with 4 x 10/100 & 1 x 100FX, SM, SC, 20KM
8 KS-105FSL2



8 port switch with 7 x 10/100 & 1 x 100FX ports. MM ST
8 port switch with 7 x 10/100 & 1 x 100FX ports. MM SC
8 port switch with 7 x 10/100 & 1 x 100FX, MM, MT-RJ
8 port switch with 7 x 10/100 & 1 x 100FX, MM, VF-45
8 port switch with 7 x 10/100 & 1 x 100FX, MM, LC/SFF
8 port switch with 7 x 10/100 & 1 x 100FX. SM, SC, 20KM, KS-108FSA2
Agilent Chip
8 port switch with 7 x 10/100 & 1 x 100FX, SM, SC, 20KM
KS-108FSL2



Web based managed 5 port switch w/4 10/100Base-T & KS-115FMV-T 1100FX, MM, ST
Web based managed 5 port switch w/4 10/100Base-T & KS-115FMV-C 1100FX, MM, SC

Web based managed 5 port switch w/4 10/100Base-T & 1100FX, MM, MT-RJ

Web based managed 5 port switch w/4 10/100Base-T & 1100FX, MM, VF-45

Web based managed 5 port switch w/4 10/100Base-T & 1100FX, MM, LC/SFF

Web based managed 5 port switch w/4 10/100Base-T & 1100FX, SM, SC, 20KM

Web based managed 5 port switch w/4 10/100Base-T & 1100FX, SM, SC, 20KM

Web based managed 5 port switch w/4 10/100Base-T & 1100FX, SM, SC, 40KM



Part Number

Networking Electronics (cont.)

Switches (cont.)

10/100 switches with Fiber Connectivity (cont.)



l	Web based managed 7 port switch w/6 10/100Base-T & 1100FX, MM, ST	KS-117FMV-T
	Web based managed 7 port switch w/6 10/100Base-T & 1100FX, MM, SC	KS-117FMV-C
	Web based managed 7 port switch w/6 10/100Base-T & 1100FX, MM, MT-RJ	KS-117FMV-JM
	Web based managed 7 port switch w/6 10/100Base-T & 1100FX, MM, VF-45	KS-117FMV-VM
	Web based managed 7 port switch w/6 10/100Base-T &	KS-117FMV-L
	1100FX, MM, LC/SFF Web based managed 7 port switch w/6 10/100Base-T &	KS-117FMV-SA2
	1100FX, SM, SC, 20KM Web based managed 7 port switch w/6 10/100Base-T &	KS-117FMV-SL2
	1100FX, SM, SC, 20KM Web based managed 7 port switch w/6 10/100Base-T &	KS-117FMV-SL4
	1100FX, SM, SC, 40KM	



KS-316F and 324F series	Part Number
16 port 10/100TX switch with optional 100FX slot. Support VLAN & Trunking	KS-316F
24 port 10/100TX switch with optional 100FX slot. Support VLAN only	KS-324F

100FX add-on module for KS-316/324. MM ST, 2KM	KS-300-FT
100FX add-on module for KS-316/324. MM SC, 2KM	KS-300-FC
100FX add-on module for KS-316F/324F, SM SC, 20KM	KS-200-S20



Transceivers

VC 2145 and 2245 carios

Transceivers

The KTI Ethernet transceiver family is a IEEE 802.3 compliant Ethernet transceiver series that provides a complete interface of the AUI port to a thin Ethernet cable, a UTP cable and a Fiber Optic cable connections. A complete set of LEDs indicates the diagnostic status between your Ethernet devices and cabling systems. The compact design makes it flexible to use in a variety of networking devices. KT-10F supports full/half duplex mode that can be operated between switches, routers, and servers in full-duplex transmission.



KS-316F and 324F series AUI to UTP Ethernet transceiver	<u>Part Number</u> KT-10T
AUI to BNC Ethernet transceiver	KT-10B
AUI to Fiber Ethernet transceiver	KT-10F

Cables Flus

Wholesale Supplier Fiber Optics • Networking Equipment • Cables

Networking Electronics (cont.)



DSL/Cable Modem Routers and Print Servers


DSL/Cable Modem Routers and Print Servers



Part Number DSL/Cable modem router w/4 10/100TX ports & print server KB-100



4 *LAN+1*WAN Broadband VPN Router KVR-500





Wireless Products

	802.11b Wireless Products	Part Number
10,100	CardBus Wireless Adapter Complies with IEEE 802.11b standard to provide wireless Ethernet speeds of 11Mbps data rate.	KWB-6110
	PCI Wireless Adapter Complies with IEEE 802.11b standard to provide wireless Ethernet speeds of 11Mbps data rate.	KWB-7110
	USB Wireless Adapter Complies with IEEE 802.11b standard to provide wireless Ethernet speeds of 11Mbps data rate.	KWB-3111
.77	IEEE 802.11b WLAN Access Point Complies with IEEE 802.11b standards to provide wireless Ethernet speed of 11M data rate	KWB-1111
	Access Point + Router + 1 x WLAN + 4 x 10/100LAN Internet IP Connection: One IP address to access the Internet over your entire network.	KW-300L
	PCI interface card for both PCMCIA/CardBus wireless card. 3.3V & 5V, 2.4Ghz DSSS technology by PCMCIA and PC Card's combination.	KW-511
	Wireless combination of router, AP, 4 port 10/100TX ports & Printer Server IP sharing allows all users on Wired/Wireless LAN to share one ISP account and one broadband connection.	KW-300
	3 Port Wireless Multi Protocol Printer Server Comply with IEEE802.11b wireless LAN and IEEE1284 bi- directional parallel compliant.	KW-200

Wholesale Supplier
Fiber Optics • Networking Equipment • Cables

Networking Electronics (cont.)

Wireless Products (cont.)

802.11g Wireless Products

Part Number



CardBus Wireless Adapter (ZIF)

KWG-6000

Fully compliant with the IEEE802.11b WLAN standard and 802.11g WLAN draft standard. Low cost Zero IF (ZIF) architecture.

KWG-6001



CardBus Wireless Adapter

Compatible with IEEE 802.11g high rate standard to provide wireless Ethernet speeds of 54Mbps data rate.



PCI Wireless Adapter

KWG-7001

Compatible with IEEE 802.11g high rate standard to provide wireless Ethernet speeds of 54Mbps data rate.



WLAN 11q AP Router, 1 X WLAN + 4 x 10/100LAN

KWG-400

Allows multiple users to access the Internet at the same time by providing maximum Internet utilization to multiple users, sharing a single public IP Address.

10 THE

PCMCIA Products

PCMCIA Products

Part Number



CardBus 10/100Base-TX PCMCIA card, no dongle needed

PF-32i



10/100Base-TX PCMCIA card, no dongle needed

PF-16i



GoldX™-Surge Protectors, Firewire, USB, Printer, and Serial Cable

GoldX™ PowerCore™ System

You can stop destructive surges from crippling you hardware and scrambling software data with a surge protector. This product is designed to detect and dissipate damaging power surges before they harm your electronic equipment. Eliminate the need to have multiple power strips under your desk to run your USB, FireWire, Ethernet and other devices.





GoldX™ PowerCore™ System

Part Number

 $\mathsf{GoldX}^{\scriptscriptstyle\mathsf{IM}}$ - $\mathsf{PowerCore}^{\scriptscriptstyle\mathsf{IM}}$ System base

GXSB-7555

Clean up your desk clutter with this expandable system You can stop destructive surges from crippling your hardware and scrambling software data with a surge protector. This product is designed to detect and dissipate damaging power surges before they harm your electronic equipment.

GoldX™ - Cable/DSL Router

GXSE-R100

24 Karat Quality Cable/DSL Router that allows you to share a High-Speed internet connection and protect it with a NAT firewall.

GoldX™-Surge Protectors, Firewire, USB, Printer, and Serial Cable (cont.)

	GoldX™ PowerCore™ System (cont.)	Part Number
	GoldX™ - 5 PORT DC HUB STACKABLE 24 Karat Quality DC Hub that powers up to one 12 volt, one 9 volt, and three 5 volt devices.	GXSP-1400
9 777 77	GoldX™ - STACKABLE SWITCH, 5 PORT 10/100 24 Karat Quality Ethernet Switch that allows you to create a small office or home office Ethernet network. Allows you to share a High-Speed internet connection.	GXSE-S105
2 11 11	GoldX™ - STACKABLE HUB, FIREWIRE, 3 PORT 24 Karat Quality FireWire® Hub that connects 2 FireWire® peripherals to your IBM or Macintosh® Computer.	GXSF-103
	GoldX™ - Power Adapter, 5V, 2 AMPS	GX5V2A
	GoldX™ - 1665 JOULE REPLACEMENT MODULE You can stop destructive surges from crippling you hardware and scrambling software data with a surge protector. This product is designed to detect and dissipate damaging power surges before they harm your electronic equipment. 1100 JOULE SURGE MODULE	GXKSB-1665A GXSB-1110
COUNTY	GoldX™ - STACKABLE, USB, 4 PORT, V1 24 Karat Quality USB Hub that adds four Full-Speed USB ports to your IBM compatible or Macintosh® computer.	GXSU-104
COLUMN	GOIdX™ - USB BROADBAND ADAPTER A USB to Broad band interface. It replaces the Network Interface Card in side your computer, or it allows you to connect to a second Ethernet/broad band network with out opening your computer. This is designed to work with the PowerCore™ System or as a separate unit.	GXSU-1210
Court S	GoldX™ - STACKABLE, USB, 4 PORT, V2 24 Karat Quality USB Hub that adds four Full-Speed USB ports to your IBM compatible or Macintosh® computer.	GXSU-124
	GoldX™ - STACKABLE, USB REPLICATOR 24 Karat Quality USB Port Replicator that adds additional IEEE- 1284 parallel, RS-232C serial, and PS/2 capability to your computer with out opening you IBM compatible computer.	GXSU-1240

GoldX[™]-Surge Protectors, Firewire, USB, Printer, and Serial Cable (cont.)



GoldX [™] Surge Protectors GoldX [™] - SURGE PROTECTOR, 6-OUTLET 2PACK, 03ft CORD	Part Number GXS-701K
GoldX™ - SURGE PROTECTOR, 6-OUTLET W/LED, 04ft CORD	GXS-702R
GoldX™ - SURGE PROTECTOR, 6-OUTLET W/F1O, 06ft CORD	GXS-703KM
GoldX™ - SURGE PROTECTOR, 8-OUTLET W/MOD, 06ft, CORD	GXS-710M
GoldX™ - SURGE PROTECTOR, 8-OUTLET CABLE & MODEM, 06ft CORD	GXS-712MC



GoldX™ Firewire Cables	Part Number
GoldX™ - FireWire® Active Extension, 15 Foot Extend the distance of your firewire peripherals with the GoldX 15' firewire active extension cable.	GX1394-215



High speed firewire cable that connects IEEE 1394 compliant	
devices at up to 400 megabits per second.	
10 Foot	GX1394AA-10
15 Foot	GX1394AA-15



GoldX [™] - FireWire® AV4 - 6 Pin, 6 Foot High speed firewire cable that connects IEEE 1394 compliant devices at up to 400 megabits per second.	GX1394AB-06
10 Foot	GX1394AB-10
15 Foot	GX1394AB-15



GoldX™ - FireWire® AV4 , 6 Foot	GX1394BB-06
High speed firewire cable that connects IEEE 1394 compliant	
devices at up to 400 megabits per second. product spec sheet	
10 Foot	GX1394BB-10
15 Foot	GX1394BB-15



GoldX [™] - FireWire® (3 IN 1), 6 Foot	
24 Karat Quality Cable that Connects your Computer to Any A/	/
V FireWire® Device or FireWire® peripheral.	
10.5	

GoldX™ - FireWire® AV6 - 6 Pin, 6 Foot

10 Foot	GXQF-06
15 Foot	GXQF-06

GX1394AA-06

GXQF-06

GoldX™-Surge Protectors, Firewire, USB, Printer, and Serial Cable (cont.)

GoldX™ Printer Cable

Part Number



GoldX™ - Printer Cable, IEEE, DB25 Male to Centronix, 15 Ft Allows bi-directional communication between the computer and printer. An IEEE-1284 compatible printer cable is required by most printer manufacturers. Please review your owner's manual for additional information.

GX200-15

GoldX™ USB

USB Cables are designed to connect USB Peripherals to USB Enabled Computers. Contrary to normal belief, there is only one active USB specification, this is version 2.0. In the 2.0 spec, there are three speeds that a device can function at. These are Low-Speed, 1.5 megabits per second (Mbps), Full-Speed, 12 Mbps, and Hi-Speed (480 Mbps). GoldX™ Products part numbers GX600-06, GX600-10, or GX600-15, has two speeds that they will work with Low-Speed and Full-Speed. The 2.0 certified version, part numbers GX620-06, GX620-10, or GX620-15, will perform at Low-Speed, Full-speed, and Hi-Speed. The cables listed above look the same. The way to tell if you have a GX600-xx or a GX620-xx is to look for the USB High Speed Certified



Part Number

GXQU-05

GXQU-06

GXUSB-1220

Flag on the cable. If that flag is not there, then look for a test ID number printed on the jacket of the cable.

.9

GoldX™ USB Cables

GoldX™ - USB Cable, A MALE- B MALE, 6 Foot	GX620-06
The GX620-06 USB High speed 2.0 cable is used to connect any	

USB host to a USB peripheral.	
10 Foot	GX620-10
15 Foot	GX620-15

GoldX™ - USB Cable, A MALE- A FEMALE, 6 Foot GX621-06

The GX621-06 USB High speed cable is used to extend the length of a USB 2.0 cable. Please note that the USB specification limits the maximum distance of a USB Cable to 16 feet. The manufacturer is not responsible for any misuse of this cable.

10 Foot GX621-10



GoldX™ - USB Cable (5 IN 1) 18" & 36"

The GXQU-05 is a 24 Karat Quality Hi-Speed USB Cable that connects your computer to any Hi-Speed USB peripheral or any "On-the-Go" master device or any "On-the-Go" peripheral.

GoldX™ - GXQU-06 - USB Cable (5 IN 1) 6 Foot

The GXQU-06 QuickConnect™ USB Cables. The new standard for flexibility and connectivity in USB Cables. Connect any USB Standard or "On-the-Go" device with this cable.

 10 Foot
 GXQU-10

 15 Foot
 GXQU-15



GoldX™ - USB-(2) PS2 Adapter, 6 Foot
The GXUSB-1220 USB to PS/2 Adapter 24 Karat O

The GXUSB-1220 USB to PS/2 Adapter 24 Karat Quality USB Converter that allows the consumer to connect a PS/2 keyboard and PS/2 mouse to the USB port.

GoldX™-Surge Protectors, Firewire, USB, Printer, and Serial Cable (cont.)



GoldX™ - USB Cable, PC-PC, Network, 5 Foot
Use the GXUSB-300 To connect up to 16 computers with the
ability to share the disk space and printers, use the USB Networking cable, part number GXUSB-300. The GXUSB-300 uses
standard networking setup and protocols for real time transfer
and device sharing. This comes standard with two tethered 2½
foot cables. The adapter allows you to choose the cable
lengths you need to connect your computers. GoldX™ Products
will, upon request, manufacture this device with one tethered
2½ foot cable and a connector or as an adapter.

GoldX™ USB Cables (cont.)

GXS-702R

GXS-703KM

Part Number

GXUSB-300

GoldX™ - MINI 4-PORT USB HUB

The GX3000 is a Hi-Speed USB compliant hub that is perfect for those who want a conventional hub without a lot of extras.

GX3000

GXMU-104

GXMU-1200



GoldX™ - MINI 4-PORT USB HUB (elite)

24 Karat Quality USB Hub that adds four Full-Speed USB ports to your IBM compatible or Macintosh® computer.



GoldX™ - USB Cable To Serial Converter 6 Foot GXMU-1200 USB Serial Converter 24 Karat Quality USB Converter that allows the consumer to connect serial devices to the USB port.

1 Foot GXMU-1201



GoldX™ - USB Cable To IEEE 1284 Converter 6 Foot GXMU-1284 USB Parallel Converter 24 Karat Quality USB Converter that electronically establishes a connection between a IEEE-1284 printer and a USB port. GXMU-1284



GoldX™, USB Cable, ACTIVE EXTENSION 16', 2.0
The GoldX ® Hi-Speed USB Active Extension Cable will allow you to easily extend the length between your USB port and

GX3005

GoldX™-Surge Protectors, Firewire, USB, Printer, and Serial Cable (cont.)



GoldX™ KVM Switches

GoldX™- GX3401 - 2 Port KVM Switch 2 Port KVM Switch 24 Karat Quality KVM Switch allows you to control 2 CPU's with 1 monitor, 1 keyboard, and 1 mouse. Part Number GX3401



GoldX™ - 2 Port KVM Switch Upgradable

GX3402



GoldX™ - 4 Port KVM Switch Upgradable

4 Port KVM Switch 24 Karat Quality KVM Switch allows you to control 4 CPU's with 1 monitor, 1 keyboard, and 1 mouse.

GX3403




GoldX™ Charger Kits

 $\operatorname{GoldX^{\operatorname{IM}}}$ - MOTOROLA CHARGER KIT Charge your Motorola cell phone in your car or from your computer with this cable.

Part Number

GXKQP-MO1



Charge your Nokia cell phone in your car or from your computer with this cable.

GXKQP-NO1



 $\operatorname{GoldX^{\operatorname{m}}} \operatorname{-} \operatorname{SAMSUNG} \operatorname{CHARGER} \operatorname{KIT}$

Charge your Samsung cell phone in your car or from your computer with this cable.

GXKQP-SA1

GoldX™ - SONY/ERIKSON CHARGER KIT

Charge your Erikson cell phone in your car or from your computer with this cables.

GXKQP-SE1



GoldX™ Charger Kits

GoldX[™] - Serial Cable, Extension, DB 9 Male to Female, 6 Ft Serial Extension Cable 24 Karat Quality Cable that Connects your IBM Compatible Computer to Any Standard 9-Pin RS-232C Serial Peripheral Gold connectors.

Part Number GX128-06

GoldX™ - Serial Cable, All In One Extension, 6 Foot All-in-One Extension Cable 24 Karat Quality Cable that Extends the Distance Between the Computer and Your Monitor, Keyboard and Mouse Gold connectors.

GX420-06

GoldX™-Surge Protectors, Firewire, USB, Printer, and Serial Cable (cont.)

GoldX™ Audio/Video Cables

GoldX™ High-Quality A/V line audio and video cables are top-of-the-line. Use these for your HDTV, DVD player, and other devices that require cables that provide high-throughput. Kick your home entertainment experience up a notch with these great cables.



Part Number

GoldX A/V Line Audio Cables

2 Channel Audio Cables

Built with the most sophisticated technology and innovative features, GoldX Analog Audio Cable by JDI enhances the performance of all your electronic devices. These high-performance cables enable you to obtain a better sound quality from today's sophisticated electronic equipment.

3 ft Dual RCA to Dual RCA (Left & Right Channel)	GXAV-LR-03
6 ft Dual RCA to Dual RCA (Left & Right Channel)	GXAV-LR-06
12 ft Dual RCA to Dual RCA (Left & Right Channel)	GXAV-LR-12
25 ft Dual RCA to Dual RCA (Left & Right Channel)	GXAV-LR-25
50 ft Dual RCA to Dual RCA (Left & Right Channel)	GXAV-LR-50



SPDIF Digital Coaxial Cables

This high-performance digital coax audio cable provides a superior connection for your digital equipment. GoldX Products quality cable construction guarantees the highest integrity of signal transfer, resulting in a dynamic, fully defined sound for the best listening experience your equipment can deliver.

3 ft RCA to RCA (SPDIF)	GXAV-DC-03
6 ft RCA to RCA (SPDIF)	GXAV-DC-06
12 ft RCA to RCA (SPDIF)	GXAV-DC-12
25 ft RCA to RCA (SPDIF)	GXAV-DC-25
50 ft RCA to RCA (SPDIF)	GXAV-DC-50



SPDIF Digital Optical Cables

Add light speed to your Home Entertainment System. GoldX Digital Optical Cables deliver superior digital sound through state-of-the-art technology. Fiber optic lines are protected by a flexible jacket, which allows for easy routing through shelving and entertainment centers. Reduced distortion in signal transfer means clearer sound. GoldX Digital Optical Cables...making your equipment sound its best. accurate and intense colors.

1 Meter Toslink with Mini Adapters	GXAV-TS-01
2 Meter Toslink with Mini Adapters	GXAV-TS-02
3 Meter Toslink with Mini Adapters	GXAV-TS-03
4 Meter Toslink with Mini Adapters	GXAV-TS-04

GoldX™-Surge Protectors, Firewire, USB, Printer, and Serial Cable (cont.)

GoldX A/V Line Standard Video Cables

Part Number



Composite Video Cables -- Standard for VCRs

This high-performance video cable provides a superior connection for your digital equipment. GoldX's quality cable construction guarantees the highest integrity of signal transfer, resulting in a picture that is sharp, clear and vivid for an improved viewing experience from your equipment.

3 ft RCA to RCA	GXAV-Y-03
6 ft RCA to RCA	GXAV-Y-06
12 ft RCA to RCA	GXAV-Y-12
25 ft RCA to RCA	GXAV-Y-25
50 ft RCA to RCA	GXAV-Y-50



S-Video Cables (SVHS)

GoldX Digital S-Video Cables by JDI bring your pictures to life. This S-Video connection will improve the picture and can reduce dot crawl and hanging dots that blur and distort images, providing viewers with crisp detail and sharp definition. Brightness and color signals are separated through the precise technology of separate shielded conductors. This S-Video Cable helps provide the clearest picture with the most accurate and intense colors.

GXAV-SV-03
GXAV-SV-06
GXAV-SV-12
GXAV-SV-25
GXAV-SV-50



S-Video Extension Cables (SVHS Extensions)

GoldX Digital S-Video Extension Cables by JDI maintain the signal quality of the GoldX S-Video cables while extending them that extra needed distance. The S-Video connection will improve the picture and can reduce dot crawl and hanging dots that blur and distort images, providing viewers with crisp detail and sharp definition. Brightness and color signals are separated through the precise technology of separate shielded conductors. This S-Video Cable helps provide the clearest picture with the most accurate and intense colors.

3 ft MiniDIN 4 Male to MiniDIN 4 Female	GXAV-SVE-03
6 ft MiniDIN 4 Male to MiniDIN 4 Female	GXAV-SVE-06
12 ft MiniDIN 4 Male to MiniDIN 4 Female	GXAV-SVE-12
25 ft MiniDIN 4 Male to MiniDIN 4 Female	GXAV-SVE-25
50 ft MiniDIN 4 Male to MiniDIN 4 Female	GXAV-SVE-50



GoldX™-Surge Protectors, Firewire, USB, Printer, and Serial Cable (cont.)

GoldX A/V Line HDTV Video Cables

Part Number



Component Video HDTV Cables

Ordinary cables just aren't able to deliver the incredible video output that is possible from the latest high-performance electronic devices. GoldX Products Component Video Cables by JDI allow your electronics to operate at their full potential. Helping produce the optimum in video quality, these cables are designed to connect your high-performance video monitor using Component (Y, Pr, Pb or Y, Cr, Cb) inputs. Signal delivery is transferred in real time, without corruption. Take your electronic investments to peak performance levels with GoldX Component Video Cables.

3 ft Triple RCA to Triple RCA	GXAV-RGB-03
6 ft Triple RCA to Triple RCA	GXAV-RGB-06
12 ft Triple RCA to Triple RCA	GXAV-RGB-12
25 ft Triple RCA to Triple RCA	GXAV-RGB-25
50 ft Triple RCA to Triple RCA	GXAV-RGB-50



Digital Video Interface Cables -- DVI

Digital Video Interface (DVI) is the new and upcoming standard for video on computers and LCD TV monitors. DVI has two sections to the specification, analog and digital. This cable connects an analog RGB video devices with a analog DVI LCD monitor or an analog DVI video card with a VGA Monitor.

6 ft DVI-A-VGA Male - Male	GXDV-AV-06
10 ft DVI-A-VGA Male - Male	GXDV-AV-10
6 ft DVI-D-DVI-D Male - Male	GXDV-DD-06
10 ft DVI-D-DVI-D Male - Male	GXDV-DD-10
6 ft DVI-D-DVI-D Male - Male Dual Link	GXDV-D2-06
10 ft DVI-D-DVI-D Male - Male Dual Link	GXDV-D2-06



High Definition Multimedia Interface Cables -- HDMI

For high definition all-digital video in pure digital form that looks its best. GoldX Products' HDMI to DVI cable by JDI with enhanced durability and optimized signal transfer offers an extraordinary high-definition video experience. With 24k gold contacts for maximum signal transfer and corrosion resistance, along with high-density, triple-layer shielding for excellent interference rejection, the right choice for any of your HDMI-to-DVI connections is GoldX Products HDMI To DVI Cable.

3 ft DVI-D Single Link to HDMI 19 pin	GXHD-DA-03
6 ft DVI-D Single Link to HDMI 19 pin	GXHD-DA-06
10 ft DVI-D Single Link to HDMI 19 pin	GXHD-DA-10
3 ft HDMI 19 Pin to HDMI 19 pin	GXHD-DA-03
6 ft HDMI 19 Pin to HDMI 19 pin	GXHD-DA-06
10 ft HDMI 19 Pin to HDMI 19 pin	GXHD-DA-10

GoldX™-Surge Protectors, Firewire, USB, Printer, and Serial Cable (cont.)

GoldX A/V Line Audio & Video Cable Kits

Part Number



Standard Audio & Video Kits

Ordinary cables just aren't able to deliver the incredible video output that is possible from the latest high-performance electronic devices. GoldX Composite Video and Analog Audio Cables allow your electronics to operate at their full potential. Helping produce the optimum in video quality, these cables are designed to connect your high-performance video monitor using composite video with Left and right channel audio inputs. Signal delivery is transferred in real time, without corruption. Take your electronic investments to peak performance levels with GoldX Composite Video and Analog Audio Video Cables.

3 ft 3 RCA to 3 RCA (Composite Video, L/R Audio)	GXAV-YLR-03
6 ft 3 RCA to 3 RCA (Composite Video, L/R Audio)	GXAV-YLR-06
12 ft 3 RCA to 3 RCA (Composite Video, L/R Audio)	GXAV-YLR-12
25 ft 3 RCA to 3 RCA (Composite Video, L/R Audio)	GXAV-YLR-25
50 ft 3 RCA to 3 RCA (Composite Video, L/R Audio)	GXAV-YLR-50



HDTV Audio & Video Kits

Ordinary cables just aren't able to deliver the incredible video output that is possible from the latest high-performance electronic devices. GoldX Products Component Video Cables by JDI allow your electronics to operate at their full potential. Helping produce the optimum in video quality, these cables are designed to connect your high-performance video monitor using Component (Y, Pr, Pb or Y, Cr, Cb) inputs. Signal delivery is transferred in real time, without corruption. GoldX's Audio Cable enhances the performance of your audio connections. These high-performance cables enable you to obtain a better sound quality from today's sophisticated electronic equipment. Take your electronic investments to peak performance levels with JDI Component Video and Analog Audio Cables.

3 ft 5 RCA to 5 RCA (Y, PR, Pb & L/R Audio)	GXAV-RGBLR-03
6 ft 5 RCA to 5 RCA (Y, PR, Pb & L/R Audio)	GXAV-RGBLR-06
12 ft 5 RCA to 5 RCA (Y, PR, Pb & L/R Audio)	GXAV-RGBLR-12
25 ft 5 RCA to 5 RCA (Y, PR, Pb & L/R Audio)	GXAV-RGBLR-25
50 ft 5 RCA to 5 RCA (Y, PR, Pb & L/R Audio)	GXAV-RGBLR-50



Line by:







Amphenol Fiber Optic Connectors

Harsh Environment


CTOS
Tactical 2-4 Ways
Expanded Beam Connector



STARTOP
TV Multiway Connector



Deployable Cable Drums



Tactical Deployable Cable Drums



HDM

Hermaphroditic

Duplex Miniature Connector







Custom Builds

Custom Fiber Optic Cable, Copper Cable, and Security Networks



Fiber Optic - Custom Cable



Copper - Custom Cable



Custom Security Network *NEW*

Cables Plus has built its reputation as a leading supplier of high integrity cable assemblies by sourcing only the highest quality products as well as being committed to our customers' needs. Our commitment is to provide our valued customers with cable assemblies engineered with the finest quality components, manufactured with precision workmanship and the highest quality assurance.

Cables Plus also provides Custom Cable and Custom Security Network capabilities. To submit your request for a custom application, please fill out the information found in the above forms. The more detail you can provide us the better we will be able to quote your product. Your cable requirements will be evaluated and one of our representatives will contact you with a price quote and lead-time, normally within 24 hours.

Thank you for giving us the opportunity to earn your business. All custom cables are guaranteed against manufacturing defect; however, please keep in mind all custom assemblies are non-cancelable and non-returnable once production begins.



About Cables Plus

Cables Plus is the result of a dream, combined with years of hard work coming together and resulting in a company founded on the principals that hard work, honesty, integrity, dedication and strong relationships will make a company, its employees, suppliers, and customers all successful.

Cables Plus is a wholesale supplier of data communication connectivity solutions, fiber optic cable, TFOCA, network cables, fiber patch panels, MTP/MTO cassettes, and custom-designed cables. We are committed to supplying superior performance, quality-assured fiber optic and networking products, and providing outstanding service to our customers. We have a wide array of distributors in the United States that we use to bring you products at very affordable prices:



With our network of distribution we have the ability to meet the needs of small, large and Government requirements quickly and cost effectively.

Cables Plus is dedicated to providing its customers with high quality, reliable, and cost effective network products. Our goal is to earn our customers' trust and keep it for years to come. If you would like to hear what people have said about us, please read our Customer Reviews on our website.

Capabilities

With our international network of manufacturers, **Cables Plus** has the capability of sourcing cost effective, high quality fiber optic and networking products from around the world and can therefore supply them to you at the greatest cost savings. We recommend our fiber optic products for building your networking infrastructure. Fiber optic cable has far more capacity and speed than conventional copper wire and costs much less in the long run. *Please visit the following website to learn more about fiber optics: www.fiber-optic-cables-plus.com*

Featured Manufacturers from Cables Plus!





























The Place To Be For Cabling **Products & Networking Needs**















VANCO INTERNATIONAL, **I**NC.







www.CablesPlusUSA.com

1-866-678-5852